

Creel Survey

November 21, 2011

Contributed by [Joe Hymer](#)

Salmon/Steelhead

Cowlitz River – Anglers continue to catch a mixture of fall Chinook, coho, steelhead, and sea run cutthroats. Most of the Chinook are dark and were released. Most of the salmon catch was near the barrier dam; steelhead and cutthroats near the trout hatchery.

Kalama River – Bank anglers are catching some coho and steelhead though most were dark and were released. The first winter run steelhead of the season had returned to Kalama Falls Hatchery as of November 16.

Lewis River – On the North Fork, anglers are catching a mixture of fall Chinook, coho, and steelhead (including some winter runs). Approximately half the Chinook and coho were released.

Lower Columbia from Longview to Beacon Rock – Effort and catch is very light.

Sturgeon

Lower Columbia below Bonneville Dam – Effort and catch is light.

Area	Bank Anglers	Chinook Kept		Chinook Rel.		Coho Kept		Coho Rel.		Steelhead Kept		Other	Boat Anglers	Chinook Kept		Chinook Rel.		Coho Kept		Coho Rel.		Steelhead Kept	Rel.	Other
		Adults	Jacks	Adults	Jacks	Adults	Jacks	Adults	Jacks	Kept	Rel.			Adults	Jacks	Adults	Jacks	Adults	Jacks	Adults	Jacks			
Cowlitz River	141	1	0	16	0	9	0	6	1	2	0	2 cutts rel.	53	0	0	0	1	3	1	5	0	6	3	15 cutts rel.
Kalama River	48	0	0	0	0	1	1	8	0	2	7	0												
Lewis River mainstem	1	0	0	0	0	0	0	0	0	0	0	0												
North Fork	117	1	0	4	0	13	0	15	0	2	0	0	20	5	0	4	0	12	0	7	0	0	0	0

Washington Southwest Washington lakes sport sampling summaries - Nov. 14-20.

No report currently available.