

A. SEASON ALTERNATIVE DESCRIPTIONS		
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III
North of Cape Falcon	North of Cape Falcon	North of Cape Falcon
Supplemental Management Information	Supplemental Management Information	Supplemental Management Information
<p>1. Overall non-Indian TAC: 114,600 (non-mark-selective equivalent of 110,000) Chinook and the equivalent coho mortality of a TAC of 45,000 coho marked with a healed adipose fin clip (marked).</p> <p>2. Recreational TAC: 58,600 (non-mark-selective equivalent of 54,000) Chinook and 37,800 marked coho; all retained coho must be marked.</p> <p>3. Various daily limit and species combinations of one and two salmon will be considered, including one fish, two fish only one of which may be a Chinook, two fish only one of which may be a coho.</p> <p>3. No Area 4B add-on fishery.</p> <p>4. Buoy 10 fishery opens August 1 with an expected landed catch of 20,000 marked coho in August and September.</p> <p>5. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>	<p>1. Overall non-Indian TAC: 60,000 Chinook and the equivalent coho mortality of a TAC of 35,000 coho consisting of 14,700 marked coho retained in the recreational fishery in the Columbia River Subarea and non-retention coho mortality in the recreational fisheries in the Neah Bay, La Push, and Westport Subareas and the commercial troll fishery North of Cape Falcon.</p> <p>2. Recreational TAC: 30,000 Chinook and the equivalent coho mortality of the recreational portion of the overall non-Indian coho TAC consisting of 14,700 marked coho retained in the recreational fishery in the Columbia River Subarea and non-retention coho mortality in the recreational fisheries in the Neah Bay, La Push, and Westport Subareas.</p> <p>3. No Area 4B add-on fishery.</p> <p>4. Buoy 10 fishery opens August 1 with an expected landed catch of 20,000 marked coho in August and September.</p> <p>5. Overall Chinook and/or coho TACs may need to be reduced or fisheries adjusted to meet NMFS ESA guidance, FMP requirements, upon conclusion of negotiations in the North of Falcon forum, or upon receipt of preseason catch and abundance expectations for Canadian and Alaskan fisheries.</p>	<p>Closed.</p>
<p>U.S./Canada Border to Queets Rivers</p> <ul style="list-style-type: none"> June 18-30 or a coastwide marked Chinook quota of 7,600 (C.5). <p>Seven days per week. All salmon except coho, two fish per day. All Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Queets Rivers</p> <p>Closed.</p>	<p>U.S./Canada Border to Queets Rivers</p> <p>Closed.</p>
<p>Queets Rivers to Leadbetter Point</p> <ul style="list-style-type: none"> June 18-30 or a coastwide marked Chinook quota of 7,600 (C.5). <p>Seven days per week. All salmon except coho, two fish per day. All Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Queets Rivers to Leadbetter Point</p> <p>Closed.</p>	<p>Queets Rivers to Leadbetter Point</p> <p>Closed.</p>

A. SEASON ALTERNATIVE DESCRIPTIONS		
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III
<p>Leadbetter Point to Cape Falcon</p> <ul style="list-style-type: none"> • June 18-30 or a coastwide marked Chinook quota of 7,600 (C.5). <p>Seven days per week. All salmon except coho, two fish per day. All Chinook must be marked with a healed adipose fin clip (C.1). Chinook 24-inch total length minimum size limit (B). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook recreational TAC for north of Cape Falcon (C.5).</p>	<p>Leadbetter Point to Cape Falcon</p> <p>Closed.</p>	<p>Leadbetter Point to Cape Falcon</p> <p>Closed.</p>
<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <ul style="list-style-type: none"> • July 1 through earlier of August 31 or 3,900 marked coho subarea quota with a subarea guideline of 9,000 Chinook (C.5). <p>Seven days per week. All salmon except no chum beginning August 1; two fish per day. All coho must be marked with a healed adipose fin clip (C.1). Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <ul style="list-style-type: none"> • June 25 through earlier of September 30 with a subarea guideline of 5,300 Chinook (C.5). <p>Seven days per week. All salmon except coho and no chum beginning August 1; two fish per day. Beginning August 1, Chinook non-retention east of the Bonilla-Tatoosh line (C.4.a) during Council managed ocean fishery. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook TACs for north of Cape Falcon (C.5).</p>	<p>U.S./Canada Border to Cape Alava (Neah Bay)</p> <p>Closed.</p>
<p>Cape Alava to Queets River (La Push Subarea)</p> <ul style="list-style-type: none"> • July 1 through earlier of August 31 or 1,000 marked coho subarea quota with a subarea guideline of 2,900 Chinook (C.5). <p>Seven days per week. All salmon; two fish per day. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>	<p>Cape Alava to Queets River (La Push Subarea)</p> <ul style="list-style-type: none"> • June 25 through earlier of September 30 with a subarea guideline of 1,600 Chinook (C.5). • October 1 through earlier of October 9 or 100 Chinook quota (C.5) in the area north of 47°50'00" N. lat. and south of 48°00'00" N. lat. <p>Seven days per week. All salmon except coho, two fish per day. See gear restrictions and definitions (C.2, C.3). Inseason management may be used to sustain season length and keep harvest within the overall Chinook TACs for north of Cape Falcon (C.5).</p>	<p>Cape Alava to Queets River (La Push Subarea)</p> <p>Closed.</p>

A. SEASON ALTERNATIVE DESCRIPTIONS		
ALTERNATIVE I	ALTERNATIVE II	ALTERNATIVE III
<p>Queets River to Leadbetter Point (Westport Subarea)</p> <ul style="list-style-type: none"> July 1 through earlier of August 31 or 14,000 marked coho subarea quota with a subarea guideline of 24,200 Chinook (C.5). <p>Seven days per week. All salmon; two fish per day. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 8 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>	<p>Queets River to Leadbetter Point (Westport Subarea)</p> <ul style="list-style-type: none"> June 25 through earlier of September 30 with a subarea guideline of 14,200 Chinook (C.5). <p>Five days per week. Sunday through Thursday. All salmon except coho; two fish per day. See gear restrictions and definitions (C.2, C.3). Grays Harbor Control Zone closed beginning August 8 (C.4.b). Inseason management may be used to sustain season length and keep harvest within the overall Chinook TACs for north of Cape Falcon (C.5).</p>	<p>Queets River to Leadbetter Point (Westport Subarea)</p> <p>Closed.</p>
<p>Leadbetter Point to Cape Falcon (Columbia River Subarea),</p> <ul style="list-style-type: none"> July 1 through earlier of August 31 or 18,900 marked coho subarea quota with a subarea guideline of 14,900 Chinook (C.5). <p>Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c.). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>	<p>Leadbetter Point to Cape Falcon (Columbia River Subarea)</p> <ul style="list-style-type: none"> June 25 through earlier of September 30 or 14,700 marked coho subarea quota with a subarea guideline of 8,800 Chinook (C.5). <p>Seven days per week. All salmon; two fish per day, no more than one of which can be a Chinook. All coho must be marked with a healed adipose fin clip (C.1). See gear restrictions and definitions (C.2, C.3). Columbia Control Zone closed (C.4.c.). Inseason management may be used to sustain season length and keep harvest within the overall Chinook and coho recreational TACs for north of Cape Falcon (C.5).</p>	<p>Leadbetter Point to Cape Falcon (Columbia River Subarea)</p> <p>Closed.</p>