

2015

JASON FIDORRA, District Wildlife Biologist



Washington
Department of
**FISH and
WILDLIFE**



DISTRICT 4 HUNTING PROSPECTS

Benton and Franklin Counties

CONTENTS

| | |
|-----------------------------------|----|
| DISTRICT 4 GENERAL OVERVIEW | 1 |
| ELK | 2 |
| DEER | 4 |
| UPLAND BIRD | 6 |
| PHEASANT | 7 |
| QUAIL | 10 |
| DOVE | 11 |
| WATERFOWL | 12 |
| MAJOR PUBLIC LANDS | 15 |
| PRIVATE LANDS..... | 19 |
| ONLINE TOOLS AND MAPS | 21 |

DISTRICT 4 GENERAL OVERVIEW

District 4 is located in the south central part of the state, in the Columbia Basin (Figure 1). The District is comprised of Benton and Franklin counties and administratively is part of WDFW's South-Central Region 3. The following game management units (GMUs) are included in District 4: 372 (Rattlesnake Hills), 373 (Horse Heaven), 379 (Ringold), and 381 (Kahlotus).




FIGURE 1. LOCATION OF DISTRICT 4 IN WASHINGTON AND ASSOCIATED COUNTIES AND GAME MANAGEMENT UNITS.

Several of Washington's major rivers are prominent in this district. The Hanford Reach of the Columbia River runs through the middle of the district, between Benton and Franklin counties. This 50-mile stretch is one of the most scenic areas of the Columbia in Washington. The Snake and Palouse rivers define the eastern boundary of Franklin County. Near the heart of District 4 is the confluence of the Yakima, Snake, and Walla Walla rivers, with the main stem of the Columbia River at Tri-Cities (Pasco, Kennewick, and Richland). Large populations of waterfowl congregate throughout the district for breeding, migrating, and wintering, despite the fact that this is the driest part of Washington, with only six to nine inches of precipitation per year. Riparian vegetation provides habitat and cover for game birds and the breaks along the Snake and Palouse rivers are favored by congregations of wintering mule deer.

Upland habitats are part of the Columbia Plateau Ecoregion, which was historically dominated by native shrub steppe. Since the 1800s, farmers and ranchers have been working the land around District 4. Intensive irrigated agriculture, supporting many orchards and vineyards, is a major land use in the Yakima River Valley, southern Benton County, and western Franklin County. Dryland wheat is also a major land use in southern Benton County and eastern Franklin County. Many thousands of acres of this wheat country have been enrolled in the federal Conservation Reserve Program (CRP), providing cover for mule deer and other wildlife that have lost much of their natural shrub-steppe habitat.

In Benton County, large east-west trending ridges, including the Horse Heaven Hills and Rattlesnake Hills, add to the topographic diversity of the district. The eastern Franklin County landscape includes the rolling hills of the Palouse Prairie and the southernmost extent of the channeled scablands. Western Franklin County contains several small lakes and depression wetlands that provide additional wildlife habitat and recreational opportunities.

Hunting access in District 4 is more limited than some other parts of the state, as much of the district is held in private ownership or by federal agencies that do not allow hunting. However, quality opportunities do exist, and WDFW is always trying to expand hunting access. Information and related links to several public sites listed in each game section can be found in the Major Public Lands section. Information on how to access private land through one of WDFW's access programs is available in the Private Lands section.

Overall, the landscape of District 4 provides a diversity of habitats favored by waterfowl, upland birds, including chukar, partridge, pheasant, quail, and dove, and big game, including deer and elk. Welcome to District 4 and happy hunting!

ELK

Opportunities for elk hunting in District 4 are primarily limited to lands surrounding the western (Blackrock Elk Area 3722) and southern boundaries (Corral Canyon Elk Area 3721) of the Hanford Reach National Monument in GMU 372. Surveys on the Hanford Monument in February 2015 yielded a total herd estimate of 1,109 elk, a historic high. The herd contained ratios of 40 bulls and 21 calves per 100 cows. The high bull ratio is typical for this herd because they can seek refuge on the federal Hanford lands during hunting season.

Typically during the general season, 175-190 hunters pursue elk in District 4. Of those, 20-25 (usually modern firearm) are successful. Last year however, 132 hunters reported harvest of only 10 elk. Hunter success was lower than usual at about 8%. Harvest success depends upon forage

conditions on the Hanford site and the availability of forage crops on farm lands outside of the protected area. Hunters are usually more successful early in the season. While most of the land around the Hanford Monument is private, elk hunters can pursue elk in Benton County on WDFW's Thorton and Rattlesnake Slope units of the Sunnyside Wildlife Area north of Prosser and Benton City. There are also limited opportunities for elk hunting in Franklin County in the Juniper Dunes Wilderness (http://www.blm.gov/or/resources/recreation/site_info.php?siteid=270) and on the Windmill Ranch Unit of the Sunnyside-Snake River Wildlife Area (http://wdfw.wa.gov/lands/wildlife_areas/county/Benton/).



AN ELK HARVESTED IN GMU 372.

On private land, the best way to secure access is to apply for a special permit through the Landowner Hunt Program (LHP). If selected, permit holders are guaranteed a one day guided

hunt. Most permits are limited to antlerless opportunity for youth hunters, but a few permits for any elk are issued each year. See the current hunting regulations for more information.

DEER

Eastern Franklin County is an important wintering area for mule deer that migrate south to the relatively mild winter conditions near the Snake River, as compared to conditions on their summer range further north. The highest concentrations of deer (mostly mule deer with a few white-tails) are in the Kahlotus Unit (GMU 381), with a large percentage migrating in from northern units starting in October, right around the opening of the modern firearm general season. During mild winters, some of these deer may remain further north or delay moving into the district.

Post-hunt surveys in December 2014 yielded an estimated 13 bucks to 100 does (Figure 2). This value is below the 10-year average of 19 bucks to 100 does and may be attributable to the high hunter success discussed below. Of these bucks, 11% were classified as 3+ points (i.e. legal to harvest). Fawn numbers were at 71 fawns per 100 does (Figure 2). This compares well to the ten-year average of 60 fawns per 100 does and indicates a second year in a row of good production.




FIGURE 2. BUCK AND FAWN RATIOS IN DISTRICT 4, 2004-2014.

In 2014, the hunter success rate for deer in District 4 was ~32%, with a five-year average of 35%. Hunter success in the five surrounding districts was 25% last season. District 4 hunters enjoy a higher success rate primarily due to restricted access for hunters and a lack of cover for

deer. Most legal bucks will be harvested during the first few days of the modern firearm season. As in past years, a late November muzzleloader general season will open in Franklin County (GMU 379 & 381), providing good opportunity for hunters to harvest a buck or antlerless deer.



A BUCK HARVESTED IN FRANKLIN COUNTY (GMU 381).

In northern Benton County (GMU 372), spend some time scouting for deer in the Thornton and Rattlesnake units of the Sunnyside/Snake River Wildlife Area (Figure 9). In southern Benton County, there are small groups of deer available to hunters on land in the Horse Heaven Hills (GMU 373), managed by the Bureau of Land Management, scattered tracts of DNR and private property, and the USFWS's Umatilla NWR.

Deer Areas 3071 and 3072 on the Umatilla NWR's Whitcomb and Paterson units (Figure 11), provide 40 special permits split every September between muzzleloader and archery hunters. In even numbered years, archery hunters have the opportunity to hunt antlerless deer during the first week of September and any buck during the second week of September, while muzzleloader** hunters are able to hunt antlerless deer for the rest of the month. During odd numbered years, the opportunity switches between weapon types. Muzzleloader hunters are able to hunt antlerless and buck deer in early September and archers hunt antlerless for the rest of the month. Please consult the current hunting regulations for more details. The Whitcomb and Patterson

muzzleloader buck hunts expected in early September 2015 were omitted during the update of the Washington Administrative Code. WDFW intends to continue these hunts and the weapon rotation in 2016 as described above.

There are quite a few “Feel Free to Hunt” and “Hunt by Written Permission” acres where hunters can gain access to deer. Pre-season scouting is advisable in order to learn where to hunt and to obtain permission from private landowners. *Don’t be shy about knocking on doors and respectfully asking about access.*

The newly revamped [GoHunt](#) application on WDFW’s website is the place to learn where the private lands access areas are located. It is advised to double check that lands available for hunting previously are still open to the public.

UPLAND BIRD

Overall, Benton and Franklin Counties offer upland bird hunters many opportunities. Whereas there are many factors that determine hunter success, on average, harvest of most species has been steady or slightly decreasing (Figure 3). Habitat is a key component influencing the survival and reproduction of birds. At the Mesa Lake Unit of the WDFW Sunnyside/Snake River Wildlife Area, funding has been awarded for enhancing nesting opportunities for several species, including pheasant, quail, and doves. Over the past year, several acres were planted with native shrubs and grasses as part of an ongoing effort to enhance wildlife habitat on WDFW lands.




FIGURE 3. UPLAND BIRD HARVEST TRENDS BASED ON FIVE-YEAR RUNNING AVERAGES.

PHEASANT

In 2014, the number of ring-necked pheasant hunters in District 4 decreased by 6% (Figure 4). However, pheasant harvest increased, with hunters reporting a harvest of 7158 birds. This was up 28% from 2013, whereas statewide pheasant harvest increased by only 13%.




FIGURE 4. PHEASANTS HARVESTED AND PHEASANT HUNTERS IN DISTRICT 4, 2009-2014.

Each summer, biologists with the Yakama Nation conduct pheasant productivity surveys. In 2014, 0.36 pheasants were observed per mile (Figure 5). This is in line with the running average of 0.35 since 1993. Pheasant populations are often limited by cold, wet weather, especially in the spring when chicks are newly hatched. This year's exceptionally mild winter and early spring likely resulted in favorable pheasant survival.

Hunters should focus efforts in dense weedy and grassy areas adjacent to wetlands, streams, and irrigation waterways. Birds may also be found around irrigated farmland. Some of the best pheasant habitat in the district is in north Franklin County on and surrounding WDFW's Windmill Ranch Wildlife Area, Mesa Lake Wildlife Area, and the Bailie Memorial Youth Ranch. Each of these hunting areas has two designated parking areas where hunters are required to park and register. All areas allow a maximum of five vehicles per lot. Other areas with good pheasant habitat include the U.S. Fish and Wildlife Service's Hanford Reach National Monument's East Wahluke Unit (Figure 10), Ringold (GMU 379), and [Umatilla National Wildlife Refuge](#) along the Columbia River, near the town of Paterson.




FIGURE 5. AVERAGE PHEASANTS PER MILE OBSERVED DURING BROOD COUNTS ON THE YAKAMA RESERVATION

Going after birds planted as part of WDFW’s [Pheasant Enhancement Program](#) is a great way to work dogs and get kids involved in hunting. Last year, WDFW planted 1,140 pheasants at three locations: the Hope Valley Unit of the WDFW Sunnyside/Snake River Wildlife Area, and the Big Flat and Lost Island Habitat Management Units (HMU) held by the Army Corps of Engineers (Figure 6). For 2015, close to 1200 roosters will be released at these same locations. Pheasant release site locations statewide can be found on the [GoHunt](#) website. Army Corps HMUs information is available [here](#). Nontoxic shot is required at release sites.



ROOSTERS RELEASED AT THE HOPE VALLEY UNIT.




FIGURE 6. LOCATION OF HOPE VALLEY, BIG FLAT, AND LOST ISLAND PHEASANT RELEASE SITES

QUAIL

Numerous California quail have been observed in the district, and given the mild winter and ample cover and insects, it should be a good season in 2015. There has been a decreasing trend in harvest numbers over the past decade (Figure 3). Surveys conducted by the Yakama Nation show that quail numbers vary greatly year to year, but that 2014 was an above average year for quail in the region (Figure 7). The best quail habitat in District 4 is similar to those listed above for pheasant. In addition, anywhere along water bodies where riparian and herbaceous vegetation intersect will provide quail habitat. An ideal setting is where Russian olives or willows are adjacent to black greasewood or sagebrush.




FIGURE 7. AVERAGE QUAIL PER MILE OBSERVED DURING BROOD COUNTS ON THE YAKAMA RESERVATION

DOVE

Mourning dove harvest in District 4 has been increasing over the past five years (Figure 3). There has been good success at our trapping/banding station in 2015. More than two-thirds of the birds captured were juveniles that were hatched this year, indicating good production. In addition, many doves have been observed in Franklin County, even in drier areas. Weather patterns play a critical role in determining how many doves are present during the season opener. Focus hunting efforts in or near wheat or corn stubble fields in the irrigated Yakima and Columbia Basins. The best combination of habitat includes a stubble field near water and large isolated trees or power lines where doves perch and attract other doves.



ONE OF MANY MOURNING DOVES BANDED AS PART OF WDFW'S MONITORING PROGRAM

WATERFOWL

The five year average of ducks harvested in District 4 over the past decade has been increasing, while the goose harvest has been slightly decreasing (Figure 8). Flight surveys conducted in the spring of 2015 over irrigated portions of the southern Columbia Basin yielded an estimate of 21,581 mallards. This is 10% lower than the long term average for the region and likely reflects extremely dry conditions, which reduced the availability of wetland habitat for breeding ducks. However, the overall estimate for eastern Washington waterfowl was equal to the long term average, and as ducks begin to move, there should be ample opportunities for duck hunters. After the season opening, hunter success will likely taper off as the local ducks get “educated” and restrict their daytime movements to local reserves and sanctuaries. At that point, hunters will likely have to wait for the migrants to arrive in the mid- to late-season. Weather patterns will determine when they will arrive and where they will congregate.




FIGURE 8. DISTRICT 4 WATERFOWL HARVEST TRENDS BASED ON FIVE-YEAR RUNNING AVERAGES.

There are many places to hunt ducks and geese in the district. Small ponds and lakes can be found on WDFW’s Windmill Ranch, Mesa Lake, and Bailie Memorial Youth Ranch. This year, wetland management activities will result in increased open water areas at the Windmill and Bailie Youth Ranches in time for duck season. Continued management of the Sunnyside and Snake River Wildlife Areas will result in more habitat for waterfowl and opportunities for hunters in the coming years. Scootney Reservoir, managed by the [Bureau of Reclamation](#), can provide good hunting. For an excellent introduction to waterfowl hunting, [see “Let’s Go Waterfowling.”](#)

The Snake and Columbia rivers and associated water bodies will hold tens of thousands of ducks when the cold weather sets in. Access can be gained at the McNary and Umatilla National Wildlife Refuges and the Hanford Reach National Monument.



A MALLARD BROOD IN THE POTHOLE CANAL, FRANKLIN COUNTY.

During odd numbered years, Canada goose nests are surveyed on most of the islands in the Columbia River throughout District 4 to track local production. This spring, the number of Canada goose nests counted continued an upward recovery seen over recent surveys following decreases in the early 2000s. Therefore, there will be an early goose season running from September 12-13, 2015. In addition, thousands of migratory Canada geese will arrive in the district sometime in October or November. They can be pursued in the farm fields near the Snake and Columbia rivers. Most of the land is private, so hunters will want to secure permission before hunting.

The Cropland Hunting Access Initiative is a program aimed at increasing waterfowl hunting access in the Columbia Basin. Benton and Franklin county farmers are currently being contacted to determine their interest in delaying tillage of corn and wheat stubble and providing hunter access on those acres. To ensure a quality hunting experience, properties are open for hunting only on “Goose Days” and can be reserved via the Hunt by Reservation System. WDFW had 1200 acres enrolled in 2014 and hopes to match that total this year. Watch the WDFW website

for updated maps and directions to these fields in the coming weeks <http://wdfw.wa.gov/hunting/>.



GOOSE HARVEST IN THE TRI-CITIES.

MAJOR PUBLIC LANDS

Hunting access in Benton and Franklin counties is more limited than some other parts of the state, as much of the district is held in private ownership or by federal agencies that do not allow hunting. However, quality opportunities on both public and private land do exist and WDFW is continually working to expand hunting access.

Sunnyside-Snake River Wildlife Area: This Wildlife Area (Figure 9) comprises most of the WDFW-owned land in the district and most parcels are open to hunting, but with specific restrictions at some units. Most of the units are managed specifically for wildlife, and enhanced hunting opportunities are possible through crop, habitat, and wetland management. For more

information please visit: http://wdfw.wa.gov/lands/wildlife_areas/. Directions to the Mesa Lake Unit (not described online) are located at the end of this document.




FIGURE 9. MAP OF THE SUNNYSIDE-SNAKE RIVER WILDLIFE AREA UNITS.

Mid-Columbia River National Wildlife Refuge Complex: The U.S. Fish and Wildlife Service allows hunting on a number of units of this refuge complex, including a portion of the Hanford Reach National Monument (Figure 10), a portion of the Umatilla National Wildlife Refuge (NWR, Figure 11), and certain areas within the McNary NWR. Details and maps can be found [here](#).




FIGURE 10. HANFORD REACH NATIONAL MONUMENT SHOWING AREAS WITH VARIOUS HUNTING ACCESS DESIGNATIONS.

The Columbia River, all islands except privately owned, in the river, the Benton County shoreline below the high water mark, Central Hanford Department of Energy property, and any peninsula originating on the Benton County shoreline between Vernita Bridge on Highway 24 downstream to the Richland city limits are designated as "CLOSED AREAS" to hunting wild animals and wild birds. The only exception is waterfowl hunting, which is open below the high water mark between the old Hanford town site power line crossing (wooden towers) and the Richland city limits. These details are printed in the 2015 Big Game Regulations on page 89.




FIGURE 11. UMATILLA NATIONAL WILDLIFE REFUGE, SHOWING AREAS WITH VARIOUS HUNTING ACCESS DESIGNATIONS.

Other Public Lands: Various other public agencies own or manage land within Benton and Franklin counties that may also be open to hunting. The Bureau of Land Management allows hunting at [Juniper Dunes](#) and other properties within the district. The [Army Corps of Engineers](#) and the Bureau of Reclamation are also federal agencies that allow hunting on portions of their land. Consult a public lands map or [GoHunt](#) for more information.

Washington’s Department of Natural Resources (DNR) also manages land that is open to hunting unless otherwise posted. Benton and Franklin counties have a large amount of DNR acreage, but it is often leased to private landowners. While leased land may still be open to hunting, hunters should always be aware that adjacent landowners are often managing DNR land as part of their business operations, and hunters should be respectful of property boundaries. Consult a public lands map or [GoHunt](#) for more information.


PRIVATE LANDS

Hunters may be most familiar and comfortable with hunting on public land, but WDFW also provides and maintains a Private Lands Access program that allows the public to hunt on land owned by cooperating private landowners. Often these landowners receive little to no compensation for their enrollment in the program, and hunters should always respect their property and wishes. By being a responsible guest on these private lands, hunters can help insure that they remain open for years to come and will continue to enhance WDFW's mission to expand private lands access.


Information about private lands access sites, including site-specific regulations, locations, season availability, and contact information can be found [here](#) and at [GoHunt](#).

Four private lands programs exist, and while each provides public, walk-in only access to private land, they function differently.

Hunt By Reservation




Hunt by reservation is the newest private lands access program in Washington and is coming to Benton and Franklin counties this fall. The program requires hunters to register online at http://wdfw.wa.gov/hunting/hunting_access/private_land/type/56/. Hunters are required to print out and carry a permit, and they are provided a map of the property. Hunt by Reservation contracts in Benton and Franklin counties are currently in development, but multiple opportunities are expected to be available for both big game and bird hunting. More information about using the reservation site can be found [here](#).




Feel Free To Hunt

Feel Free to Hunt is the largest access program in District 4, with dozens of properties totaling around 100,000 acres. It allows hunters to access designated land at any time during established hunting season. Most District 4 Feel Free to Hunt properties provide access for mule deer hunting with some potential for upland bird hunting as well.



Register to Hunt

District 4 has two Register to Hunt (RTH) sites, totaling 11,700 acres, both in Benton County. Register to Hunt requires hunters to sign in at registration kiosks and carry a permit with them. District 4's RTH sites primarily provide waterfowl and upland bird hunting opportunities.



Hunt By Written Permission

Hunt by Written Permission (HBWP) requires hunters to make contact with the landowner. Landowners then issue permits to hunters at their discretion and hunters are expected to carry this permit while they hunt. Landowner contact information can be found on the signs at the site. There are seven HBWP properties totaling 20,000 acres within District 4, and they can provide opportunities for both big game and bird hunting.

ONLINE TOOLS AND MAPS

A good starting point for hunters looking for a place to hunt is the newly redesigned GoHunt website at <http://apps.wdfw.wa.gov/gohunt/>. GoHunt is a valuable resource that provides hunters with information about public and private lands access points, GMU boundaries and harvest data, landscape features such as roads and topography, and a great deal more.




FIGURE 12. A DEPICTION OF THE PRIVATE LANDS ACCESS AND DEER AREAS 3071 AND 3072 IN GMU 373 FROM WDFW'S GOHUNT WEBSITE.

DIRECTIONS TO MESA LAKE REGISTER TO HUNT AREAS

Access Site #1

DRIVING DIRECTIONS: In Franklin County, from HWY 395, take WA-17N toward Mesa/Moses Lake for 0.4 miles, turn northwest onto WA-17 for 0.9 miles, turn west onto Pepiot Road for 0.2 miles, turn slight right onto 1 Avenue S for 0.1 mile, turn west on Sheffield Road for 0.6 miles, then turn west on gravel drive (Sunleaf) for 0.5 miles to east parking lot.

PARKING/RESTROOM INFORMATION: Gravel Parking Lot. No facilities.

OTHER INFORMATION: Register to Hunt; five car limit during hunting seasons only. No overnight camping or open fires. See kiosk for further information/restrictions.

Access Site #2

DRIVING DIRECTIONS: In Franklin County, from HWY 395, take WA-17N toward Mesa/Moses Lake for 0.4 miles, turn northwest onto WA-17 for 0.9 miles, turn west onto Pepiot Road for 0.2 miles, turn slight right onto 1 Avenue S for 0.1 mile, turn west on Sheffield Pepiot

Road for 1.8 miles, turn south on Langford Road for 0.8 miles, then turn east on gravel for 0.2 miles to west parking lot/crude boat launch.

PARKING/RESTROOM INFORMATION: Gravel Parking Lot. No facilities.

OTHER INFORMATION: Register to Hunt; five car limit during hunting seasons only. No overnight camping or open fires. See kiosk for further information/restrictions.