

2015

SCOTT FITKIN, District Wildlife Biologist
JEFF HEINLEN, Assistant District Wildlife
Biologist



Washington
Department of
**FISH and
WILDLIFE**



DISTRICT 6 HUNTING PROSPECTS

Okanogan County

CONTENTS

BE AWARE OF FIRE CONDITIONS	1
DISTRICT 6 GENERAL OVERVIEW	2
ELK	3
General Information, Management Goals, and Population Status.....	3
Which GMU Should Elk Hunters Hunt?.....	4
DEER	5
General Information, Management Goals, and Population Status.....	5
Which GMU Should Deer Hunters Hunt?	6
What to Expect During the 2015 Season	7
How to Find and Hunt Mule Deer	8
How to Find and Hunt White-tailed Deer	8
Deer Areas	8
Notable Hunting Changes	8
BLACK BEAR	9
General Information, Management Goals, and Population Status.....	9
Which GMU Should Bear Hunters Hunt?.....	9
What to Expect During the 2015 Season	10
COUGAR.....	11
General Information, Management Goals, and Population Status.....	11
Which GMU Should Cougar Hunters Hunt?	12
WATERFOWL	13
General Information	13
FOREST GROUSE	15
Species and General Habitat Characteristics	15
Harvest Trends and 2015 Prospects	15
PHEASANTS.....	16

Species and General Habitat Characteristics	16
QUAIL.....	17
Species and General Habitat Characteristics	17
TURKEYS.....	18
General Description	18
CHUKAR AND GRAY PARTRIDGE	18
General Description	18
DOVE.....	18
General Description	18

BE AWARE OF FIRE CONDITIONS

This report was written before the full extent of this year's wildfires in northcentral and northeast Washington was known. We will update this information as soon as possible after the fires subside and their impact on hunting opportunities becomes clear.

While the department currently has no plans to close any hunting seasons due to wildfires, access restrictions are in place on many public and private lands in these areas. Wherever you choose to hunt, be sure to check on fire conditions, access restrictions and other emergency rules before you head out.

For more information see:


- [Wildfire status updates](#)
- [Northwest Interagency Coordination Center](#)
- [Chelan County Emergency Management](#)
- [Okanogan County Emergency Management](#)
- [Stevens County updates](#)
- [Contact list for major landowners](#)

Nate Pamplin
Assistant Director, Wildlife Program

DISTRICT 6 GENERAL OVERVIEW

District 6 is located along the Canadian border in north-central Washington and encompasses ten game management units: 203 (Pasayten), 204 (Okanogan East), 209 (Wannacut), 215 (Sinlahekin), 218 (Chewuch), 224 (Perrygin), 231 (Gardner), 233 (Pogue), 239 (Chiliwist), and 242 (Alta).

The western two-thirds of the district, stretching from the Okanogan River to the Pacific Crest, lies on the east slope of the Cascade Range and is dominated by mountainous terrain that gets more rugged as you move from east to west. Vegetation in this portion of the district ranges from desert/shrub-steppe at the lowest elevations through various types of conifer forests, culminating in alpine tundra on the higher peaks that top out at almost 9,000 feet. More than three-quarters of the land base in this portion of the county is in public ownership, offering extensive hunting access. Game is plentiful and dispersed throughout the area for most of the year, concentrating in the lower elevations in winter when deep snows cover much of the landscape.



CHEWUCH RIVER AND PASAYTEN WILDERNESS – PHOTOS BY SCOTT FITKIN

GMU 204 includes the eastern one-third of the district (from the Okanogan River east to the Okanogan County line) and is moderately rolling terrain, generally rising in elevation as you move east. The vegetation changes from shrub-steppe near the Okanogan River to a mix of tall grass and conifer forest throughout the remainder of the unit. This portion of the district is roughly a 50-50 patchwork of public and private land with the public lands generally being higher in elevation. Again, game is plentiful and dispersed throughout.

Weather in the Okanogan District can be quite variable and capable of changing quickly in the fall. Be prepared for everything from warm, sunny days to the possibility of winter temps and significant snow at higher elevations by the second week of October.

Please be respectful of private land and treat land owners and their property the way you would want to be treated if roles were reversed.

Agency biologists will be running a biological check and information station at the Red Barn in Winthrop both weekends of the modern firearm general deer season. We encourage hunters to stop and provide data to biologists whether you've harvested a deer or not. Data collected assists in assessing herd health and shaping population management.

ELK

GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS

Elk numbers are generally low in District 6. However, conditions vary noticeably between the east and west portions of Okanogan County. The western two-thirds of the district are not currently covered under a Washington Department of Fish and Wildlife (WDFW) elk herd management plan and the existing harvest strategy (any elk general season) is designed to minimize elk numbers to prevent agricultural damage and avoid competition with the large migratory mule deer herd. As such, elk are quite scarce west of the Okanogan River and very difficult to find without extensive local knowledge.

The eastern portion of the district (GMU 204) is covered by the Selkirk Elk Herd Plan. It's four primary goals are: (1) to preserve, protect, perpetuate, manage, and enhance elk and their habitats to ensure healthy, productive populations and ecosystem integrity, (2) to manage this elk herd for a sustained hunting yield, (3) to manage elk for a variety of recreational, educational, and aesthetic purposes, including hunting, scientific study, cultural and ceremonial uses by Native Americans, biodiversity, wildlife viewing, and photography, and (4) to manage elk and elk habitat to minimize human conflicts and agricultural damage. More specifically, GMU 204 supports part of the Pend Oreille sub-herd population where the current management objective is to gradually increase elk numbers while addressing the above four goals. As a result, this unit is now managed with any-bull harvest during general seasons. Elk are not currently abundant

enough to warrant a survey effort in District 6, but anecdotal observations suggest numbers are increasing noticeably in Unit 204.

2014 District 6 Elk Harvest Statistics: [District 6 General Season Elk Harvest](#)


WHICH GMU SHOULD ELK HUNTERS HUNT?

As noted above, Unit 204 is the only GMU in District 6 with a significant number of elk. Unless you have up-to-date knowledge on one of the few small bands of elk in the rest of the district (generally limited to local hunters who frequently scout), finding an animal in those GMUs is extremely difficult.

DEER

GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS

District 6 supports perhaps the largest migratory mule deer herd in the state and Okanogan County has long been prized by hunters for its mule deer hunting. The district also supports significant numbers of white-tailed deer, particularly in GMU 204 and 215. Overall, the District 6 deer management objective is for a stable to modestly increasing population within the social tolerance limits for nuisance and damage issues.



OKANOGAN DISTRICT MULE DEER AND WHITE-TAILED DEER – PHOTO BY SCOTT FITKIN

One short-term exception is in GMUs 224, 239, and 242, where the current management is intended to maintain a stable to slightly decreasing population in response to the landscape's reduced ability to support deer in the wake of last year's Carlton Complex Fire. The fire burned huge tracts of critical winter shrub forage. Managing browsing pressure will be important to winter range recovery and the long-term health of the herd.

Despite the massive fire, district deer populations are doing well, thanks in part to greater than normal fall green-up and a mild winter. District 6 deer herds benefitted from better than average mule deer fawn winter survivorship and associated recruitment for the fifth time in the last six years, and post-season sex ratios in December of 2014 remained good at 23 bucks per 100 does.

WHICH GMU SHOULD DEER HUNTERS HUNT?

With the possible exception of GMU 209, all units in District 6 support significant numbers of deer, include large blocks of accessible public land, and offer good to excellent deer hunting opportunity. GMU 209 is the driest unit overall and has the highest percentage of private land, so general season opportunities are more modest in this area. Mule deer are abundant throughout the county, with the highest densities occurring in the Methow Valley and along the divide between the Methow and Okanogan Watersheds.

Overall, white-tailed deer are less numerous than mule deer in Okanogan County, and in contrast to mule deer, white-tail abundance generally increases as you move east in the district. The largest population is in GMU 204, where whitetails comprise about half of the overall deer population. Another whitetail hotspot is the central portion of GMU 215, particularly in the Sinlahekin Valley and surrounding drainages. Although white-tailed deer numbers are less abundant in the western portion of the district, they are still found in most all drainages up to mid-elevations, particularly those with significant riparian vegetation. In many areas west of GMU 204 and outside of the Sinlahekin Wildlife Area, white-tailed deer frequent private lands, so prospective hunters wishing to target white-tailed deer may want to seek permission in advance of the season to access individual ownerships.

General season hunters harvested 2780 deer from the ten game management units comprising District 6. This represents an increase of 35% over the 2013 season despite the disruptive effects of the Carlton Complex Fire. Similarly, general season success rates improved noticeably as well and ended up as follows: Modern – 20%, Muzzleloader – 28%, Archery – 33%, and Muilt – 31%.

GMU 204 (the district's largest unit) yielded the greatest overall general season deer harvest of 816 animals. In the western portion of the district, GMUs 215, 218, 224 combined produced a harvest of 1075 animals, and GMU 233 also produced good tallies. These four units combined accounted for 72% of the total number of deer taken in District 6.

2014 District 6 Deer Harvest Statistics: [District 6 General Season Deer Harvest](#)




FIGURE 1. DISTRICT 6 2014 GENERAL SEASON HUNTER SUCCESS BY WEAPON TYPE AND GMU.

WHAT TO EXPECT DURING THE 2015 SEASON

Prospects for mule deer look excellent this year. Better than average recruitment in recent years indicates a growing herd, and high buck escapement observed during surveys last winter means hunters should have good opportunities to harvest older age class bucks. The end date for the general modern firearm season is the latest it's been in years, so mule deer may begin migrating toward winter range (southerly facing slopes at lower elevations) during the later portion of that season. If so, this will start to concentrate deer in more accessible areas and improve hunters chances of locating legal bucks.

Unlike last year, District 6 has experienced minimal fire activity this summer and no major fire-related access closures are in place at this time. However, spring and summer weather has been exceptionally hot and dry and the potential for large fires will persist well into the fall, creating the potential for rapidly changing conditions and access. Currently a ban on all fires is in place throughout the district and is likely to remain in place for some time, possibly even well into the general modern firearm season. Make sure to check with local agencies on current conditions and restrictions before beginning your hunt.

HOW TO FIND AND HUNT MULE DEER

During the early general seasons deer will be widely distributed on the landscape and not yet concentrated in migration areas or on winter range. The one possible exception could be the tail end of the general modern firearm season, as mentioned above. Mature bucks in particular are often at high elevations in remote locations as long as succulent vegetation is available. In this particularly hot and dry year, look for deer taking advantage of any remaining moist areas that are still holding green forage. In general, older, higher elevation burns, including the Tripod, Thirty-mile, Farewell, and Needles Fires, are also producing high quality summer forage and are a good bet for significant deer activity.

During the late permit seasons, the majority of deer will have moved to winter range areas at lower elevations on more southerly slopes. In District 6, WDFW Wildlife Areas and immediately adjacent federal lands are good bets for high deer numbers in late fall, although in low snow years, some mature bucks may linger at higher elevations.

Although mule deer will use a variety of habitat types, they will often forage well into fairly open environments, particularly at dawn and dusk. As a result, they can often be glassed and stalked from considerable distance.

HOW TO FIND AND HUNT WHITE-TAILED DEER

White-tailed deer are typically far less migratory than mule deer and generally favor brushier country with denser cover. Look for whitetails along stream drainages and in other areas with riparian vegetation or thick cover. Like mulies, whitetails are most active at dawn and dusk, but often don't venture as far into larger openings unless under the cover of darkness. Look for whitetails in edge habitats where denser cover abruptly transitions into more open meadows. Many whitetail hunters will wait patiently at a station position along an obvious game trail or the forest edge, often employing the use of a blind or tree stand.

DEER AREAS

For those hunters with second deer permits in Deer Areas 2012 -2016, remember that those permits are good only on private land. Permit holders are responsible for making contact with private land owners to secure hunting access.

NOTABLE HUNTING CHANGES

This year the general modern firearm season has been extended to 11 days. This change, combined with the October 17 start date, means this season will extend farther into October than it has in many years, potentially providing an opportunity to hunt mule deer during the beginning

of the fall migration, depending on weather. Above average numbers of antlerless special permits are again being issued for those GMUs affected by the Carlton Complex Fires. However, the parameters of those hunts have returned to the pre-fire structure.

BLACK BEAR

GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS

Black bears are abundant and well distributed throughout District 6 and are managed for sustainable harvest and diverse age structure. Monitored demographic parameters suggest the local population and associated harvest appear to be relatively stable, so hunting prospects in the district should be good.

For hunters pursuing black bear in the northern Cascades, it is critical to positively identify the bear species, as endangered grizzly bears potentially also inhabit these areas. WDFW's website features some interactive training materials on how to tell the difference between black and grizzly bears. [Click here](#) to view the Interactive Bear Identification Program and take the Bear Identification Test.

WHICH GMU SHOULD BEAR HUNTERS HUNT?

All GMUs in the Okanogan District provide good black bear hunting opportunity. In 2014, hunters harvested 92 black bear from the western portion of the district in the Okanogan Bear Management Unit (BMU 5). This was almost identical to the 2013 tally. Last year, bears pursued robust berry crops throughout the district and harvest was spread accordingly across all GMUs. GMU 204 in the Northeastern BMU yielded 60 animals, a 43% increase in harvest over 2013.




FIGURE 2. OKANOGAN DISTRICT 5-YR AVERAGE BLACK BEAR HARVEST SUCCESS RATES BY GMU.

2014 District 6 Black Bear Harvest Statistics: [Okanogan BMU Black Bear Harvest](#)
[Northeastern BMU Black Bear Harvest](#)

WHAT TO EXPECT DURING THE 2015 SEASON

At the beginning of bear season, animals are likely to be found at higher elevations in moister areas where berries are already peaking earlier than normal. As the season progresses and berries fade, bears may be wandering further and using a wider range of elevations than normal in search of food given the extremely hot and dry conditions.



OKANOGAN DISTRICT BLACK BEAR – PHOTO BY SCOTT FITKIN

COUGAR

GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS

The District 6 cougar population is healthy and well distributed across the landscape. In the Okanogan District, cougars are now managed by a harvest guideline at the individual GMU level to better promote stable population structure and high quality sustainable harvest, while also minimizing human-cougar conflicts.

Cougars follow the deer herds, which means they will be spread throughout the district through late October and then start to concentrate more at lower elevations as deer move to winter range. Much cougar foraging activity takes place at night, so the best opportunities to spot the cats on the move are at dawn and dusk.



COUGAR WITH KITTEN – PHOTO BY SCOTT FITKIN

WHICH GMU SHOULD COUGAR HUNTERS HUNT?

All Okanogan District GMUs support cougars and are open to hunting. After January 1, individual GMUs close on short notice once the harvest guideline has been reached, and hunters are responsible for knowing if a unit is open or closed. This information is available on the WDFW hotline (1-866-364-4868) or at <http://wdfw.wa.gov/hunting/cougar/>.

Last season, harvest fell slightly short of the guidelines in most GMUs. In addition, last year saw a reduction in the level of control related mortality. As a result, cougar numbers should be robust and hunting opportunities in District 6 should be good in 2014-15. A summary table of the harvest guideline by GMU is presented below.

2014-2015 District 6 Cougar Harvest Statistics: [East Cascades North Cougar Harvest](#)
[Northeastern Cougar Harvest](#)

Hunt Area (GMUs)	Harvest Guideline	2012-2013 Harvest	2013-2014 Harvest	2014-2015 Harvest
203	4-6	0	0	0
204	6-8	5	5	1
209, 215	3-5	3	2	4
218, 231	4-6	2	3	2
224	2-3	1	2	1
233,239	3-4	2	0	1
242,243	6-7*	4	4	3

TABLE 1. DISTRICT 6 COUGAR HARVEST GUIDELINES AND 3-YR HARVEST BY GMU.

WATERFOWL

GENERAL INFORMATION


The Okanogan District offers modest waterfowl hunting opportunities as compared to many other areas of the state. The largest concentrations of birds occur at the southern edge of District 6 at the mouth of the Okanogan River and on the Columbia River. The main stem of the Okanogan and Upper Similkameen Rivers and the larger lakes and potholes in the Okanogan Watershed are good secondary sites. Good public river access can be found at the Washburn Island Unit of the Wells Wildlife Area, the Driscoll-Eyhott Island Unit of the Sinlahekin Wildlife Area, and the Similkameen-Chopaka Unit of the Scotch Creek Wildlife Area.

Water levels in local potholes are likely to be very low following this extremely hot, dry summer. River levels will generally also be significantly lower than normal, with the pools of the Columbia River being a possible exception. Aside from water levels, waterfowl hunting opportunities are mostly dependent on the number of migrants coming from Canada and Alaska and how long water remains ice-free throughout the district.



BARROWS GOLDEN EYE PAIR – PHOTO BY SCOTT FITKIN

2014 District 6 Waterfowl Harvest Statistics: [Okanogan County Small Game Harvest](#)



CANADA GEESE IN A METHOW VALLEY GRAIN FIELD – PHOTO BY SCOTT FITKIN

FOREST GROUSE

SPECIES AND GENERAL HABITAT CHARACTERISTICS


The Okanogan supports strong populations of ruffed, dusky (blue), and spruce grouse, which are found throughout the forested areas of the district. Ruffed grouse are generally associated with deciduous tree cover at lower to middle elevations, particularly in riparian habitats. During hunting season, dusky (blue) grouse are generally found in the mid to upper elevation conifer forests, often moving to ridges as snow begins to accumulate. Spruce grouse are located in higher elevation conifer forests throughout the district on a year-round basis.

Forest grouse populations are likely below historical norms within the boundaries of recent wildfires including the massive Carlton Complex and Tripod Fires. These fires burned in some of the best and most densely occupied forest grouse habitat in the district. However, grouse habitat within the burns is improving annually, and bird numbers outside of burned areas appear to be relatively stable.

HARVEST TRENDS AND 2015 PROSPECTS

Despite the lingering effects of recent wild fires, sprawling Okanogan County remained the top forest grouse producer in Washington last year, yielding a mixed harvest of 7,480 dusky, ruffed, and spruce grouse. Similarly, grouse harvest per unit effort increased 12% in 2014. We do not have an effective way to comprehensively survey grouse in District 6. However, anecdotal observations suggest 2015 should be a fairly average year for grouse hunting opportunity. The number of displaying dusky grouse in the spring appeared to be down somewhat, but spruce grouse production appears to have been strong throughout their range in Okanogan County.

2014 District 6 Forest Grouse Harvest Statistics: [Okanogan County Small Game Harvest](#)



MALE DUSKY GROUSE AND FEMALE SPRUCE GROUSE – PHOTOS BY SCOTT FITKIN

PHEASANTS

SPECIES AND GENERAL HABITAT CHARACTERISTICS

Pheasants occur at low densities and in a patchy distribution throughout the Okanogan Watershed portion of District 6, with the majority of harvested birds coming from pheasant release sites. This year pheasants will again be released at traditional sites on the Driscoll Island and Chilliwist units of the Sinlaken Creek Wildlife Areas. What little wild production exists within the county comes mostly from private land. Hunters should seek permission in advance of the season to access private property.

These sites are mapped on the [Go Hunt](#) website. Hunters are reminded that nontoxic shot is required for ALL upland bird hunting on ALL pheasant release sites STATEWIDE.

Hunters bagged 630 pheasants last year in Okanogan County. This harvest level and the corresponding harvest per unit effort remain significantly below the five-year average and are likely due to reductions in recent years of birds available for release.

2014 District 6 Pheasant Harvest Statistics: [Okanogan County Small Game Harvest](#)



PHEASANT RELEASE – PHOTO BY WDFW

QUAIL

SPECIES AND GENERAL HABITAT CHARACTERISTICS

Quail are locally abundant and widespread throughout the district’s lower elevation shrub-steppe and open pine forest habitats. District 6 Wildlife Areas offer good access to quail habitat. Anecdotal observations this spring and summer suggest quail production has been very good this year, with some birds having at least three clutches. This suggests 2015 harvest opportunities may be a bit above average. In 2014, hunters took 6677 quail in Okanogan County, and quail harvest and harvest per unit effort rose modestly. Given current brood abundance, that trend may continue again this year.

2014 District 6 Quail Harvest Statistics: [Okanogan County Small Game Harvest](#)

TURKEYS

GENERAL DESCRIPTION

Turkeys are found in scattered groups throughout the district and often concentrate on private land near agriculture areas. Prospective hunters should seek permission in advance of the season to access private land. The fall turkey permit season occurs within GMUs 218-231 and 242, with the majority of the birds being located in the latter two units. In recent years, winter conditions and declines in supplemental feeding by private individuals have reduced turkey numbers substantially in the Methow Valley, although most lower-elevation drainages in Unit 242 still harbor birds.

CHUKAR AND GRAY PARTRIDGE

GENERAL DESCRIPTION

In general, gray partridge populations are widely distributed and patchy throughout the district's shrub steppe habitats, but appear to be increasing in number and distribution over time. Birds are seen frequently on the Indian Dan, Chiliwist, and Methow Wildlife Areas. Scattered groups of chukars are found in the rocky areas in lower elevations of District 6. The steep hills along the Similkameen River in the north part of the Okanogan Valley hold good numbers of birds.

Combined harvest of chukar and gray partridge fell in 2014. This was likely due in large part to displacement and brood loss during the Carlton Complex Fire. We are expecting hunter success to rebound somewhat in 2015.

2014 District 6 Partridge Harvest Statistics: [Okanogan County Small Game Harvest](#)

DOVE

GENERAL DESCRIPTION

A large portion of the dove habitat in the Okanogan District burned in 2014 and dove hunting opportunities and harvest fell accordingly. Vegetation responded vigorously in much of the burn perimeter making the outlook for doves much better in 2015. Look for doves in planted food crops in the Sinlahekin and at lower elevations on other public land. Hunting success will depend on warm weather keeping the birds in the area through the season.

2013 District 6 Mourning Dove Harvest Statistics: [Okanogan County Small Game Harvest](#)