

Legrow Water Company Reply to Ecology Comment

From: Gary J. Weatherly <gweatherly@jub.com>
Sent: Tuesday, August 13, 2013 11:23 AM
To: Costello, Terri (ECY)
Cc: Zeigler, Robert C (DFW); Anderson, Cindy (ECY); Michael Strauss (Michael.Strauss@simplot.com); Richard (Dick) Becker (richard.becker@simplot.com); Tom Elliott (Tom.Elliott@simplot.com)
Subject: Legrow Water Company Irrigation Intake Maintenance, File 13-056

Terri:

This e-mail is in response to your letter dated August 9, 2013, to Mr. Bob Ziegler, Washington Department of Fish and Wildlife, regarding the Legrow Water Company's Irrigation Intake Screen Modification project. The letter contained two comments. The following are our responses to those comments.

This morning I spoke with Antonio Delgado, Environmental Health, Walla Walla County Health Department, concerning permitting requirements for the upland disposal of sediments dredged from the Columbia River during the project. Mr. Delgado tells me there are no permitting requirements unless we anticipate the material will be contaminated. We don't believe there is any reason to think the sediments at the site are contaminated and therefore do not believe a Solid Waste permit is required to dispose of the material on farmland near the site.

My assumption is that your reference to a "federal Clean Water Act Permit" refers to a Section 404 permit. We have submitted a JARPA application to the Corps of Engineers and are working with them to acquire the Section 404 permit.

Should you need any additional information please feel free to contact me at your convenience.

Thanks

Gary J. Weatherly, P.E. (WA/OR/ID/CO)

Senior Engineer

J-U-B ENGINEERS, Inc.

2810 W Clearwater Ave, Suite 201, Kennewick, WA 99336
p | 509 783 2144 c | 509 737 7320 f | 509 736 0790 e | gweatherly@jub.com

THE J-U-B FAMILY OF COMPANIES:

www.jub.com | www.gatewaymapping.com | www.langdongroupinc.com