

Spawning habitat conditions: None Poor Fair Good Excellent

Describe spawning habitat:

Rearing habitat conditions: None Poor Fair Good Excellent

Describe pond and other rearing habitat: The first 146 meters of the stream is in a pasture that has a small brushy strip along banks that are stomped by livestock in places. From 146 meters to 346 meters, the stream flows through a hardwood patch and it averages 0.7 meters in width. It is mud-bottomed, slow-moving and shallow, and there is skunk cabbage growing along and in the channel in places. Upstream of this section is a cattail marsh area where this stream originates from.

Describe unaccessible habitat:

Wetland type: Bog Marsh Scrub-shrub Forested

Describe: There is a cattail marsh located at the head end of this site in a pasture. There are rush, sedges, cattails and water parsley present.

Flooding potential: Low Medium High

Describe: There was no evidence found that would indicate that the mainstem floods this site. This is a small system with moderate flows.

FISH INFORMATION

Site entry condition: Poor Fair Good

Describe: There is a pool in the mainstem at the entry area, however the initial 47 meters of the site is a shallow riffle. This section has slightly incised banks and has been stomped on by cattle in places.

Coho access and use: Juvenile Unknown None Poor Fair Good
Adult Unknown None Poor Fair Good

Describe: There were coho fry observed in the mainstem on the day of the survey, however none were observed in the site.

Other species acces and use: Chum Pink Sockeye Chinook Trout

Describe: This site is accessible to trout also, but none were observed during the survey.

ENHANCEMENT OPPORTUNITIES: Tree planting and fencing along the banks on the lower end of the site.


Project type:

Equipment access:

ADDITIONAL COMMENTS: The survey ended at the base of the cattail marsh area.

ATTACHMENTS AVAILABLE

Aerials Sketch Maps Spawning Surveys Juvenile Trapping
 Other References




Site id. code: PI1RB7
 Site name:
 Scale: 1"=40M
 Observer(s): OLIS
 Legal location: NW 1/4 S25 T32 R4E

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

PIIKBT

16' 556000m E. 57 R. 4 E. R. 5 E. 58 12'30" 59 60 CLEAR LAKE 1:62 51 1580 1




PII RB7

RM 2.2

NW 1/4 S25 T32N R04E

H-4.02



0.0 ENTRY

RWT - 50°

WT - 50° UP 50°

Flow - 0.1 CPS

Access - FINE - POOL

SHALLOW RIPPLED ALGAE

47m ww 0.5 m

- RIPPLED

- WELDED BANES

- STUMPED ON

83m - ww 2.5

= SHALLOW - SLOW - MARKS

- MUD - BOTTOMED

83... HEAVY BLACK BERRIES

146m - WW 1m

- SHALLOW - MUDDY
- STUMPS ON
- @ EDGE OF FIELD

183m - WW 0.7m

- SLOW-MOVING
- MUD-BOTTOMED
- BRUSHY
- SKUNK CABBAGE
- SEEP ON LB

328m WW 0.7m

- SAME AS LAST REACH
- (SEEP ON RB)
- W.P. @ CONTROLS

|||||

346m - AREA OF

- SHALLOW BRUSHED CHANNELS
- LOTS OF W. PARSLEY

- @ BASE OF MARSH
- @ EDGE OF FIELD
- END OF SURVEY

Comments

- NO SPAWNING
- GOOD OVER-WEED
- REWEED - NO PEST SEEN
- PROB. DISCOVERED
- IN LATE SUMMER
- MARSH HAS CATTAILS,
- WATER P., SAGES - PEST