

# QUILLAYUTE – DICKEY FALL COHO

## STOCK STATUS

**1992 STATUS**

Healthy


**2002 STATUS**

Healthy

## STOCK STATUS RATING DATA

**USEFULNESS FOR RATING STOCK STATUS:** Good

YEAR	TOTAL ESCAPEMENT
1986	2,485
1987	2,579
1988	2,129
1989	2,911
1990	1,219
1991	2,073
1992	1,876
1993	796
1994	484
1995	2,079
1996	2,091
1997	1,031
1998	3,709
1999	1,846
2000	4,298
2001	4,670
2002	3,220
2003	3,158



Data are based on season-cumulative redd counts in index reaches and supplemental survey observations, expanded to basin total escapement estimates. Index areas surveyed include Coal Creek (RM 3.7 to 4.4), Colby Creek (RM 1.0 to 2.3), Stampede Creek (RM 0.0 to 1.6), mainstem Dickey River (RM 2.9 to 3.9), Spiddle Creek (RM 0.0 to 0.5), East Fork Dickey River (RM 14.3 to 15.5) and unnamed tributaries 20.0114 (RM 0.0 to 0.8), 20.0139 (RM 1.6 to 3.1) and 20.0141 (RM 1.1 to 2.6).

This stock is again rated **Healthy** based on recent-year escapements being at or above the long-term average and reasonably robust annual escapements.

## STOCK DEFINITION

Dickey fall coho were identified as a stock based on their distinct spawning distribution.

# QUILLAYUTE – DICKEY FALL COHO

---

**SPAWNING DISTRIBUTION:** Spawning takes place in the mainstem Dickey River and in numerous tributaries in the basin such as Coal Creek and in the east and west forks of the Dickey River.

**SPAWNING TIMING:** Spawning generally occurs from mid-November to mid-January.

**GENETIC ANALYSIS:** Genetic analysis has not been done on Dickey coho.

## STOCK ORIGIN

This is a **native** stock with **wild** production.