

WDFW Wildlife Science Publications

- Aldridge, C. L., S. E. Nielsen, H. L. Beyer, M. S. Boyce, J. W. Connelly, S. T. Knick, and M. A. Schroeder. [in press] Range-wide patterns of greater sage-grouse persistence. [Diversity and Distributions] 00:000-000.
- Anthony, R.G., E.D. Forsman, A.B. Franklin, D.R. Anderson, K.P. Burnham, G.C. White, C.J. Schwarz, J.D. Nichols, J.E. Hines, G.S. Olson, S.H. Ackers, S. Andrews, B.L. Biswell, P.C. Carlson, L.V. Diller, K.M. Dugger, K.E. Fehring, T.L. Fleming, R.P. Gerhardt, S.A. Gremel, R.J. Gutierrez, P.J. Happe, D.R. Herter, J.M. Higley, R.B. Horn, L.L. Irwin, P.J. Loschl, J.A. Reid, S.S. Sovern. [2004] Status And Trends In Demography Of Northern Spotted Owls, 1985-2003. [Wildlife Monographs 163: 1-48.
- Aubry, K., G. Koehler, and J. Squires. [2000]. Ecology of Canada lynx in southern boreal forests. Pages 373-396. In L. Ruggiero, K. Aubry, S. Buskirk, G. Koehler, C. Krebs, K. McKelvey, and J. Squires editors, Ecology and Conservation of Lynx in the United States. [The University Press of Colorado. Denver.
- Base, D.L., S. Zender, and J.W. Watson. [2007]. Golden eagles (*Aquila chrysaetos*) build new nest below cliff and provision fallen nestling. [Journal of Raptor Research 41:76-77.
- Beach, R.J., A.C. Geiger, S.J. Jeffries, S.D. Treacy and B.L. Troutman. [1985]. Marine mammals and their interactions with fisheries of the Columbia River and adjacent waters, 1980-1982. [NOAA, NMFS, NWAFC Processed Report 85-04, Seattle, WA.
- Bender, L. C., W. L. Myers, and W. R. Gould. [2003]. A comparison of helicopter and ground surveys for North American elk *Cervus elaphus* and mule deer *Odocoileus hemionus* population composition. [Wildlife Biology 9:199-205.
- Boag, D. A., and M. A. Schroeder . [1987]. Population fluctuations in spruce grouse: what determines their numbers in spring? [Can. J. Zool. 65:2430-2435.
- Boag, D. A., and M. A. Schroeder . [1991]. Spruce grouse. in *The birds of North America*, No. 5 (A. Poole, P. Stettenheim, and F. Gill, Eds.). [Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Boag, D. A., S. G. Reeb, and M. A. Schroeder . [1984]. Egg loss among spruce grouse inhabiting lodgepole pine forests. [Can. J. Zool. 62:1034-1037.
- Borgmann, K.L., S.F. Pearson, D.J. Levey, and C.H. Greenberg. [2004]. Importance of wax myrtle (*Myrica cerifera*) fruit to winter birds in South Carolina. [Auk: 121(1):74-87.
- Bowlby, C.E., B.L. Troutman and S.J. Jeffries. [1987]. Sea otters in Washington: distribution, abundance, and activity patterns. [Final Rept. to the National Coastal Resources Institute, Newport, OR.
- Braun, C. E., J. W. Connelly, and M. A. Schroeder. [2005]. Seasonal habitat requirements for sage-grouse: spring, summer, fall, and winter. In N. L. Shaw, S. B. Monsen, M. Pellant, editors. Sage-grouse habitat restoration symposium proceedings: 2001 June 4-7; Boise, ID. [RMRS-P-38. Rocky Mountain Research Station, Fort Collins, Colorado.
- Brown, R.F. and S.J. Jeffries. [1993] Preliminary report on estimated marine mammal mortality in Columbia River fall and winter salmon gillnet fisheries, 1991-1992. [Pacific States Marine Fisheries Commission Contract Rept. to NMFS, Seattle, WA. 13 pp.

- Brown, R.F., S. Riemer and S.J. Jeffries. [1995] Food of pinnipeds collected during the Columbia River area salmon gillnet observation program, 1991-1994. |Oregon Dept. of Fish and Wildlife, Wildlife Diversity Program, Tech. Rpt. #95-6-01, Portland, OR. 16 pp.
- Bull, JJ, C.W. Thompson, D. Ng, and R. Moore [1987]. A model for natural selection of genetic migration. |American Naturalist 129:143-157.
- Bunting, S. C., J. L. Kingery and M. A. Schroeder. [2003]. Assessing the restoration potential of altered rangeland ecosystems in the Interior Columbia Basin. |Ecological Restoration 21:77-86.
- Calambokidis, J., J.C. Cabbage, J.R. Evenson, S.D. Osmek, J.L. Laake, P.J. Gearin, B.J. Turnock, S.J. Jeffries and R.F. Brown. [1993]. Abundance estimates of harbor porpoise in Washington and Oregon waters. |Final Rept. by Cascadia Research, Olympia, WA. to NMFS, NMML, AFSC, Seattle, WA. 55 pp.
- Calambokidis, J., J.C. Cabbage, S.J. Jeffries, P. J. Gearin, and R. Brown. [1991]. Harbor porpoise distribution and abundance estimates of Washington from aerial surveys in 1991. |Final Rept. by Cascadia Research, Olympia, WA. to NMFS, NMML, AFSC, Seattle, WA. 35 pp.
- Cameron, C.E, R. L. Zuerner, S. Raverty, K.M. Colegrove, S. Norman, D.M. Lambourn, S.J. Jeffries, and F.M. Gulland [2008]. Use of Polymerase Chain Reaction to detect *Leptospira* infection amongst pinniped populations during a 2004 outbreak along the West coast of North America. |Journal of Clinical Microbiology 46:5, 1728-1733.
- Collins, G. H., R. B. Wielgus, and G. M. Koehler. [2002]. Effects of sex and age on black bear conifer damage and control. |Ursus 13:231-236.
- Connelly, J. W., and M. A. Schroeder. [2007]. Historical and current approaches to monitoring to monitoring greater sage-grouse. Pages 3-9 in K. P. Reese and R. T. Bowyer, editors. Monitoring populations of sage-grouse. |College of Natural Resources Experiment Station, University of Idaho, Moscow, Idaho, USA.
- Connelly, J. W., C. E. Braun, M. A. Schroeder, and C. A. Hagen. [2007]. Setting the record straight: a response to "sage-grouse at the crossroads". |Rangelands, December.
- Connelly, J. W., K. P. Reese, and M. A. Schroeder. [2003]. Monitoring of greater sage-grouse habitats and populations. |Contribution No. 979, College of Natural Resources Experiment Station, University of Idaho, Moscow, Idaho.
- Connelly, J. W., S. T. Knick, M. A. Schroeder, and S. J. Stiver. [2004]. Conservation assessment of greater sage-grouse and sagebrush habitats. |Western Association of Fish and Wildlife Agencies Report. Cheyenne, Wyoming.
- Cook, R. C., T. R. Stephenson, W. L. Myers, J. G. Cook, and L. A. Shipley. [2007]. Validating predictive models for nutritional condition in mule deer. |Journal of Wildlife Management. 71(6):1934-1943.
- Cornish, T. E., M. J. Linders, S. E. Little, and W. M. Vander Haegen. [2001]. Notoedric mange in western gray squirrels from Washington. |Journal of Wildlife Diseases. 37: 630-633.
- Cottrell, P.E., S. Jeffries, B. Beck, and P.S. Ross. [2002]. Growth and development in free-ranging harbor seal (*Phoca vitulina*) pups from southern British Columbia, Canada. Mar. Mam. Sci., 18(3):721-733.
- Couch, S. L. L. and M. M. Lance. [2004]. Diet composition and breeding success of Brandt's cormorants in the Columbia River Estuary. Northwestern Naturalist 85(2): 62-66.

- Crawford, J. A., R. A. Olson, N. E. West, J. C. Mosley, M. A. Schroeder, T. D. Whitson, R. F. Miller, M. A. Gregg, and C. S. Boyd. [2004]. Ecology and management of sage-grouse and sage-grouse habitats. *Journal of Range Management* 57:2-19.
- Diefenbach, D. R., E. L. Derleth, W. M. Vander Haegen, J. D. Nichols, and J. E. Hines. [1990]. American woodcock distribution during winter and fidelity to wintering areas. *Auk* 107:745-749.
- Dobler, F. C., J. Eby, C. Perry, S. Richardson, and M. Vander Haegen . [1996]. Status of Washington's Shrub-Steppe Ecosystem: Extent, ownership, and wildlife/vegetation relationships. Research Report. Wash. Dept. Fish and Wildlife, Olympia. 39 pp.
- Douglas, A.B., J. Calambokidis, S.Raverty, S.J. Jeffries, D.M. Lambourn and S.A. Norman [2008]. Incidence of ship strikes of large whales in Washington State. *Journal of the Marine Biological Association of the United Kingdom*, 1-12.
- Drovetski, S.V., S.F. Person, and S. Rohwer. [2005]. Streaked horned lark (*Eremophila alpestris strigata*) has distinct mitochondrial DNA. *Conservation Genetics*: 6:875-883.
- Dubey, J.P., K. Mansfield, B. Hall, O.C.H. Kwok, and P. Thulliez. *[in press]*. Seroprevalence of *Neospora caninum* and *Toxoplasma gondii* in black-tailed deer (*Odocoileus hemionus columbianus*) and mule deer (*Odocoileus hemionus hemionus*). *Veterinary Parasitology* 00:000-000.
- Dugger, Katie M., Frank Wagner, Robert G. Anthony, And Gail S. Olson. [2005]. The Relationship Between Habitat Characteristics And Demographic Performance Of Northern Spotted Owls In Southern Oregon. *The Condor* 107: 863-878.
- Dunwiddie, P., E. Alverson, A. Stanley, R. Gilbert, S. Pearson, D. Hays, J. Arnett, E. Delvin, D. Grosboll, and C. Marschner. [2006]. The vascular plant flora of the South Puget Sound prairies, Washington, USA. *Davidsonia* 17:51-69.
- Erstad, P., S.J. Jeffries, and D.J. Pierce. [1994]. Preliminary Report for Areas 7 & 7A Puget Sound Fishery Observer Program: Non-treaty Sockeye Gill Net Fishery. Wash. Dept. Fish and Wildl. publ., 10 pp.
- Foster, J.H. and W.L. Myers. [1982]. Ashfall effects on Columbia Basin Wildlife. p151-162. IN: Funk, W.H., ed. Mt. St. Helens: Effects on water resources. Wash. Water Res. Center Rep. No. 41. 422p.
- Foster, J.H. and W.L. Myers. [1984]. Management implications for waterfowl in irrigated agricultural developments: Lakes, ponds, marshes. p49-104. in: Foster, J.H., W.E. Tillett, W.L. Myers, and J.C. Hoag. [1984]. Columbia Basin Wildlife/Irrigation Development Study. U.S. Bur. Rec. ERC-83-6. 241p.
- Foster, J.H. and W.L. Myers. [1984]. Wildlife damage in the Columbia Basin. p135-146. in: Foster, J.H., W.E. Tillett, W.L. Myers, and J.C. Hoag. [1984]. Columbia Basin Wildlife/Irrigation Development Study. U.S. Bur. Rec. ERC-83-6. 241p.
- Foster, J.H., W.L. Myers, L. Faulconer, L. Hoppis, G. Van Lom, and D.S. Galbreath. [1982]. An inventory of fish, wildlife, and habitat in the Columbia Basin Project Area, Washington. U.S. Bur. Rec. Rep. 792p.
- Galloway, A. W. E., M. M. Tudor, and W. M. Vander Haegen. [2006]. A comparison of student and professional data describing an Oregon white oak stand. *Wildlife Society Bulletin* 34:1425-1429

- Garner, M.M., D.M. Lambourn, S.J. Jeffries, P.B. Hall, J.C. Rhyan, D.R. Ewalt, L.M. Polzin and N.F. Cheville. [1997]. Evidence of *Brucella* infection in Parafilaroides lungworms in a Pacific harbor seal (*Phoca vitulina richardsi*). *J. Vet. Diagn. Invest.* 9:298-303.
- Garrett, M.G., J.W. Watson, and R.G. Anthony. [1993]. Bald eagle home range and habitat use in the Columbia River estuary. *J. Wildl. Manage.* 57:19-27.
- Garrett, M.G., R.G. Anthony, J.W. Watson, and K. McGarigal. [1988]. Ecology of bald eagles on the Lower Columbia River. Army Corps of Engineers, Portland District. 189 pp.
- Gaydos, J. K., W. A. Miller, C. Kreuder-Johnson, H. Zornetzer, A. Melli, S. J. Jeffries, M. M. Lance, and P. A. Conrad. [2008]. Novel and canine genotypes of *Giardia duodenalis* in Harbor Seals (*Phoca vitulina richardsi*). *Journal of Parasitology*. [in press].
- Gearin, P., B. Pfeifer and S. Jeffries. [1986]. Control of California sea lion predation of winter-run steelhead at the Hiram M. Chittenden Locks, Seattle, December 1985-April 1986. Washington Dept. of Wildlife, Fishery Management Rept. 86-20, Olympia, WA.
- Gearin, P., S.J. Jeffries, M.E. Gosho, J.R. Thomasen, R. DeLong, M. Wilson and S.R. Melin. [1996]. Report on capture and marking of California sea lions in Puget Sound, Washington during [1994]-[1995]: Distribution, abundance and movement patterns. NMFS, Northwest Region, Summary Rept., Seattle, WA. 35 pp.
- Gearin, P.J., R. Pfeifer, S.J. Jeffries, R.L. DeLong, and M.A. Johnson. [1988]. Results of the [1986]-87 California sea lion - steelhead trout predation control program at the Hiram M. Chittenden Locks. NMFS, NWAFC Proc. Rept 88-30.
- Geiger, A. and S. J. Jeffries. [1986]. Evaluation of seal harassment techniques to protect gillnetted salmon. Final Rept. to U.S. Marine Mammal Commission, Contract Rpt. #83-ABC-00133. 27 pp.
- Goldstein, T., F.M.D. Gulland, B.M. Aldridge, J.T. Harvey, T. Rowles, D.M. Lambourn, S.J. Jeffries, L. Measures, P.K. Yochem, B.S. Stewart, R.J. Small, D.P. King, J.L. Stott and J.A.K. Mazet. [2004]. Antibodies to Phocine herpesvirus-1 are common in North American harbor seals (*Phoca vitulina*). *J. Wildl. Disease.* 39(3) 487- 494.
- Hagan, J. M., W. M. Vander Haegen, and P. M. McKinley. [1996]. The early development of forest fragmentation effects on birds. *Cons. Biol.* 10:188-202.
- Hagen, C. A., J. W. Connelly, and M. A. Schroeder. [2007]. A meta-analysis of greater sage-grouse *Centrocercus urophasianus* nesting and brood-rearing habitats. *Wildlife Biology* 13:42-50.
- Harrenstien, L.A., M.V. Finnegan, N.L. Woodford, K.G. Mansfield, W.R. Waters, J.P. Bannantine, M.L. Paustian, M.M. Garner, A.C. Bakke, C.A. Peloquin, and T.M. Phillips. [2006]. *Mycobacterium avium* in pygmy rabbits (*Brachylagus idahoensis*): 28 cases. *Journal of Zoo and Wildlife Medicine* 37:498-512.
- Healey, S P.; Yang, Z; Cohen, W. B.; Pierce, D. J. [2006]. Application of two regression-based methods to estimate the effects of partial harvest on forest structure using Landsat data. *Rem. Sens. of Env.* 101 (1):115-126.
- Hein, R.G., P.A. Talcott, J.L. Smith, and W.L. Myers. [1994]. Blood selenium values of selected wildlife populations in Washington. *NW Sci.* 68 (3):185-188.
- Hews, DK, C.W. Thompson, I.T. Moore, and M.C. Moore, [in press] Alternative male phenotypes in tree lizards: microgeographic variation and common garden analyses. *Behavioral Ecology*.

- Holthausen, R.S., M.J. Wisdom, J. Pierce, D.K. Edwards, and M.M. Rowland, [1994]. Using Expert Opinion to evaluate a habitat effectiveness model for elk in western Oregon and Washington. Res. Pap. PNW-RP-479. Portland Or., U.S. Dept. Of Agric. Forest Serv. Pacific NW Res. Stat. 16p.
- Hornocker, M. and G. Koehler. [1984]. Reintroducing orphaned mountain lions kittens into the wild. Pages 177-179. Proc. Second Mountain Lion Workshop. Zion Natl. Park.
- Huber, H. R., S. J. Jeffries, R. F. Brown, R. L. DeLong, and G. VanBlaricom. [2001]. Correcting aerial survey counts of harbor seals (*Phoca vitulina richardsi*) in Washington and Oregon. Mar. Mam. Sci. 17(2):276-295.
- Huber, H.R., S.J. Jeffries, R.F. Brown and R.L. DeLong. [1993]. Abundance of harbor seals in Washington and Oregon. [1992]. Annual Rept. to NMFS, MMPA Assessment Program, Office of Protected Resources, Silver Springs, MD. 20 pp.
- Huby-Chilton, F., A.A. Gajadahr, K. Mansfield, W.J. Foreyt, and N.B. Chilton. [2006]. Bighorn sheep, a new host record for *Parelaphostrongylus odocoilei* (Nematoda: Protostrongylidae). Journal of Wildlife Diseases 42:877-882.
- Jameson, R.J., K.W. Kenyon S.J. Jeffries and G.R. VanBlaricom. [1986]. Status of a translocated sea otter population and its habitat in Washington. Murrelet 67:84-87.
- Jeffries, S.J. [1984]. Marine mammals of the Columbia River. CREDDP Marine Mammal Work Unit Contract Report, Astoria, OR.
- Jeffries, S.J. [1985]. Seasonal movements and population trends of harbor seals (*Phoca vitulina richardsi*) in the Columbia River and adjacent waters of Washington and Oregon, 1976-[1982]. U.S. Marine Mammal Commission Contract Report, Washington, D.C., 41 pp.
- Jeffries, S.J. and T.C. Newby [1986]. Pacific Harbor Seal in Marine mammals of eastern North Pacific and Arctic waters. Haley D (ed.) Pacific Search Press, Washington, pp. 208-215.
- Jeffries, S.J., H. Huber, J. Calambokidis, and J. Laake. [2003]. Trends and status of harbor seals in Washington state: 1978-[1999]. J. Wildl. Manage., 67(1):207-218.
- Jeffries, S.J., R.F. Brown and J.T. Harvey. [1993]. Techniques for capturing, handling and marking harbor seals. Aquatic Mammals 19(1):21-25.
- Jennings, D. T., W. M. Vander Haegen, and A. M. Narahara. [1990]. A sampling of forest-floor spiders (Araneae) by expellant, Moosehorn National Wildlife Refuge, Maine. J. Arachnol. 18:173-179.
- Johnson, M.L. and S.J. Jeffries. [1983]. Population biology of the harbor seal (*Phoca vitulina richardsi*) in the waters of the state of Washington: 1976-[1977]. U.S. Marine Mammal Commission Contract Report.
- Johnstone-Yellin, T. L., L. A. Shipley, and W. L. Myers. [2006]. Effectiveness of vaginal implant transmitters in locating mule deer fawns. Wildlife Society Bulletin 34(2): 338-344.
- Karani, I., H. Dublin, and G. Koehler. [1995]. Livestock depredation by predators in pastoral areas adjacent to Masai Mara National Reserve, Kenya. Pages 360-363 in J. A. Bissonette and P.R. Krausman, eds. Integrating people and wildlife for a sustainable future. Proc. First International Wildl. Manage. Congress. The Wildl. Soc., Bethesda, Md. 697

- Kilgo, J.C., D.L. Gartner, B.R. Chapman, J.B. Dunning, Jr., K.E. Franzreb, S.A. Gauthreaux, C.H. Greenberg, D.J. Levey, K.V. Miller, S.F. Pearson. [2002]. Validation of a bird habitat-relationship model in South Carolina. *Wildlife Society Bulletin*: 30(3):783-793.
- King, M.L., W.L. Myers, and T. Guenwald. [1991]. A study of upland sandpiper habitat use and potential impacts from powerline construction in Spokane County, Washington. Bonneville Power Admin. Completion Rep. DE-AI79-85BP23963. 11p.
- Knick, S. T., D. S. Dobkin, J. T. Rotenberry, M. A. Schroeder, W. M. Vander Haegen, and C. Van Riper III. [2003]. Teetering on the edge or too late? Conservation and research issues for avifauna of sagebrush habitats. *The Condor* 105:611-634.
- Koehler G.M., Hall P.B., Norton M.H., and D.J. Pierce. [2001] Implant-versus collar-transmitter use on black bears. *Wildl. Soc. Bull.* 29 (2): 600-605.
- Koehler, G. [1975]. The effects of fire on marten distribution and abundance in the Selway-Bitterroot Wilderness. M.Sc. Thesis. Univ. Idaho.
- Koehler, G. [1987]. Bobcat. Pages 399-409. in R.L. DiSilvestro ed. *Audubon Wildlife Report* [1987]. Academic Press, Inc. New York.
- Koehler, G. [1987]. Demography of a low productivity bobcat population. Ph.D. Diss. Univ. Idaho.
- Koehler, G. [1988]. Bobcat bill of fare. *Natural History* 97:48-57.
- Koehler, G. [1989]. Lynx. IUCN Cat Specilat Group Cat Conservation Plan.
- Koehler, G. [1990]. Cat conservation-lessons from the lynx. *Snowline*. Winter [1989]-90.
- Koehler, G. [1990]. Population and habitat characteristics of lynx and snowshoe hares in North-central Washington. *Can. J. Zool.* 68:845-851.
- Koehler, G. [1990]. The Tattlers. *Idaho Wildlife*.
- Koehler, G. [1991]. Snowshoe hare, *Lepus americanus*, use of forest successional stages and population changes during [1985]-[1989] in North-central Washington. *Can. Field-Natur.* 105(2):291-293.
- Koehler, G. [1991]. Survey of remaining wild population of South China Tigers. *WWF Project/China* 4512.
- Koehler, G. [1991]. The cats in different professions. *Idaho Wildlife* 11(1):23-25.
- Koehler, G. and D. Brittell. [1990]. Managing spruce-fir habitat for lynx and snowshoe hares. *J. Forestry* 88:10-14.
- Koehler, G. and K. Aubry. [1994]. Lynx. Pages 74-94 in L.F. Ruggiero et al. eds. *The Scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the Western United States*. U.S.D.A. For. Serv. Gen.Tech. Report RM-254. 184 pp.
- Koehler, G. and M. Hornocker. [1977]. Fire effects on marten habitat in the Selway-Bitterroot Wilderness. *J. Wildl. Manage.* 41:500-505.
- Koehler, G. and M. Hornocker. [1984]. Mountain lions as a mortality factor in bobcats. Pages 170-171. *Proc. Second Mountain Lion Workshop*. Zion Natl. Park.

- Koehler, G. and M. Hornocker. [1989]. Influence of season on bobcats in Idaho. *J. Wildl. Manage.* 53:197-202.
- Koehler, G. and M. Hornocker. [1991]. Seasonal resource use among mountain lions, bobcats, and coyotes. *J. Mammal.* 72(2):391-396.
- Koehler, G. M., B. T. Maletzke, J. A. von Kienast, K. B. Aubry, R. B. Wielgus, R. H. Naney. [in press]. Habitat Fragmentation and the Persistence of Lynx Populations in Washington State. *Journal of Wildlife Management.* 72(7):000-000.
- Koehler, G., B. Moore and A. Taylor. [1975]. Preserving the pine marten: management guidelines for western forests. *West. Wildlands* 2:31-36.
- Koehler, G., J. Blakesley and T. Koehler. [1990]. Marten use of forest successional stages during winter in North-central Washington. *Northwest Naturalist* 71:1-4.
- Koehler, G., M. Hornocker and H. Hash. [1979]. Lynx movements and habitat use in Montana. *Can. Field-Natur.* 93:441-442.
- Koehler, G., M. Hornocker and H. Hash. [1980]. Wolverine marking behavior. *Can. Field-Natur.* 94:339-341.
- Koehler, G.M. and D.J. Pierce. [2003]. Black bear home-range sizes in Washington: Climatic, vegetative, and social influences. *J. Mammal.* 84(1): 81-91.
- Koehler, G.M. and D.J. Pierce.[2005]. Survival, cause-specific mortality, sex and ages of American black bears in Washington state, USA. *Ursus.* 16(2):157-166.
- Kroodsma, D. E., W. R. Meservey, A. L. Whitlock, and W. M. Vander Haegen . [1983]. Blue-winged warblers (*Vermivora pinus*) "recognize" dialects in type II but not type I songs. *Behav. Ecol. Sociobiol.* 15:127-132.
- Kwit, C., D.J. Levey, C.H. Greenberg, S.F. Pearson, J.P. McCarty, S. Sargent, and R. Mumme. [2004]. Cold temperature increases removal rate of bird-dispersed winter fruit. *Oecologia:* 139 (1): 30-34.
- Kwit, C., D.J. Levey, C.H. Greenberg, S.F. Pearson, J.P. McCarty, S. Sargent, and R. Mumme. [2004]. The relationship between fleshy fruit and the distribution of two frugivorous winter migrants in the southeastern United States. *Auk:* 121(1): 46-57.
- Laidre, K.L., R.J. Jameson, S.J. Jeffries, R.C. Hobbs, C.E. Bowlby, and G.R. VanBlaricom. [2002]. Estimates of carrying capacity for sea otters in Washington state. *Wildl. Soc. Bull.*, 30(4):1172-1181.
- Lambourn, D.M., S.J. Jeffries and J.P. Dubey. [2001]. Seroprevalence of *Toxoplasma gondii* in harbor seals (*Phoca vitulina*) in southern Puget Sound, Washington. *Journal of Parasitology* 87:1196-1197.
- Lamont, M.M., J.T. Vida, J.T. Harvey, S. Jeffries, R. Brown, H.H. Huber, R. DeLong and W.K. Thomas. [1996]. Genetic substructure of the Pacific harbor seal (*Phoca vitulina richardsi*) off Washington, Oregon, and California. *Mar. Mammal Sci.* 12(3):402-413.
- Lance, M. M., and C. W. Thompson. [2005]. Overlap in diets and foraging of Common Murres and Rhinoceros Auklets after the breeding season. *Auk* 122 (3): 887-901.

- Lance, M. M., S. A. Richardson, and H. L. Allen. [2005]. Washington State Recovery Plan for the sea otter. Washington Department of Fish and Wildlife, Olympia. 91 pages.
- Lance, M.M., and S.J. Jeffries. [2006]. Estimating importance of rockfish, lingcod and other bottomfish in the diet of harbor seals in the San Juan Islands. Contract Report to SeaDoc Society Research Agreement No. K004431-22. Washington Department of Fish and Wildlife, Olympia WA. 20 pp.
- Lance, M.M., and S.J. Jeffries. [2007]. Temporal and spatial variability of harbor seal diet in the San Juan Island archipelago. Contract Report to SeaDoc Society Research Agreement No. K004431-25. Washington Department of Fish and Wildlife, Olympia WA. 21 pp.
- Linders, M. J., S. W. West and W. M. Vander Haegen. [2004]. Seasonal variability in the use of space by western gray squirrels in southcentral Washington. *Journal of Mammalogy* 85:511-516.
- Liu, W., K.A. Brayton, W.C. Davis, K. Mansfield, J. Lagerquist, W. Foreyt, and S. Srikumaran. [2007]. *Mannheimia (Pasteurella) hemolytica* leukotoxin utilizes cd18 as its receptor on bighorn sheep leukocytes. *Journal of Wildlife Diseases* 43:75-81.
- Mahony, Nancy A.; Vander Haegen, W. Matthew; Walker, Brett L., et al. [2001]. Male incubation and multiple brooding in Sagebrush Brewer's Sparrows *Wilson Bulletin* 113 (4) : 441-444.
- Maletzke, B. T., G. M. Koehler, R. B. Wielgus, K. B. Aubry, M. A. Evans. [in press]. Habitat conditions associated with lynx hunting behavior during winter in northern Washington. *Journal of Wildlife Management*. 72(7):000-000.
- Mansfield, K.G., F.J.M. Verstraete, and P.J. Pascoe. [2006]. Mitigating pain during tooth extraction from conscious deer. *Wildlife Society Bulletin* 34:201-202.
- McAllister, K.R, J.W. Watson, K. Risenhoover, and K. McBride. [2004]. Marking and radio-telemetry of Oregon spotted frogs (*Rana pretiosa*). *Northwestern Naturalist* 85:20-25.
- McKelvey, K., J.von Kienast, K.Aubry, G. Koehler, B. Malezke, J. Squires, E. Lindquist, S. Loch, and M. Swartz. [2006]. DNA analysis of hair and scat collected along snow tracks to document the presence of Canada lynx. *Wildlife Society Bulletin* 34(2)451-455.
- McKelvey, K., K. Aubry, J. Agee, S. Buskirk, L. Ruggiero, and G. Koehler. [2000]. Lynx conservation in an ecosystem management context. Pages 419-442. In L. Ruggiero, K. Aubry, S. Buskirk, G. Koehler, C. Krebs, K. McKelvey, and J. Squires editors, *Ecology and Conservation of Lynx in the United States*. The University Press of Colorado. Denver.
- McKelvey, K., Y. Ortega, G. Koehler, K. Aubry, and J. Brittell. [2000]. Canada lynx habitat and topographic use patterns in north central Washington: a reanalysis. Pages 307-336. In L. Ruggiero, K. Aubry, S. Buskirk, G. Koehler, C. Krebs, K. McKelvey, and J. Squires editors, *Ecology and Conservation of Lynx in the United States*. The University Press of Colorado. Denver.
- Mos, L., Tabuchi, M., Dangerfield, N., Jeffries, S.J., Koop, B.F., and Ross, P.S. [2007]. Contaminant-associated disruption of vitamin A and its receptor (RAR α) in free-ranging harbour seals (*Phoca vitulina*). *Aquat. Toxicol.* 81: 319-328.
- Myers, W.L. and D.L. Zeigler, eds. [1982]. *Proceedings of the Western states and provinces mule deer workshop*. Wash. Dept. Game, Olympia, WA.
- Myers, W.L., B. Lyndaker, and P.E. Fowler. [1995]. Elk population and habitat assessment in the Blue Mountains of Washington. Wash. Dept. Fish and Wildl. P-R Prog. Rep. 36 pp.

- Myers, W.L., B. Lyndaker, W. Moore, and P.E. Fowler. [1995]. Investigations of calf elk mortalities in southeast Washington. Wash. Dept. Fish and Wildl. P-R Prog. Rep. 14 pp.
- Myers, W.L., J.H. Foster, and W.E. Tillett. [1982]. Observations on the Mount St. Helens ashfall and wildlife in the Columbia Basin, Washington. Wash. Dept. Game Applied Wildl. Ecol. Tech. Bull. No.17. 37 pp.
- Myers, W.L., R.D. Spencer, D.J. Pierce, and P.E. Fowler. [1995]. Aerial mark resighting estimates of elk populations in southeast Washington using aerial paintball marking techniques. Wash. Dept. Fish and Wildl. P-R Prog. Rep. 8 pp.
- Myers, W.L., R.H. Naney, T.M. Lloyd, M.A. Quinn, and K.R. Dixon. [1990]. Guidelines and considerations in managing mule deer in western Okanogan County, Washington. Wash. Dept. Wildl. P-R Completion Rep W-95-R. 34 pp.
- Myers, W.L., R.H. Naney, and K.R. Dixon. [1989]. Seasonal movements and home ranges of female mule deer in western Okanogan County, Washington. Wash. Dept. Wildl. P-R Completion Rep W-95-R. 34 pp.
- Naney, R.H. and W.L. Myers. [1990]. Winter habitat selection by mule deer in northcentral Washington. Wash. Dept. Wildl. P-R Completion Rep W-95-R. 6 pp.
- Norman, S.A., C.E. Bowlby, M.S. Brancato, J. Calambokidis, D. Duffield, P.J. Gearin, T.A. Gornall, M.E. Goshko, B. Hanson, J. Hodder, S.J. Jeffries, B. Lagerquist, D.M. Lambourn, B. Mate, B. Norberg, R.W. Osborne, J.A. Rash, S. Riemer and J. Scordino [2004]. Cetacean strandings in Oregon and Washington between 1930 and 2002. *J. CETACEAN RES. MANAGE.* 6(1):87-99
- Olson, Gail S., Elizabeth M. Glenn, Robert G. Anthony, Eric D. Forsman, Janice A. Reid, Peter J. Loschl, and William J. Ripple. [2004]. Modeling Demographic Performance Of Northern Spotted Owls Relative To Forest Habitat In Oregon. *Journal Of Wildlife Management* 68: 1039-1053.
- Olson, Gail S., Robert G. Anthony, Eric D. Forsman, Steven H. Ackers, Peter J. Loschl, Janice A. Reid, Katie M. Dugger, Elizabeth M. Glenn, and William J. Ripple. [2005]. Modeling Of Site Occupancy Dynamics For Northern Spotted Owls, With Emphasis On The Effects Of Barred Owls. *Journal Of Wildlife Management* 69: 918-932.
- O'Neil, T. A., K. A. Bettinger, M. Vander Heyden, B. G. Marcot, C. Barrett, T. K. Mellen, W. M. Vander Haegen, D. H. Johnson, P. J. Doran, L. Wunder, and K. M. Boula. [2001]. Structural conditions and habitat elements of Oregon and Washington. Pages 115-139 in D.H. Johnson and T. A. O'Neil, Managing Directors, Wildlife-Habitat Relationships in Oregon and Washington. Oregon State University Press, Corvallis. 736pp.
- Osmek, S., B. Hanson, J.L. Laake, S.J. Jeffries, and R.L. DeLong. [1995]. Harbor porpoise (*Phocoena phocoena*) population assessment studies for Oregon and Washington. NMFS, Marine Mammal Assessment Program, Office of Protected Resources, Silver Springs, MD., pp. 141-172.
- Parmenter, Robert L., Terry L. Yates, David R. Anderson, Kenneth P. Burnham, Jonathan L. Dunnum, Alan B. Franklin, Michael T. Friggens, Bruce C. Lubow, Michael Miller, Gail S. Olson, Cheryl A. Parmenter, John Pollard, Eric Rexstad, Tanya M. Shenk, Thomas R. Stanley, and Gary C. White. [2003]. Small-Mammal Density Estimation: A Field Comparison Of Grid-Based Vs. Web-Based Density Estimators. *Ecological Monographs* 73: 1-26.
- Pearson, S.F., D.J. Levey, C.H. Greenberg, and Carlos Martínez del Río. [2003]. Effects of elemental composition on the incorporation of dietary nitrogen and carbon isotopic signatures in an omnivorous songbird. *Oecologia*: 135:516-523.

- Peek, J.M., D.J. Pierce, D.C. Graham, and D.L. Davis. [1987]. Moose Habitat Use and Implications For Forest Management in North-central Idaho. Swedish Wildlife Research. Suppl. 1:195-199.
- Peek, J.M., M.D. Scott, L.J. Nelson, D.J. Pierce, L.L. Irwin. [1982]. Role Of Cover in Habitat Management For Big Game in Northwestern United States. Trans. N. Amer. Wildl. Nat. Res. Conf. pp. 363-371.
- Penland, S.T., and S.J. Jeffries. [1977]. New breeding records for the ring-billed gull in Washington. Murrelet 58:86.
- Pfeifer, Bob, P.J. Gearin, S.J. Jeffries, M.A. Johnson, and R.L. DeLong. [1989]. Evaluation of the [1987]-88 California sea lion predation control program in the Lake Washington estuary. Washington Department of Wildlife, Fishery Management report 89-9, Olympia, WA. 216 pp.
- Pierce D.J., B.W. Ritchie, and L. Kuck, [1985]. An Examination Of Unregulated Harvest Of Shiras Moose in Idaho. Alces (21):231-252.
- Pierce, D.J. [1983]. Food Habits, Movements, Habitat Use, And Population Parameters Of Moose in North-central Idaho And Relationships To Forest Management. M.S. Thesis, University Of Idaho, Moscow, 205 pp.
- Pierce, D.J. [1984]. Shiras Moose Forage Selection in Relation To Browse Availability in North-Central Idaho. Can J. Zool. 62:2404-2409.
- Pierce, D.J. and J.M. Peek, [1984]. Moose Habitat Use And Selection Patterns in North-Central Idaho. J. Wildl. Manage. 48(4):1335-1343.
- Pierce, D.J. and T.R. Simon, [1986]. The Influence Of Human Disturbance on Tufted Puffin Breeding Success. Auk 103:214-216.
- Pierce, D.J., J. B. Buchanan, B. L. Cosentino, and S. Snyder. [2005]. An assessment of Spotted Owl habitat on non-federal lands in Washington between [1996] and [2004]. Final Report. Washington Department of Fish and Wildlife, Olympia, Washington, USA. 187 p
- Pierce, D.J., M. Alexandersdottir, S.J. Jeffries, P. Erstad, W. Beattie, and A. Chapman. [1996]. Interactions of marbled murrelets and marine mammals with the [1994] Puget Sound sockeye gill net fishery. Final Rept. to NMFS, Washington Dept. of Fish and Wildlife, Olympia, WA. 21 pp.
- Pierce, D.J., W.P. Ritchie, and R. Kreuziger, [1994]. Preliminary Interactions With The Nontreaty Salmon Gill Net Fishery: Puget Sound and Hood Canal Washington, Wash. Dept. Fish and Wildl. publ., 39 pp.
- Powell, S.L., W.B. Cohen, Z. Yang, D.J. Pierce, and M. Alberti. [2008]. Quantification of Impervious Surface in the Snohomish Water Resources Inventory Area of Western Washington from 1972- [2006]. Rem. Sens. Env. (112) 1895-1908.
- Raphael, Martin G.; Baldwin, Jim; Falxa, Gary A.; Huff, Mark H.; Lance, Monique; Miller, Sherri L.; Pearson, Scott F.; Ralph, C. John; Strong, Craig; Thompson, Chris. [2007]. Regional population monitoring of the marbled murrelet: field and analytical methods. Gen. Tech. Rep. PNW-GTR-716. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 70 p.
- Rhyan, J.C., T. Gidlewski, D.R. Ewalt, S.G. Hennager, D.M. Lambourn, S.C. Olsen. [2001]. Seroconversion and abortion in cattle experimentally infected with *Brucella* sp isolated from a Pacific harbor seal (*Phoca vitulina richardsi*). J. Vet. Diagn. Invest. 13:379-382.

- Rice, C. G. [2003]. Utility of pheasant call counts and brood counts for monitoring population density and predicting harvest. *Western North American Naturalist* 63:178-188.
- Rice, C.G. [in press]. Seasonal altitudinal movements of mountain goats. *Journal of Wildlife Management* 00:000-000.
- Rice, C.G. and B. Hall. [2007]. Hematologic and biochemical reference intervals for mountain goats (*Oreamnos americanus*): effects of capture conditions. *Northwest Science* 81(3):306-214.
- Robb, L. A., and M. A. Schroeder. [2005]. Greater prairie-chicken (*Tympanuchus cupido*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. <http://www.fs.fed.us/r2/projects/scp/assessments/greaterprairiechicken.pdf>.
- Robb, L. A., and M. A. Schroeder. [2005]. Lesser prairie-chicken (*Tympanuchus pallidicinctus*): A technical conservation assessment. USDA Forest Service, Rocky Mountain Region. <http://www.fs.fed.us/r2/projects/scp/assessments/lesserprairiechicken.pdf>.
- Rominger, E.M., C.T. Robbins, M.A. Evans, and D. J. Pierce. [2000]. Autumn foraging dynamics of woodland caribou in experimentally manipulated habitats, northeastern Washington, USA. *Journal of Wildlife Management* 64:160-167.
- Ruggiero, L., K. Aubry, S. Buskirk, G. Koehler, C. Krebs, K. McKelvey, and J. Squires. [2000]. The scientific basis for lynx conservation: qualified insights. Pages 443-454. In L. Ruggiero, K. Aubry, S. Buskirk, G. Koehler, C. Krebs, K. McKelvey, and J. Squires editors, *Ecology and Conservation of Lynx in the United States*. The University Press of Colorado. Denver.
- Samuel, M.D., D.J. Pierce, and E.O. Garton. [1985]. Identifying Areas Of Concentrated Use Within The Home Range. *J. Anim. Ecol.* 54:711-719.
- Samuel, M.D., D.J. Pierce, E.O. Garton, L.J. Nelson, and K.R. Dixon. [1983]. User's Manual For Program Home Range. *For. Wildl. and Range Exp. Stat. Tech. Rep. No. 15*. Univ. Of Idaho, Moscow.
- Schmitt, C.C., S.J. Jeffries and P.Gearin. [1995]. Pinniped predation on marine fish in Puget Sound. Presented at the [1995] Puget Sound Research Conference, Bellevue, WA., Puget Sound Water Quality Action Team, Olympia, WA. pp. 630-637.
- Schroeder, M. A. [1985]. Behavioral differences of female spruce grouse undertaking short and long migrations. *Condor* 87:281-286.
- Schroeder, M. A. [1986]. A modified noosing pole for capturing grouse. *No. Am. Bird Bander* 11:42.
- Schroeder, M. A. [1986]. The fall phase of dispersal in juvenile spruce grouse. *Can. J. Zool.* 64:16-20.
- Schroeder, M. A. [1989]. Movement and lek visitation by female greater prairie-chickens: a test of the female preference hypothesis for lek evolution [Abstract]. *J. Colo.-Wyo. Acad. Sci.* 21:23.
- Schroeder, M. A. [1991]. Movement and lek visitation by female greater prairie-chickens in relation to predictions of Bradbury's female preference hypothesis of lek evolution. *Auk*. 108:896-903.
- Schroeder, M. A. [1994]. Movement and habitat use of sage grouse in a fragmented landscape [Abstract]. *Northwest Science* 68:149.
- Schroeder, M. A. [2005]. Blue grouse. Pages 69-70 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.

- Schroeder, M. A. [2005]. Greater sage-grouse. Pages 67-68 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.
- Schroeder, M. A. [2005]. Ruffed grouse. Page 66 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.
- Schroeder, M. A. [2005]. Ruffed grouse. Page 66 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.
- Schroeder, M. A. [2005]. Sharp-tailed grouse. Pages 70-71 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.
- Schroeder, M. A. [2005]. White-tailed ptarmigan. Pages 68-69 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *Birds of Washington*. Oregon State University Press, Corvallis, Oregon.
- Schroeder, M. A., and C. E. Braun. [1991]. Walk-in traps for capturing greater prairie-chickens on leks. *J. Field Ornithol.* 62:378-385.
- Schroeder, M. A., and C. E. Braun. [1992]. Greater prairie-chicken attendance at leks and stability of leks in Colorado. *Wilson Bull.* 104:273-284.
- Schroeder, M. A., and C. E. Braun. [1992]. Seasonal movement and habitat use by greater prairie-chickens in northeastern Colorado. *Colorado Div. Wildl., Spec. Rep.* 68. 44 pp.
- Schroeder, M. A., and C. E. Braun. [1993]. Movement and philopatry of band-tailed pigeons captured in Colorado. *J. Wildl. Manage.* 57:103-112.
- Schroeder, M. A., and C. E. Braun. [1993]. Partial migration in a population of greater prairie-chickens in northeastern Colorado. *Auk* 110:21-28.
- Schroeder, M. A., and D. A. Boag. [1985]. Behavior of spruce grouse broods in the field. *Can. J. Zool.* 63:2494-2500.
- Schroeder, M. A., and D. A. Boag. [1987]. Dispersal in spruce grouse: Is inheritance involved? *J. Anim. Behav.* 36:305-307.
- Schroeder, M. A., and D. A. Boag. [1989]. Evaluation of a density index for territorial male spruce grouse. *J. Wildl. Manage.* 53:475-478.
- Schroeder, M. A., and D. A. Boag. [1991]. Spruce grouse populations in successional lodgepole pine. *Ornis Scand.* 22:186-191.
- Schroeder, M. A., and G. C. White. [1993]. Movement by female greater prairie-chickens in relation to lek location: evaluation of the hotspot hypothesis of lek evolution. *Behav. Ecol.* 4:266-270.
- Schroeder, M. A., and L. A. Robb. [2003]. Fidelity of sage-grouse to breeding areas in a fragmented landscape. *Wildlife Biology* 9:291-299.
- Schroeder, M. A., and L. A. Robb. [1993]. Greater prairie-chicken. in *The birds of North America*, No. 36 (A. Poole, P. Stettenheim, and F. Gill, Eds.). Philadelphia: The Academy of Natural Sciences; Washington, DC: The American Ornithologists' Union.
- Schroeder, M. A., and L. A. Robb. [2005]. Criteria for gender and age. Pages 303-338 in C. E. Braun, editor. *Techniques for wildlife investigations and management*. Sixth edition. The Wildlife Society. Bethesda, Maryland.

- Schroeder, M. A., and W. M. Vander Haegen. [2006]. Use of Conservation Reserve Program fields by greater sage-grouse and other shrubsteppe-associated wildlife in Washington state. Technical report prepared for US Department of Agriculture Farm Service Agency. Washington Department of Fish and Wildlife, Olympia, WA.
- Schroeder, M. A., C. L. Aldridge, A. D. Apa, J. R. Bohne, C. E. Braun, S. D. Bunnell, J. W. Connelly, P. A. Deibert, S. C. Gardner, M. A. Hilliard, G. D. Kobriger, S. M. McAdam, C. W. McCarthy, J. J. McCarthy, D. L. Mitchell, E. V. Rickerson, and S. J. Stiver. [2004]. Distribution of sage-grouse in North America. *The Condor* 106:363-376.
- Schroeder, M. A., J. W. Connelly, C. L. Wambolt, C. E. Braun, C. A. Hagen, and M. R. Frisina. [2006]. Society for Range Management Issue Paper: Ecology and management of sage-grouse and sage-grouse habitat – a reply. *Rangelands* June:2-7.
- Schroeder, M. A., K. M. Giesen, and C. E. Braun. [1992]. Use of helicopters for estimating numbers of greater and lesser prairie-chicken leks in eastern Colorado. *Wildl. Soc. Bull.* 20:106-113.
- Schroeder, M.L., D.W. Hays, M. Murphy, and D.J. Pierce. [2000]. Status of sharp-tailed grouse in Washington. *Northwestern Naturalist* 81:95-103.
- Smith, J.L., W.A. Michaelis, K. Sloan, J. Musser, D.J. Pierce, [1994]. An Analysis of elk poaching losses, and other mortality sources in Washington using biotelemetry. Wash. Dept. Fish and Wildl. publ., 79p.
- Spaulding, A.W., K.E. Mock, M.A. Schroeder, and K.I. Warheit. [2006]. Recency, range expansion, and unsorted lineages: implications for interpreting neutral genetic variation in the sharp-tailed grouse (*Tympanuchus phasianellus*). *Molecular Ecology* 15:2317-2332.
- Speich, S.M., B.L. Troutman, A.C. Geiger, P.J. Meehan-Martin and S.J. Jeffries. [1987]. Evaluation of military flight operations on wildlife of the Copalis National Wildlife Refuge, [1984]-[1985]. Final Rept. for the Department of the Navy, Naval Facilities Engineering Command, San Bruno, CA.
- Stewart, W. B., G. W. Witmer, and G. M. Koehler. [1999]. Black bear damage to forest stands in Western Washington. *Western Journal of Applied Forestry.* 14(3): 128-131.
- Stinson, D. W., D. W. Hays, M. A. Schroeder. [2004]. Washington state recovery plan for the greater sage-grouse. Washington Department of Fish and Wildlife. Olympia, Washington.
- Stiver, S., T. Apa, J. Bohne, D. Bunnell, P. Deibert, S. Gardner, M. Hilliard, C. McCarthy, M. A. Schroeder. [2007]. Greater sage-grouse comprehensive conservation strategy. Western Association of Fish and Wildlife Agencies. Cheyenne, Wyoming.
- Thompson, C.W., & M. Leu. [1994]. Determining homology of molts and plumages to address evolutionary questions: a rejoinder regarding emberizid finches. *Condor* 96:769-782.
- Thompson, C.W., & M. Leu. [1995] Molts and plumages of Orange-breasted Buntings: Implications for theories of male and female delayed plumage maturation. *Auk* 112:1-19.
- Thompson, C.W., I.T. Moore, and M.C. Moore [1993]. Social, environmental and genetic factors in the ontogeny of phenotype differentiation in a lizard with alternative male reproductive strategies. *Behavioral Ecology and Sociobiology* 33: 137-146.
- Thompson, C.W., M.L. Wilson, K. Brennan, and W.B. Barnett, [in press] Protocol for validating accuracy of methodology for censusing seabirds. *Pacific Seabirds*.

- Thompson, C.W., N. Hillgarth, M. Leu, and H.E. McClure. [1997] High parasite load in house finches (*Carpodacus mexicanus*) is correlated with reduced expression of a sexually selected trait. *American Naturalist* 149:270-294.
- Vander Haegen, W. M. [2007]. Fragmentation by agriculture influences reproductive success of birds in a shrubsteppe landscape. *Ecological Applications* 17:934-947
- Vander Haegen, W. M., S. C. Gregory, and M. J. Linders. [2007]. Implementation Plan for Augmentation of the Western Gray Squirrel Population, Fort Lewis, Washington. Washington Department of Fish and Wildlife, Olympia. 34pp.
- Vander Haegen, W. M. [2005]. Sage Sparrow (*Amphispiza belli*). Pages 328-329 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *The Birds of Washington*. Oregon State University Press, Corvallis.
- Vander Haegen, W. M. [2005]. Sage Thrasher (*Oreoscoptes montanus*). Pages 299-300 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. *The Birds of Washington*. Oregon State University Press, Corvallis.
- Vander Haegen, W. M., G. R. Orth and L. M. Aker. [2005]. Ecology of the western gray squirrel in south-central Washington. Progress report. Washington Department of Fish and Wildlife, Olympia. 41pp.
- Vander Haegen, M., S. Van Leuven, and D. Anderson. [2004]. Surveys for western gray squirrel nests on sites harvested under approved forest practice guidelines: analysis of nest use and operator compliance. Wildlife Research Report. Washington Department of Fish and Wildlife, Olympia.
- Vander Haegen, W. M. [2003]. Loggerhead Shrike (*Lanius ludovicianus*). In E. M. Larsen, J. M. Azerrad, and N. Nordstrom, editors. *Management Recommendations for Washington's Priority Species, Volume IV: Birds*. Washington Department of Fish and Wildlife, Olympia, Washington, USA.
- Vander Haegen, W. M. [2003]. Sage sparrow (*Amphispiza belli*). In E. M. Larsen, N. Nordstrom and J. Azerrad, editors. *Management Recommendations for Washington's Priority Species, Volume IV: Birds*. Washington Department of Fish and Wildlife, Olympia, Washington, USA.
- Vander Haegen, W. M. [2003]. Sage thrasher (*Oreoscoptes montanus*). In E. M. Larsen, N. Nordstrom and J. Azerrad, editors. *Management Recommendations for Washington's Priority Species, Volume IV: Birds*. Washington Department of Fish and Wildlife, Olympia, Washington, USA.
- Vander Haegen, W. M. and R. M. DeGraaf. [2002]. Daily energy expenditure of Ovenbirds feeding nestlings. *Auk* 119: 1173-1179.
- Vander Haegen, W. M., M. A. Schroeder, and R. M. DeGraaf. [2002]. Predation on real and artificial nests in shrubsteppe landscapes fragmented by agriculture. *Condor*. 104:496-506.
- Vander Haegen, W. M., S. M. McCorquodale, C. R. Peterson, G. A. Green, and E. Yensen. [2001]. Wildlife communities of eastside shrubland and grassland habitats. Pages 292-316 in D. H. Johnson and T. A. O'Neil, Managing Directors, *Wildlife-habitat relationships in Oregon and Washington*. University of Oregon Press, Corvallis, Oregon. 736pp.
- Vander Haegen, W. M., F. C. Dobler, and D. J. Pierce. [2000]. Shrubsteppe bird response to habitat and landscape variables in eastern Washington, USA. *Conservation Biology* 14:1145-1160.
- Vander Haegen, M., S. Van Leuven, and D. Anderson. [2000]. Evaluation of western gray squirrel nesting activity on forest practice sites subsequent to harvest in Klickitat County, Washington. Final report to the Cooperative Monitoring, Evaluation, and Research Program. 33pp.

- Vander Haegen, W. M., and B. Walker. [1999]. Parasitism by Brown-headed Cowbirds in the shrubsteppe of eastern Washington. *Studies in Avian Biology* 18:34-40.
- Vander Haegen, W. M., and R. M. DeGraaf. [1996]. Predation rates on artificial nests in an industrial forest landscape. *Forest Ecology and Management* 86:171-179.
- Vander Haegen, W. M., and R. M. DeGraaf. [1996]. Predation on artificial nests in forested riparian buffer strips. *Journal of Wildlife Management* 60:542-550.
- Vander Haegen, M. [1996]. Survey of breeding bird communities on BRMaP sites, Hanford Site, [1996]. Final Report. Washington Department of Fish and Wildlife, Olympia. 22pp.
- Vander Haegen, W. M., R. B. Owen, Jr., and W. B. Krohn. [1994]. Metabolic rate of American Woodcock. *Wilson Bulletin*. 106:338-343.
- Vander Haegen, W. M. [1993]. Migratory landbirds in an industrial forest landscape. Pages 195-204 in R. D. Briggs and W. B. Krohn, eds. *Nurturing the Northeastern Forest*. Proceedings of the Joint meeting New England Chapter Society of American Foresters and Maine Chapter The Wildlife Society, Portland. Maine Agricultural and Forest Experiment Station Misc. Report 382.
- Vander Haegen, W. M., W. B. Krohn, and R. B. Owen, Jr. [1993]. Effects of weather on earthworm abundance and foods of the American woodcock in spring. Pages 26-31 in, J.R. Longcore and G. F. Sepik, eds., *Proceedings of the Eighth American Woodcock Symposium*, U.S. Fish and Wildlife Service Biological Report 16.
- Vander Haegen, W. M., W. B. Krohn, and R. B. Owen, Jr. [1993]. Care, behavior, and growth of captive-reared American woodcock. Pages 57-65 in, J.R. Longcore and G. F. Sepik, eds., *Proceedings of the Eighth American Woodcock Symposium*, U.S. Fish and Wildlife Service Biological Report 16.
- Vander Haegen, W. M. and W. B. Krohn. [1992]. Winter weather affects breeding energetics of American woodcock. *U.S. Fish and Wildlife Service Research Information Bulletin* 79.
- Vander Haegen, W. M., M. W. Sayre, and J. E. Cardoza. [1992]. Nesting and brood-rearing habitat use in a northern wild turkey population. *Transactions of the Northeast Section of The Wildlife Society* 48:113-119.
- Vander Haegen, W. M., and D. T. Jennings. [1990]. Spiders (Araneae) in the diet of American woodcock in Maine. *Journal of Arachnology*. 18:360-362.
- Vander Haegen, W. M., M. W. Sayre, and W. E. Dodge. [1989]. Winter use of agricultural habitats by wild turkeys in Massachusetts. *Journal of Wildlife Management*. 53:30-33.
- Vander Haegen, W. M., W. E. Dodge, and M. W. Sayre. [1988]. Factors affecting productivity in a northern wild turkey population. *Journal of Wildlife Management*. 52:127-133.
- Warheit, K.I. [2002]. The seabird fossil record and the role of paleontology in understanding seabird community structure. Pages 17-55 in *Biology of Marine Birds* (Schreiber, E.A., and J. Burger, Eds.). CRC Press, Boca Raton.
- Wasser, S. K., C. S. Houston, G. M. Koehler, G. G. Cadd, and S. R. Fain. [1997]. Techniques for applications of fecal DNA methods to field studies of Ursids. *Molecular Ecology* 6:1091-1097.
- Watson, J. W. [2002]. Comparative home range and food habits of bald eagles nesting in four aquatic habitats in western Washington. *Northwestern Naturalist* 83:101-108.

- Watson, J. W. [2003]. Bald eagle nesting chronology in western Washington. *Washington Birds*. 9:8-11.
- Watson, J. W. [2004]. Responses of nesting bald eagles to experimental pedestrian activity. *Journal of Raptor Research* 38:295-304.
- Watson, J. W., D. W. Stinson, K. R. McAllister, and T. E. Owens. [2002]. Population status of bald eagles in Washington at the end of the 20th century. *Journal of Raptor Research*. 36:161-169.
- Watson, J.W. [1979]. Results of peregrine falcon surveys in central Wyoming, May-July 1979. U.S. Fish and Wildlife Service, Denver Res. Center. 6 pp.
- Watson, J.W. [1983]. Raptor electrocutions on the Idaho National Engineering Laboratory. p. 316-318. in: 1983 Progress Report, Idaho National Engineering Laboratory Radioecology and Ecology Program. IDO-12098. Nat. Tech. Inf. Serv., Springfield, VA. 434 pp.
- Watson, J.W. [1984]. Rough-legged hawk winter ecology in southeastern Idaho. M.S. thesis, Montana St. Univ., Bozeman. 101 pp.
- Watson, J.W. [1985]. Trapping, marking, and radio-monitoring rough-legged hawks. *North Am. Bird Bander* 10:9-10.
- Watson, J.W. [1986]. Range use by wintering rough-legged hawks in southeastern Idaho. *Condor* 88:258-260.
- Watson, J.W. [1986]. Temporal fluctuations of rough-legged hawks during carrion abundance. *Raptor Res.* 20:42-43.
- Watson, J.W. [1990]. Bald eagle dies from entanglement in fish net. *J. Raptor Res.* 23:52-53.
- Watson, J.W. [1992]. Status and distribution of bald eagles in Washington. *Northwest Sci.* 66:126.
- Watson, J.W. [1993]. Responses of nesting bald eagles to helicopter surveys. *Wildl. Soc. Bull.* 21:171-178.
- Watson, J.W. and B.C. Cunningham. [1996]. Another occurrence of bald eagles rearing a red-tailed hawk. *Washington Birds* 5:51-52.
- Watson, J.W. and K.R. McAllister. [1993]. Breeding distribution, population trends, and management of five diurnal raptor species in Washington state. *J. Raptor Res.* 27:94.
- Watson, J.W. and R.G. Anthony. [1986]. Ecology of bald eagles in the Tongue Point Area, Lower Columbia River. Army Corps of Engineers, Portland District. 98 pp.
- Watson, J.W., D. Mundy, J.S. Begley, and D.J. Pierce. [1995]. Responses of nesting bald eagles to the harvest of geoduck clams (*Panopea abrupta*). Final Report. Wash. Dept. Fish and wildlife, Olympia. 23 pp.
- Watson, J.W., M. Davison, and L.L. Leschner. [1993]. Bald eagles rear red-tailed hawks. *J. Raptor Res.* 27:126-127.
- Watson, J.W., R.G. Anthony, and M.G. Garrett. [1991]. Time budgets and foraging ecology of bald eagles in the Columbia River estuary. *J. Wildl. Manage.* 55:492-499.
- Watson, J. W., K.R. McAllister, and D. J. Pierce. [2003]. Home Ranges, Movements, and Habitat Selection of Oregon Spotted Frogs (*Rana pretiosa*). *Journal of Herpetology* 37(2): 292–300.

Windschitl, M., K. Dvornich, A. E. Ryken, , M. Tudor, and G. Koehler, [2007]. A comparative model of field investigations: Aligning school science inquiry with the practices of contemporary science. *School Science and Mathematics* 1 (107), 367-390.

Zwickel, F. C., and M. A. Schroeder. [2003]. Grouse of the Lewis and Clark expedition, 1803-1806. *Northwestern Naturalist* 84:1-19.