2003-2004 Final Hatchery Escapement Report




Table of Contents

| Section | <u>Page</u> |
|---|-------------|
| Preface | ii |
| Hatchery Anadromous Fish Escapement Summary | 1 |
| Hatchery Resident Fish Escapement Summary | 4 |
| Anadromous Fish Escapement by Species | 5 |
| Resident Fish Escapement by Species | 33 |

This program receives Federal financial assistance from the U.S. Fish and Wildlife Service. It is the policy of the Washington State Department of Fish and Wildlife (WDFW) to adhere to the following: Title VI of the Civil Rights Act of 1964, Section 504 of the Rehabilitation Act of 1973, Title II of the Americans with Disabilities Act of 1990, the Age Discrimination Act of 1975, and Title IX of the Education Amendments of 1972. The U.S. Department of the Interior and its bureaus prohibit discrimination on the basis of race, color, national origin, age, disability and sex (in educational programs). If you believe that you have been discriminated against in any program, activity or facility, please contact the WDFW ADA Coordinator at 600 Capitol Way North, Olympia, Washington 98501-1091 or write to:

U.S. Fish and Wildlife Service Office of External Programs 4040 N. Fairfax Drive, Suite 130 Arlington, VA 22203

PREFACE

The Hatchery Escapement Report is published annually by the **Washington Department of Fish and Wildlife** (**WDFW**) **Fish Program/Science Division** and is generated directly from the WDFW Adult Report Database. The database contains daily records of adult fish handling activities as reported by hatchery facilities on the Adult Report form. It describes the total escapement, or return of species of salmon and trout, to **WDFW** facilities and cooperative projects within Washington State. It also enumerates the total number of fish returning to hatchery racks or traps in the rivers and streams of Washington State for the spawning activity cycle beginning in approximately March 2003 and ending in approximately March 2004.

For this report, escapement is defined as the return of spawning fish to hatchery racks or traps. The data for this report are collected from WDFW hatchery staff that enumerates runs of fish returning to their respective streams; these numbers are recorded on adult records, which are sent to Olympia for compilation and analysis. These records provide information on run timing, information on the results of selective fisheries, and critical data for coded-wire tag (CWT) analysis. CWT's are a management tool used to determine the status of runs and the effect of various management strategies and research projects.

Bull trout are a listed species. This report is not a comprehensive record of bull trout found in Washington State by WDFW staff.

The 2003-2004 return year produced 948,494 anadromous and 146,288 resident adult fish returning to hatchery racks and traps for a total adult escapement of 1,094,782. These returning adults produced an anadromous eggtake of 207,764,635 and a resident eggtake of 14,535,025 for a total eggtake of 222,299,660.

This annual hatchery escapement report is organized and divided into three geographical regions: Puget Sound (including the Straits of Juan de Fuca); Coast; and Columbia River. It is further divided by species and race, or run. For example, chinook salmon are described in the three geographic regions as well as by their spring, summer, and fall races.

Definitions

Some **column heading definitions** and other definitions are provided to aid the understanding of this document.

- Facility name column: describes the location where fish were trapped. Because this report was generated directly from the Adult Report Database, many facility names are abbreviated to match the standard names used for data sharing through the Pacific Salmon Commission.
- **Stock** column: represents the known origin of the fish returning to that river or stream.
- **Bo** (**brood origin**) column: represents the origin of the fish as to whether they are **hatchery origin** (**H**) stock, **wild origin** (**W**) stock, or **mixed origin** (**M**) stock of hatchery and wild fish.
- **Total trapped** column: represents the total number of fish trapped at the hatchery rack. The total trapped may not represent the total run to any given river due to the presence of either wild, hatchery, or mixed stocks that may spawn below the hatchery rack; may die,

or be harvested below the hatchery via sport, commercial, or tribal fisheries. This column also does not include fish that pass the trap/rack when it is not in use such as a temporary weir or a fish collection facility that is only used intermittently. Total trapped **adults** column enumerates full-sized sexually mature fish returning to spawn in their home streams or rivers. Total trapped **jacks** column: enumerates sexually mature male fish that return at a very small size to their home streams or rivers. Coho and chinook salmon produce the largest numbers of jacks.

- **Eggtake** column: records the estimated eggs taken via spawning activities. **Eggtake goals** were taken from the 2003 Future Brood Document and represent the pre-season eggtake goals. The goals may have changed in-season due to unforeseen factors, meaning that actual eggtake may have differed from the listed goals. **NA** for eggtake goal means there was no eggtake goal.
- **Released to stream** column: records the numbers of fish returned to the stream above or below the hatchery rack or trap that were not spawned.
- **Trapped less released** column: equals the number of fish that were spawned, died, transferred out, or distributed minus the fish that passed upstream.

Race is defined as broad groupings of hatchery stock fish species representing distinct adult timing or juvenile migration patterns. Wild stock timings may differ according to the location and the stock of fish. NA for race refers means that we do not identify a timing difference. For example, most Puget Sound region coho and chum salmon stocks are referred to as NA. Type N refers to Columbia River region juvenile coho that turn north (N) as they leave the Columbia River and return later than normal as adult fish. Type S refers to Columbia River juvenile coho that turn south (S) as they leave the Columbia River and return earlier than normal as adult fish. **Sea-run** refers to coastal cutthroat that spend a portion of life in saltwater. Westslope generally refers to resident cutthroat originating from the drainages of the westslope of the Rocky Mountains. **Westslope** is used here to refer to resident cutthroat from the Yakima River upstream in the Columbia drainage. Lahontan refers to a sub-species of resident cutthroat found only at Lake Lenore in Washington State. Redband refers to a sub-species of rainbow trout found only at Phalon Lake in Washington State. Spring refers to adults that return to their home streams in the **spring** months of the year and spawn primarily in the late summer to early fall months of the year. Summer refers to adults that return from July to September and spawn from December to January. Fall refers to adults that return to spawn primarily in the fall months of the year, although this timing varies between chinook and chum salmon. Winter refers to adults that return from mid-November to the end of January and spawn from December to January. Winter-Late refers to a specific stock of Cowlitz River wild winter steelhead with a later than normal timing that is being restored.

In particular, we thank the following staff for their assistance with this report: Kyle Adicks, Peter Butterfield, Guy Campbell, Brodie Cox, Clint Fitch, Kelly Henderson, Mark Henry, Mark Johnson, Thom Johnson, Catie Mains, Susan Markey, Debbie Milks, Paul Peterson, Justin Secrist, and Micki Varney.

Hatchery Anadromous Fish Escapement Summary

| | Total T | rapped | | | Released | to stream | Trapped le | ess released |
|----------------|---------|--------|------------|--------------|----------|-----------|------------|--------------|
| Species/Race | Adults | Jacks | Eggtake | Eggtake Goal | Adults | Jacks | Adults | Jacks |
| CHINOOK/FALL | 112,889 | 4,934 | 81,394,243 | 90,564,000 | 33,254 | 758 | 79,635 | 4,176 |
| CHINOOK/SPRING | 28,990 | 6,847 | 7,888,459 | 12,839,900 | 16,900 | 993 | 12,090 | 5,854 |
| CHINOOK/SUMMER | 10,374 | 353 | 8,737,600 | 7,435,000 | 3,147 | 276 | 7,227 | 77 |
| TOTAL CHINOOK | 152,253 | 12,134 | 98,020,302 | 110,838,900 | 53,301 | 2,027 | 98,952 | 10,107 |
| CHUM/LATE | 593 | 0 | 0 | 0 | 593 | 0 | 0 | 0 |
| CHUM/NA | 219,365 | 0 | 40,786,076 | 39,970,000 | 10,252 | 0 | 209,113 | 0 |
| CHUM/SUMMER | 17 | 0 | 0 | 0 | 17 | 0 | 0 | 0 |
| TOTAL CHUM | 219,975 | 0 | 40,786,076 | 39,970,000 | 10,862 | 0 | 209,113 | 0 |
| СОНО/LATE | 11,079 | 85 | 1,428,800 | 881,000 | 342 | 1 | 10,737 | 84 |
| СОНО/NА | 276,282 | 6,571 | 23,617,554 | 24,667,800 | 36,744 | 535 | 239,538 | 6,036 |
| COHO/SUMMER | 5,160 | 744 | 195,000 | 236,000 | 0 | 0 | 5,160 | 744 |

| | Total T | rapped | | | Released | to stream | Trapped le | ss released |
|-------------------|---------|--------|------------|--------------|----------|-----------|------------|-------------|
| Species/Race | Adults | Jacks | Eggtake | Eggtake Goal | Adults | Jacks | Adults | Jacks |
| СОНО/ТҮРЕ N | 74,810 | 12,975 | 12,555,690 | 11,215,000 | 40,205 | 8,954 | 34,605 | 4,021 |
| СОНО/ТҮРЕ Ѕ | 87,840 | 2,350 | 3,624,728 | 4,550,000 | 22,241 | 70 | 65,599 | 2,280 |
| TOTAL COHO | 455,171 | 22,725 | 41,421,772 | 41,549,800 | 99,532 | 9,560 | 355,639 | 13,165 |
| CUTTHROAT/SEA-RUN | 9,524 | 0 | 431,357 | 435,000 | 308 | 0 | 9,216 | 0 |
| TOTAL CUTTHROAT | 9,524 | 0 | 431,357 | 435,000 | 308 | 0 | 9,216 | 0 |
| PINK/NA | 25,410 | 0 | 1,280,000 | 1,400,000 | 188 | 0 | 25,222 | 0 |
| TOTAL PINK | 25,410 | 0 | 1,280,000 | 1,400,000 | 188 | 0 | 25,222 | 0 |
| SOCKEYE/NA | 29,404 | 0 | 11,336,044 | 21,640,000 | 3,430 | 0 | 25,974 | 0 |
| TOTAL SOCKEYE | 29,404 | 0 | 11,336,044 | 21,640,000 | 3,430 | 0 | 25,974 | 0 |
| STEELHEAD/SUMMER | 32,289 | 29 | 6,168,190 | 6,135,600 | 19,909 | 28 | 12,380 | 1 |
| STEELHEAD/WINTER | 21,522 | 2 | 7,595,348 | 6,401,000 | 10,547 | 0 | 10,975 | 2 |

| | Total Tr | apped | | | Released | to stream | Trapped le | ess released |
|-----------------------------|----------|--------|-------------|--------------|----------|-----------|------------|--------------|
| Species/Race | Adults | Jacks | Eggtake | Eggtake Goal | Adults | Jacks | Adults | Jacks |
| STEELHEAD/WINTER-LATE | 2,946 | 6 | 725,546 | 1,486,000 | 2,087 | 6 | 859 | 0 |
| TOTAL STEELHEAD | 56,757 | 37 | 14,489,084 | 14,022,600 | 32,543 | 34 | 24,214 | 3 |
| Total Anadromous Escapement | 948,494 | 34,896 | 207,764,635 | 229,856,300 | 200,164 | 11,621 | 748,330 | 23,275 |

Hatchery Resident Fish Escapement Summary

| | Total trapped | | | Released to stream | Trapped less released |
|---------------------------|---------------|------------|--------------|--------------------|-----------------------|
| Species/Race | Adults | Eggtake | Eggtake Goal | Adults | Adults |
| CUTTHROAT/COASTAL | 21 | 0 | NA | 20 | 1 |
| CUTTHROAT/LAHONTAN | 0 | 633,384 | 700,000 | 0 | 0 |
| CUTTHROAT/WESTSLOPE | 3,585 | 1,083,400 | 1,200,000 | 3,523 | 62 |
| DOLLY/BULL TR/NA | 773 | 0 | NA | 773 | 0 |
| KOKANEE/NA | 141,615 | 12,660,312 | 13,240,000 | 156 | 141,459 |
| RAINBOW/NA | 111 | 16,000 | NA | 111 | 0 |
| RAINBOW/REDBAND | 174 | 141,929 | 150,000 | 174 | 0 |
| WHITEFISH/NA | 9 | 0 | NA | 9 | 0 |
| Total Resident Escapement | 146,288 | 14,535,025 | 15,290,000 | 4,766 | 141,522 |

| CHINOOK FALL | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|---------------------------|------------------|----|---------|--------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | Н | 61 | 8 | 80,000 | NA | 0 | 0 | 61 | 8 |
| GLENWOOD SPRINGS | Glenwood Springs | Н | 212 | 10 | 364,400 | 590,000 | 0 | 0 | 212 | 10 |
| Cooperative project. | | | | | | | | | | |
| SAMISH HATCHERY | Samish | Н | 10,055 | 317 | 6,004,000 | 7,000,000 | 6,814 | 303 | 3,241 | 14 |
| MARBLEMOUNT HATCHERY | Skagit River | W | 198 | 0 | 262,500 | 280,000 | 39 | 0 | 159 | 0 |
| TOKUL CR HATCHERY | Snohomish River | Н | 36 | 0 | 0 | NA | 0 | 0 | 36 | 0 |
| TOKUL CR HATCHERY | Snohomish River | W | 71 | 2 | 0 | NA | 68 | 2 | 3 | 0 |
| ISSAQUAH HATCHERY | Issaquah Creek | Н | 5,742 | 100 | 2,480,000 | 2,425,000 | 3,325 | 68 | 2,417 | 32 |
| CEDAR RIVER HATCHERY | Cedar River | M | 61 | 3 | 0 | NA | 61 | 3 | 0 | 0 |
| SOOS CREEK HATCHERY | Big Soos Creek | Н | 6,567 | 33 | 5,147,000 | 4,800,000 | 1,516 | 13 | 5,051 | 20 |
| VOIGHTS CR HATCHERY | Voight Creek | Н | 1,997 | 35 | 2,284,000 | 2,500,000 | 0 | 0 | 1,997 | 35 |
| GARRISON HATCHERY | Chambers Creek | Н | 816 | 34 | 1,260,000 | 1,400,000 | 0 | 0 | 816 | 34 |
| TUMWATER FALLS HATCH | Deschutes River | Н | 7,619 | 226 | 5,142,525 | 4,800,000 | 3,080 | 83 | 4,539 | 143 |
| MINTER HATCHERY | Minter Creek | Н | 4,987 | 56 | 2,680,700 | 2,400,000 | 0 | 0 | 4,987 | 56 |
| GEORGE ADAMS HATCHRY | George Adams | Н | 10,022 | 431 | 4,583,800 | 4,570,000 | 0 | 0 | 10,022 | 431 |
| HOODSPORT HATCHERY | Hood Canal | Н | 3,621 | 1,013 | 3,487,913 | 3,600,000 | 0 | 0 | 3,621 | 1,013 |
| ELWHA HATCHERY | Elwha River | M | 1,258 | 0 | 3,493,600 | 4,500,000 | 53 | 0 | 1,205 | 0 |
| Total Puget Sound F | Region | | 53,323 | 2,268 | 37,270,438 | 38,865,000 | 14,956 | 472 | 38,367 | 1,796 |

| CHINOOK FALL | 1 | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|----------------------------|------------------------|-----|---------|--------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Coastal Region | | | | | | | | | | |
| HUMPTULIPS HATCHERY | Humptulips River | Н | 617 | 0 | 599,400 | 590,000 | 0 | 0 | 617 | 0 |
| LK ABERDEEN HATCHERY | Van Winkle Creek | Н | 136 | 2 | 108,000 | 75,000 | 6 | 0 | 130 | 2 |
| BINGHAM CR HATCHERY | Satsop River | M | 56 | 0 | 0 | NA | 20 | 0 | 36 | 0 |
| FORKS CREEK HATCHERY | Willapa River | Н | 4,163 | 16 | 2,887,000 | 2,500,000 | 188 | 0 | 3,975 | 16 |
| NEMAH HATCHERY | Nemah River | Н | 2,421 | 22 | 2,929,000 | 2,500,000 | 51 | 0 | 2,370 | 22 |
| NASELLE HATCHERY | Naselle River | Н | 1,001 | 3 | 1,080,000 | 6,250,000 | 0 | 0 | 1,001 | 3 |
| Total Coastal Regio | n | | 8,394 | 43 | 7,603,400 | 11,915,000 | 265 | 0 | 8,129 | 43 |
| Columbia River Region | o <u>n</u> | | | | | | | | | |
| GRAYS RIVER HATCHERY | Grays River | Н | 11 | 0 | 0 | NA | 6 | 0 | 5 | 0 |
| ELOCHOMAN HATCHERY | Elochoman River | Н | 3,344 | 9 | 2,284,000 | 2,300,000 | 1,764 | 7 | 1,580 | 2 |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 22 | 0 | 0 | NA | 22 | 0 | 0 | 0 |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 6,836 | 96 | 5,461,200 | 6,000,000 | 4,277 | 52 | 2,559 | 44 |
| NORTH TOUTLE FCF | Toutle River | M | 26 | 0 | 0 | NA | 26 | 0 | 0 | 0 |
| NORTH TOUTLE HATCHRY | Toutle River | M | 10,155 | 60 | 2,426,000 | 2,900,000 | 8,387 | 40 | 1,768 | 20 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 6,790 | 149 | 5,262,005 | 5,500,000 | 2,334 | 101 | 4,456 | 48 |
| 2,200 adults received from | Modrow Trap for spawni | ng. | | | | | | | | |
| FALLERT CR HATCHERY | Kalama River | Н | 171 | 11 | 0 | NA | 119 | 8 | 52 | 3 |
| LEWIS RIVER HATCHERY | Lewis River | W | 208 | 8 | 0 | NA | 194 | 8 | 14 | 0 |

| CHINOOK FALL | ı | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------------|---------------------------|---------------|-------------------|---------------|------------------|----------------------|-----------------|---------------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| MERWIN DAM FCF | Lewis River | W | 705 | 13 | 0 | NA | 653 | 13 | 52 | 0 |
| WASHOUGAL HATCHERY | Washougal River | Н | 9,640 | 177 | 4,700,000 | 4,700,000 | 0 | 0 | 9,640 | 177 |
| LYONS FERRY HATCHERY | Snake River | Н | 3,317 | 1,316 | 2,887,200 | 4,884,000 | 249 | 57 | 3,068 | 1,259 |
| Totals include 487 adults a | nd 265 jacks trapped at 1 | Lower Granite | Dam and hauled to | o Lyons Ferry | Hatchery, and 2, | 830 adults and 1,051 | jacks volunteer | ed to Lyons I | Ferry Hatcher | y. |
| RINGOLD SPRINGS HATC | Ringold | Н | 1,021 | 0 | 0 | NA | 0 | 0 | 1,021 | 0 |
| PRIEST RAPIDS HATCH. | Priest Rapids | Н | 8,926 | 784 | 13,500,000 | 13,500,000 | 2 | 0 | 8,924 | 784 |
| Total Columbia Riv | | 51,172 | 2,623 | 36,520,405 | 39,784,000 | 18,033 | 286 | 33,139 | 2,337 | |
| Total Statewide | | | 112,889 | 4,934 | 81,394,243 | 90,564,000 | 33,254 | 758 | 79,635 | 4,176 |

| CHINOOK SPRIN | NG | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------------|--------------------------|----------------|-------------|--------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | Н | 5,052 | 259 | 870,000 | 2,300,000 | 3,760 | 177 | 1,292 | 82 |
| MARBLEMOUNT HATCHERY | Skagit River | Н | 1,547 | 11 | 585,700 | 590,000 | 2 | 0 | 1,545 | 11 |
| HUPP SPRINGS REARING | White River | Н | 508 | 43 | 484,000 | 725,000 | 0 | 0 | 508 | 43 |
| Fish trapped at Minter Hato | hery, transported to Hup | pp Springs for | · spawning. | | | | | | | |
| DUNGENESS HATCHERY | Dungeness River | W | 20 | 5 | 0 | 2,500,000 | 18 | 5 | 2 | 0 |
| Total Puget Sound l | Region | | 7,127 | 318 | 1,939,700 | 6,115,000 | 3,780 | 182 | 3,347 | 136 |
| Coastal Region | | | | | | | | | | |
| SOLDUC HATCHERY | Soleduck River | Н | 1,250 | 11 | 297,800 | 240,000 | 0 | 0 | 1,250 | 11 |
| Total Coastal Regio | n | | 1,250 | 11 | 297,800 | 240,000 | 0 | 0 | 1,250 | 11 |
| Columbia River Regio | o <u>n</u> | | | | | | | | | |
| ELOCHOMAN HATCHERY | Elochoman River | Н | 52 | 3 | 0 | NA | 12 | 1 | 40 | 2 |
| ELOCHOMAN HATCHERY | Elochoman River | W | 53 | 0 | 0 | NA | 20 | 0 | 33 | 0 |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 10,481 | 1,498 | 1,691,600 | 1,806,000 | 7,944 | 359 | 2,537 | 1,139 |
| COWLITZ SALMON HATCH | Cowlitz River | W | 562 | 17 | 0 | NA | 560 | 17 | 2 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 3,667 | 135 | 630,400 | 590,000 | 2,878 | 129 | 789 | 6 |
| KALAMA FALLS HATCHRY | Kalama River | W | 214 | 10 | 0 | NA | 214 | 10 | 0 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | Н | 10 | 1 | 38,659 | NA | 6 | 1 | 4 | 0 |

| CHINOOK SPRI | NG | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|--------------------------------------|---------------------------|---------------|----------------------|-----------------|------------------|---------------------|------------------|---------------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| LEWIS RIVER HATCHERY | Lewis River | W | 23 | 0 | 0 | NA | 23 | 0 | 0 | C |
| MERWIN DAM FCF | Lewis River | Н | 2,799 | 348 | 0 | NA | 335 | 2 | 2,464 | 346 |
| Totals include 795 adults a | nd 8 jacks trapped at Me | rwin Dam FC | F and shipped to S | peelyai Hatche | ry for spawning. | | | | | |
| MERWIN DAM FCF | Lewis River | W | 205 | 8 | 0 | NA | 205 | 8 | 0 | C |
| SPEELYAI HATCHERY | Lewis River | Н | 0 | 0 | 1,599,800 | 1,600,000 | 0 | 0 | 0 | C |
| 795 adults and 8 jacks rece | ived from Merwin Dam I | FCF for spawi | ning. | | | | | | | |
| KLICKITAT HATCHERY | Klickitat River | Н | 1,683 | 4,192 | 1,048,000 | 950,000 | 562 | 98 | 1,121 | 4,094 |
| LYONS FERRY HATCHERY | Tucannon River | Н | 0 | 0 | 60,000 | 90,000 | 0 | 0 | 0 | 0 |
| Fish received from Tucanna | on Hatchery trap. | | | | | | | | | |
| LYONS FERRY HATCHERY | Tucannon River | W | 0 | 0 | 51,000 | 90,000 | 0 | 0 | 0 | 0 |
| Fish received from Tucanna | on Hatchery trap. | | | | | | | | | |
| TUCANNON HATCHERY | Tucannon River | Н | 137 | 25 | 0 | NA | 107 | 18 | 30 | 7 |
| Totals include 30 adults an | d 7 jacks trapped at Tucc | ınnon Hatchei | ry and shipped to L | yons Ferry Hai | chery for spawn | ing. | | | | |
| TUCANNON HATCHERY | Tucannon River | W | 78 | 6 | 0 | NA | 36 | 6 | 42 | 0 |
| Totals include 42 adults tra | pped at Tucannon Hatch | ery and shipp | ed to Lyons Ferry I | Hatchery for sp | awning. | | | | | |
| RINGOLD SPRINGS HATC | Ringold | Н | 23 | 0 | 0 | NA | 0 | 0 | 23 | 0 |
| EASTBANK HATCHERY | Wenatchee River | M | 140 | 34 | 0 | NA | 140 | 34 | 0 | 0 |
| Trapped at Dryden Dam F | CF and Tumwater Dam F | FCF and trans | ported to Eastbank | Hatchery for s | pawning. | | | | | |
| EASTBANK HATCHERY | Chiwawa River | M | 125 | 72 | 155,500 | 809,000 | 22 | 54 | 103 | 18 |
| Fish trapped at Tumwater I spawning. | Dam FCF and shipped to | Eastbank for | spawning. Additio | nal 85 adults a | nd 13 jacks trap | ped at Chiwawa Hato | thery and receiv | ved at Eastba | nk Hatchery fo | or |
| CHIWAWA HATCHERY | Chiwawa River | M | 105 | 87 | 0 | NA | 20 | 74 | 85 | 13 |
| Totals include 85 adults an | d 13 jacks trapped at Ch | iwawa Hatche | ery and shipped to I | Eastbank Hatch | ery for spawning | g. | | | | |
| METHOW HATCHERY | Chewuch River | Н | 5 | 39 | 8,000 | 183,300 | 2 | 0 | 3 | 39 |

| CHINOOK SPR | ING | | Released t | to stream | Trapped less released | | | | | |
|------------------|--------------|----|------------|-----------|-----------------------|--------------|--------|-------|--------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| METHOW HATCHERY | Methow River | Н | 239 | 34 | 368,000 | 366,600 | 34 | 0 | 205 | 34 |
| METHOW HATCHERY | Methow River | М | 12 | 9 | 0 | NA | 0 | 0 | 12 | 9 |
| Total Columbia R | River Region | | 20,613 | 6,518 | 5,650,959 | 6,484,900 | 13,120 | 811 | 7,493 | 5,707 |
| Total Statewide | e | | 28,990 | 6,847 | 7,888,459 | 12,839,900 | 16,900 | 993 | 12,090 | 5,854 |

| CHINOOK SUMM | IER | | Total Tra | pped | | | Released t | o stream | Trappe relea | |
|-----------------------------|-------------------------------|------------|-----------------------|----------------|--------------------|------------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| MARBLEMOUNT HATCHERY | Skagit River | W | 100 | 0 | 260,800 | 275,000 | 0 | 0 | 100 | 0 |
| Wild broodstock captured in | the Skagit River and transp | orted to l | Marblemount Hatche | ry for spawnii | ıg (still accurate | e for BY 2003?). | | | | |
| WALLACE R HATCHERY | Skykomish River | Н | 5,655 | 32 | 3,604,300 | 1,800,000 | 627 | 0 | 5,028 | 32 |
| Approximately 2 million egg | s shipped to the Tulalip Trib | pe. | | | | | | | | |
| Total Puget Sound F | Region | | 5,755 | 32 | 3,865,100 | 2,075,000 | 627 | 0 | 5,128 | 32 |
| Columbia River Regio | <u>n</u> | | | | | | | | | |
| EASTBANK HATCHERY | Wenatchee River | M | 2,804 | 294 | 847,500 | 1,060,000 | 2,326 | 276 | 478 | 18 |
| Trapped at Dryden Dam FC | F and Tumwater Dam FCF | and tran: | sported to Eastbank H | latchery for s | pawning. | | | | | |
| EASTBANK HATCHERY | Methow Okanogan Mixe | M | 535 | 27 | 1,175,000 | 1,200,000 | 0 | 0 | 535 | 27 |
| Trapped at Wells East Ladde | er and transported to Eastbo | ınk Hatch | nery for spawning. | | | | | | | |
| WELLS HATCHERY | Wells | M | 1,280 | 0 | 2,850,000 | 3,100,000 | 194 | 0 | 1,086 | 0 |
| Total Columbia Rive | er Region | | 4,619 | 321 | 4,872,500 | 5,360,000 | 2,520 | 276 | 2,099 | 45 |
| Total Statewide | | | 10,374 | 353 | 8,737,600 | 7,435,000 | 3,147 | 276 | 7,227 | 77 |

| CHUM LATE | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|---------------------------|----------------|----|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Во | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | <u> </u> | | | | | | | | | |
| GARRISON HATCHERY | Chambers Creek | W | 593 | 0 | 0 | NA | 593 | 0 | 0 | 0 |
| Total Puget Sound | d Region | | 593 | 0 | 0 | NA | 593 | 0 | 0 | 0 |
| Total Statewide | 2 | | 593 | 0 | 0 | NA | 593 | 0 | 0 | 0 |

| CHUM NA | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|--|----------------------------|----------------|---------------------|-----------------|-----------------|------------------------|-------------------|-------------|-----------------|---------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jack |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | Н | 4,528 | 0 | 2,110,000 | 2,100,000 | 400 | 0 | 4,128 | |
| SOOS CREEK HATCHERY | Big Soos Creek | Н | 189 | 0 | 0 | NA | 189 | 0 | 0 | (|
| MINTER HATCHERY | Minter Creek | Н | 41,751 | 0 | 4,527,000 | 3,000,000 | 9,155 | 0 | 32,596 | |
| GEORGE ADAMS HATCHRY | George Adams | Н | 82,501 | 0 | 12,026,600 | 8,250,000 | 0 | 0 | 82,501 | |
| MCKERNAN HATCHERY | McKernan | Н | 61,129 | 0 | 14,214,700 | 17,900,000 | 0 | 0 | 61,129 | |
| HOODSPORT HATCHERY | Hood Canal | Н | 27,826 | 0 | 7,109,878 | 7,700,000 | 0 | 0 | 27,826 | |
| All chum trapped at Hoodsp summer chum or early retur | * * | /15 are releas | sed to protect summ | ner chum. In 20 | 03, 17 chum wei | re trapped before 10/. | 15, but it is not | known wheth | er they were ac | ctually |
| Total Puget Sound I | Region | | 217,924 | 0 | 39,988,178 | 38,950,000 | 9,744 | 0 | 208,180 | |
| Coastal Region | | | | | | | | | | |
| LK ABERDEEN HATCHERY | Van Winkle Creek | W | 51 | 0 | 0 | NA | 35 | 0 | 16 | |
| BINGHAM CR HATCHERY | Satsop River | M | 546 | 0 | 0 | NA | 381 | 0 | 165 | |
| FORKS CREEK HATCHERY | Willapa River | W | 218 | 0 | 216,000 | 300,000 | 0 | 0 | 218 | |
| This eggtake may include br | roodstock collection in th | e Willapa as | well as trapping at | Forks Creek H | atchery. | | | | | |
| NEMAH HATCHERY | Nemah River | W | 232 | 0 | 102,000 | 200,000 | 80 | 0 | 152 | |
| Total Coastal Regio | n | | 1,047 | 0 | 318,000 | 500,000 | 496 | 0 | 551 | |
| Columbia River Regio | o <u>n</u> | | | | | | | | | |
| GRAYS RIVER HATCHERY | Grays River | W | 308 | 0 | 392,000 | 400,000 | 0 | 0 | 308 | |
| Fish were collected from the | e mainstem of the Grays I | River. | | | | | | | | |
| 2002 2004 Final Hatch am Forgan and | | | | | Dans 12 | | | | 21, 200 | |

| CHUM NA | | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|----------------------|---------------|----|---------|--------|------------|--------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| COWLITZ SALMON HATCH | Cowlitz River | W | 12 | 0 | 0 | NA | 12 | 0 | 0 | 0 |
| WASHOUGAL HATCHERY | Duncan Creek | W | 74 | 0 | 87,898 | 120,000 | 0 | 0 | 74 | 0 |
| Total Columbia Riv | er Region | | 394 | 0 | 479,898 | 520,000 | 12 | 0 | 382 | 0 |
| Total Statewide | | | 219,365 | 0 | 40,786,076 | 39,970,000 | 10,252 | 0 | 209,113 | 0 |

| CHUM SUMMEI | R | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|--|---------------|-----------------|---------------------|-----------------|----------------|-----------------------|-------------------|-------------|-----------------|---------|
| Facility | Stock | Во | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| HOODSPORT HATCHERY | Unknown Stock | W | 17 | 0 | 0 | NA | 17 | 0 | 0 | 0 |
| All chum trapped at Hood summer chum or early ret | | 0/15 are releas | sed to protect sumn | ier chum. In 20 | 03, 17 chum we | re trapped before 10/ | 15, but it is not | known wheth | er they were a | ctually |
| Total Puget Sound | Region | | 17 | 0 | 0 | NA | 17 | 0 | 0 | 0 |
| Total Statewide | | | 17 | 0 | 0 | NA | 17 | 0 | 0 | 0 |

| COHO LATE | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------|------------------|----|---------|--------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Coastal Region | | | | | | | | | | |
| HUMPTULIPS HATCHERY | Humptulips River | Н | 2,055 | 2 | 240,000 | NA | 0 | 0 | 2,055 | 2 |
| BINGHAM CR HATCHERY | Bingham Creek | M | 5,216 | 45 | 873,800 | 766,000 | 151 | 1 | 5,065 | 44 |
| ELK CREEK TRAP | Bingham Creek | Н | 125 | 5 | 0 | NA | 0 | 0 | 125 | 5 |
| ELK CREEK TRAP | Elk Creek | W | 5 | 0 | 0 | NA | 5 | 0 | 0 | 0 |
| FORKS CREEK HATCHERY | Willapa River | Н | 3,472 | 33 | 315,000 | 115,000 | 0 | 0 | 3,472 | 33 |
| FORKS CREEK HATCHERY | Willapa River | W | 206 | 0 | 0 | NA | 186 | 0 | 20 | 0 |
| Total Coastal Regio | n | | 11,079 | 85 | 1,428,800 | 881,000 | 342 | 1 | 10,737 | 84 |
| Total Statewide | | | 11,079 | 85 | 1,428,800 | 881,000 | 342 | 1 | 10,737 | 84 |

| COHO NA | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|---------------------------|------------------|----|---------|--------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | Н | 4,627 | 31 | 700,000 | 600,000 | 1,000 | 25 | 3,627 | 6 |
| GLENWOOD SPRINGS | Glenwood Springs | Н | 0 | 0 | 0 | 110,000 | 0 | 0 | 0 | 0 |
| Cooperative project. | | | | | | | | | | |
| SAMISH HATCHERY | Samish | M | 6,271 | 464 | 0 | 5,000 | 6,271 | 464 | 0 | 0 |
| MARBLEMOUNT HATCHERY | Skagit River | Н | 4,072 | 0 | 524,700 | 650,000 | 29 | 0 | 4,043 | 0 |
| WALLACE R HATCHERY | Skykomish River | Н | 13,047 | 215 | 3,495,354 | 4,280,000 | 0 | 0 | 13,047 | 215 |
| ISSAQUAH HATCHERY | Issaquah Creek | Н | 5,593 | 50 | 1,833,000 | 1,400,000 | 481 | 0 | 5,112 | 50 |
| CEDAR RIVER HATCHERY | Cedar River | W | 24 | 3 | 0 | NA | 24 | 3 | 0 | 0 |
| SOOS CREEK HATCHERY | Big Soos Creek | Н | 31,142 | 48 | 3,097,000 | 2,825,000 | 21,117 | 0 | 10,025 | 48 |
| VOIGHTS CR HATCHERY | Voight Creek | Н | 38,590 | 60 | 1,370,000 | 1,400,000 | 3,337 | 0 | 35,253 | 60 |
| GARRISON HATCHERY | Chambers Creek | M | 691 | 8 | 0 | NA | 645 | 6 | 46 | 2 |
| MINTER HATCHERY | Minter Creek | Н | 12,227 | 584 | 2,653,400 | 4,400,000 | 690 | 4 | 11,537 | 580 |
| GEORGE ADAMS HATCHRY | George Adams | Н | 16,718 | 759 | 602,400 | 590,000 | 0 | 0 | 16,718 | 759 |
| HOODSPORT HATCHERY | Hood Canal | Н | 17 | 0 | 0 | NA | 0 | 0 | 17 | 0 |
| DUNGENESS HATCHERY | Dungeness River | Н | 13,185 | 61 | 620,600 | 627,800 | 0 | 0 | 13,185 | 61 |
| Total Puget Sound F | Region | | 146,204 | 2,283 | 14,896,454 | 16,887,800 | 33,594 | 502 | 112,610 | 1,781 |
| Coastal Region | | | | | | | | | | |
| SOLDUC HATCHERY | Soleduck River | Н | 13,877 | 1,815 | 700,000 | 700,000 | 0 | 0 | 13,877 | 1,815 |

| COHO NA | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|----------------------|------------------|----|---------|--------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| HUMPTULIPS HATCHERY | Humptulips River | Н | 29,174 | 1,191 | 2,239,100 | 1,850,000 | 0 | 0 | 29,174 | 1,191 |
| LK ABERDEEN HATCHERY | Van Winkle Creek | Н | 7,809 | 111 | 252,000 | 140,000 | 10 | 0 | 7,799 | 111 |
| BINGHAM CR HATCHERY | Satsop River | M | 21,581 | 529 | 2,019,000 | 1,700,000 | 1,569 | 32 | 20,012 | 497 |
| FORKS CREEK HATCHERY | Willapa River | Н | 14,599 | 488 | 1,270,000 | 1,165,000 | 750 | 0 | 13,849 | 488 |
| FORKS CREEK HATCHERY | Willapa River | W | 161 | 0 | 0 | NA | 153 | 0 | 8 | 0 |
| NEMAH HATCHERY | Nemah River | Н | 16,444 | 129 | 1,097,000 | 675,000 | 636 | 0 | 15,808 | 129 |
| NEMAH HATCHERY | Nemah River | W | 239 | 10 | 32,000 | 200,000 | 32 | 1 | 207 | 9 |
| NASELLE HATCHERY | Naselle River | Н | 26,194 | 15 | 1,112,000 | 1,350,000 | 0 | 0 | 26,194 | 15 |
| Total Coastal Regio | n | | 130,078 | 4,288 | 8,721,100 | 7,780,000 | 3,150 | 33 | 126,928 | 4,255 |
| Total Statewide | | | 276,282 | 6,571 | 23,617,554 | 24,667,800 | 36,744 | 535 | 239,538 | 6,036 |

| COHO SUMME | ER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------|----------------|----|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Во | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Coastal Region | | | | | | | | | | |
| SOLDUC HATCHERY | Soleduck River | Н | 5,160 | 744 | 195,000 | 236,000 | 0 | 0 | 5,160 | 744 |
| Total Coastal Reg | gion | | 5,160 | 744 | 195,000 | 236,000 | 0 | 0 | 5,160 | 744 |
| Total Statewid | e | | 5,160 | 744 | 195,000 | 236,000 | 0 | 0 | 5,160 | 744 |

| COHO TYPE N | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------------|---------------------------|---------------|--------------------|-------------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Во | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| ELOCHOMAN HATCHERY | Elochoman River | Н | 2,800 | 204 | 527,600 | 715,000 | 2,068 | 189 | 732 | 15 |
| ELOCHOMAN HATCHERY | Elochoman River | W | 28 | 0 | 0 | NA | 28 | 0 | 0 | 0 |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 93 | 40 | 0 | NA | 93 | 40 | 0 | 0 |
| COWLITZ TROUT HATCH | Cowlitz River | W | 19 | 16 | 0 | NA | 19 | 16 | 0 | 0 |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 31,072 | 8,347 | 4,328,600 | 4,200,000 | 27,485 | 7,983 | 3,587 | 364 |
| COWLITZ SALMON HATCH | Cowlitz River | W | 8,703 | 584 | 0 | NA | 8,703 | 584 | 0 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 3,198 | 832 | 459,490 | 460,000 | 28 | 13 | 3,170 | 819 |
| KALAMA FALLS HATCHRY | Kalama River | W | 914 | 57 | 0 | NA | 914 | 57 | 0 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | Н | 13,222 | 1,746 | 2,700,000 | 5,100,000 | 9 | 0 | 13,213 | 1,746 |
| LEWIS RIVER HATCHERY | Lewis River | W | 647 | 4 | 0 | NA | 127 | 0 | 520 | 4 |
| Totals include 310 adults a | nd 4 jacks shipped to Spe | elyai Hatchei | ry for spawning. | | | | | | | |
| MERWIN DAM FCF | Lewis River | Н | 7,581 | 823 | 90,000 | NA | 18 | 0 | 7,563 | 823 |
| MERWIN DAM FCF | Lewis River | W | 448 | 0 | 0 | NA | 441 | 0 | 7 | 0 |
| Totals include 414 adults a | nd 2 jacks shipped to Spe | elyai Hatcher | y for spawning. | | | | | | | |
| SPEELYAI HATCHERY | Lewis River | W | 0 | 0 | 720,000 | 40,000 | 0 | 0 | 0 | 0 |
| 724 adults and 6 jacks rece | ived from Lewis Channel | , Cedar Creei | k Trap, and Merwin | Dam FCF for | spawning. | | | | | |
| WASHOUGAL HATCHERY | Washougal River | M | 6,085 | 322 | 3,730,000 | 700,000 | 272 | 72 | 5,813 | 250 |
| Total Columbia Riv | er Region | | 74,810 | 12,975 | 12,555,690 | 11,215,000 | 40,205 | 8,954 | 34,605 | 4,021 |
| Total Statewide | | | 74,810 | 12,975 | 12,555,690 | 11,215,000 | 40,205 | 8,954 | 34,605 | 4,021 |

| COHO TYPE S | | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|------------------------------|---------------------------|--------------|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| GRAYS RIVER HATCHERY | Grays River | Н | 683 | 1 | 456,000 | 1,000,000 | 312 | 0 | 371 | 1 |
| GRAYS RIVER HATCHERY | Grays River | W | 145 | 0 | 0 | NA | 145 | 0 | 0 | 0 |
| ELOCHOMAN HATCHERY | Elochoman River | Н | 7,738 | 65 | 564,000 | 590,000 | 2,815 | 6 | 4,923 | 59 |
| ELOCHOMAN HATCHERY | Elochoman River | W | 336 | 0 | 0 | NA | 321 | 0 | 15 | 0 |
| NORTH TOUTLE FCF | Toutle River | Н | 186 | 3 | 0 | NA | 98 | 2 | 88 | 1 |
| NORTH TOUTLE FCF | Toutle River | W | 430 | 45 | 0 | NA | 430 | 45 | 0 | 0 |
| NORTH TOUTLE HATCHRY | Toutle River | Н | 30,021 | 187 | 996,000 | 1,000,000 | 13,964 | 1 | 16,057 | 186 |
| NORTH TOUTLE HATCHRY | Toutle River | W | 2,034 | 1 | 0 | NA | 1,997 | 1 | 37 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 1,482 | 65 | 0 | NA | 273 | 1 | 1,209 | 64 |
| KALAMA FALLS HATCHRY | Kalama River | W | 397 | 10 | 0 | NA | 397 | 10 | 0 | 0 |
| FALLERT CR HATCHERY | Kalama River | Н | 3,215 | 31 | 407,128 | 460,000 | 0 | 0 | 3,215 | 31 |
| FALLERT CR HATCHERY | Kalama River | W | 53 | 3 | 0 | NA | 52 | 3 | 1 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | Н | 30,874 | 1,481 | 0 | NA | 0 | 0 | 30,874 | 1,481 |
| Totals include fish shippped | d to Speelyai Hatchery fo | or spawning. | | | | | | | | |
| LEWIS RIVER HATCHERY | Lewis River | W | 343 | 1 | 0 | NA | 341 | 1 | 2 | 0 |
| MERWIN DAM FCF | Lewis River | Н | 7,030 | 451 | 0 | NA | 0 | 0 | 7,030 | 451 |
| Totals include fish shippped | d to Speelyai Hatchery fo | or spawning. | | | | | | | | |
| MERWIN DAM FCF | Lewis River | W | 120 | 0 | 0 | NA | 113 | 0 | 7 | 0 |

| COHO TYPE S | | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|-----------------------------|-----------------------|-------------|--------------|--------|-----------|--------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| SPEELYAI HATCHERY | Lewis River | Н | 0 | 0 | 1,201,600 | 1,500,000 | 0 | 0 | 0 | 0 |
| 900 adults and 10 jacks rec | eived from Merwin Dam | FCF and Lev | vis Channel. | | | | | | | |
| LYONS FERRY HATCHERY | Snake River | Н | 89 | 6 | 0 | NA | 0 | 0 | 89 | 6 |
| RINGOLD SPRINGS HATC | Unknown Stock | Н | 27 | 0 | 0 | NA | 0 | 0 | 27 | 0 |
| EASTBANK HATCHERY | Wenatchee River | Н | 2,637 | 0 | 0 | NA | 983 | 0 | 1,654 | 0 |
| Total Columbia Riv | ver Region | | 87,840 | 2,350 | 3,624,728 | 4,550,000 | 22,241 | 70 | 65,599 | 2,280 |
| Total Statewide | | | 87,840 | 2,350 | 3,624,728 | 4,550,000 | 22,241 | 70 | 65,599 | 2,280 |

| CUTTHROAT SE | CA-RUN | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|---------------------------|----------------|----|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | W | 4 | 0 | 0 | NA | 4 | 0 | 0 | 0 |
| SAMISH HATCHERY | Samish | W | 90 | 0 | 0 | NA | 90 | 0 | 0 | 0 |
| GARRISON HATCHERY | Chambers Creek | W | 10 | 0 | 0 | NA | 10 | 0 | 0 | 0 |
| MINTER HATCHERY | Minter Creek | W | 34 | 0 | 0 | NA | 34 | 0 | 0 | 0 |
| Total Puget Sound | Region | | 138 | 0 | 0 | NA | 138 | 0 | 0 | 0 |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 9,244 | 0 | 431,357 | 435,000 | 28 | 0 | 9,216 | 0 |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 57 | 0 | 0 | NA | 57 | 0 | 0 | 0 |
| COWLITZ SALMON HATCH | Cowlitz River | W | 80 | 0 | 0 | NA | 80 | 0 | 0 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | W | 2 | 0 | 0 | NA | 2 | 0 | 0 | 0 |
| MERWIN DAM FCF | Lewis River | W | 3 | 0 | 0 | NA | 3 | 0 | 0 | 0 |
| Total Columbia Riv | ver Region | | 9,386 | 0 | 431,357 | 435,000 | 170 | 0 | 9,216 | 0 |
| Total Statewide | | | 9,524 | 0 | 431,357 | 435,000 | 308 | 0 | 9,216 | 0 |

| PINK NA | | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|---------------------------|------------------|----|---------|--------|-----------|--------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| GARRISON HATCHERY | Chambers Creek | W | 3 | 0 | 0 | NA | 3 | 0 | 0 | 0 |
| MINTER HATCHERY | Minter Creek | Н | 68 | 0 | 0 | 100,000 | 64 | 0 | 4 | 0 |
| HOODSPORT HATCHERY | Hood Canal | Н | 25,217 | 0 | 1,280,000 | 1,300,000 | 0 | 0 | 25,217 | 0 |
| DUNGENESS HATCHERY | Dungeness River | W | 121 | 0 | 0 | NA | 121 | 0 | 0 | 0 |
| Total Puget Sound | Region | | 25,409 | 0 | 1,280,000 | 1,400,000 | 188 | 0 | 25,221 | 0 |
| Coastal Region | | | | | | | | | | |
| LK ABERDEEN HATCHERY | Van Winkle Creek | Н | 1 | 0 | 0 | NA | 0 | 0 | 1 | 0 |
| Total Coastal Region | on | | 1 | 0 | 0 | NA | 0 | 0 | 1 | 0 |
| Total Statewide | | | 25,410 | 0 | 1,280,000 | 1,400,000 | 188 | 0 | 25,222 | 0 |

| SOCKEYE NA | | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|-----------------------------|----------------------------|---------------|--------------------|----------------|--------------------|----------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| BAKER SP BEACHES 3+4 | Baker River | Н | 19,487 | 0 | 702,744 | 2,500,000 | 0 | 0 | 19,487 | 0 |
| Eggtake goal is 1,000,000 e | eggs from artificially spa | wned fish and | 1,500,000 from fis | h spawning on | the artificial spo | wning beaches. | | | | |
| ISSAQUAH HATCHERY | Lake Washington | W | 75 | 0 | 0 | NA | 53 | 0 | 22 | 0 |
| CEDAR RIVER HATCHERY | Cedar River | M | 9,154 | 0 | 10,423,000 | 18,880,000 | 2,955 | 0 | 6,199 | 0 |
| Total Puget Sound | Region | | 28,716 | 0 | 11,125,744 | 21,380,000 | 3,008 | 0 | 25,708 | 0 |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| COWLITZ SALMON HATCH | Cowlitz River | W | 11 | 0 | 0 | NA | 11 | 0 | 0 | 0 |
| CHIWAWA HATCHERY | Lake Wenatchee | M | 417 | 0 | 0 | NA | 411 | 0 | 6 | 0 |
| Fish trapped at Dryden Da | m FCF and Tumwater Do | am FCF. 260 | fish shipped to We | natchee Net Pe | ns. | | | | | |
| WENATCHEE NET PENS | Lake Wenatchee | M | 260 | 0 | 210,300 | 260,000 | 0 | 0 | 260 | 0 |
| 260 adults received from D | ryden Dam FCF and Tur | nwater Dam I | FCF. | | | | | | | |
| Total Columbia Riv | er Region | | 688 | 0 | 210,300 | 260,000 | 422 | 0 | 266 | 0 |
| Total Statewide | | | 29,404 | 0 | 11,336,044 | 21,640,000 | 3,430 | 0 | 25,974 | 0 |

| STEELHEAD SU | MMER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|----------------------------|---------------------------|----------------|----------------------|------------------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| TOKUL CR HATCHERY | Snohomish River | Н | 208 | 0 | 0 | NA | 208 | 0 | 0 | (|
| REITER PONDS | Snohomish River | Н | 550 | 0 | 813,200 | 800,000 | 0 | 0 | 550 | (|
| SOOS CREEK HATCHERY | Green River | Н | 133 | 0 | 28,900 | 140,000 | 4 | 0 | 129 | (|
| Fish shipped from Palmer | Ponds, Icy Creek, and Kei | ta Creek to So | oos Creek Hatchery | for spawning. | | | | | | |
| Total Puget Sound | Region | | 891 | 0 | 842,100 | 940,000 | 212 | 0 | 679 | 0 |
| Coastal Region | | | | | | | | | | |
| BOGACHIEL HATCHERY | Quillayute River | Н | 1,781 | 0 | 204,400 | 190,000 | 0 | 0 | 1,781 | C |
| LK ABERDEEN HATCHERY | Van Winkle Creek | Н | 903 | 0 | 424,000 | 300,000 | 0 | 0 | 903 | 0 |
| Total Coastal Region | on | | 2,684 | 0 | 628,400 | 490,000 | 0 | 0 | 2,684 | 0 |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 3,226 | 0 | 831,679 | 770,000 | 2,805 | 0 | 1,044 | C |
| 623 adults received from C | owlitz Salmon Hatchery. | Trapped less | released totals inci | lude these shipp | ped fish. | | | | | |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 3,153 | 27 | 0 | NA | 2,530 | 27 | 0 | 0 |
| 623 adults shipped to Cowl | itz Trout Hatchery. Trap | ped less relea | sed totals do not in | clude these ship | oped fish. | | | | | |
| NORTH TOUTLE FCF | Toutle River | W | 1 | 0 | 0 | NA | 1 | 0 | 0 | 0 |
| NORTH TOUTLE HATCHRY | Toutle River | Н | 50 | 0 | 0 | NA | 50 | 0 | 0 | 0 |
| NORTH TOUTLE HATCHRY | Toutle River | W | 4 | 0 | 0 | NA | 4 | 0 | 0 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 2,146 | 0 | 0 | NA | 2,069 | 0 | 77 | 0 |

| STEELHEAD SU | MMER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|------------------------------|-------------------------|----------------|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| KALAMA FALLS HATCHRY | Kalama River | M | 654 | 0 | 19,063 | NA | 647 | 0 | 7 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | W | 557 | 0 | 85,651 | 90,000 | 506 | 0 | 51 | 0 |
| FALLERT CR HATCHERY | Kalama River | Н | 38 | 1 | 0 | NA | 38 | 1 | 0 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | Н | 976 | 0 | 0 | NA | 0 | 0 | 976 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | W | 23 | 0 | 0 | NA | 22 | 0 | 1 | 0 |
| MERWIN HATCHERY | Lewis River | Н | 1,403 | 0 | 577,500 | 400,000 | 0 | 0 | 1,403 | 0 |
| MERWIN DAM FCF | Lewis River | Н | 9,838 | 0 | 0 | NA | 7,240 | 0 | 2,598 | 0 |
| MERWIN DAM FCF | Lewis River | W | 90 | 0 | 0 | NA | 90 | 0 | 0 | 0 |
| WASHOUGAL HATCHERY | Washougal River | W | 34 | 0 | 0 | NA | 27 | 0 | 7 | 0 |
| SKAMANIA HATCHERY | Skamania | Н | 1,159 | 0 | 808,000 | 900,000 | 0 | 0 | 1,159 | 0 |
| DAYTON ACCLIMA. POND | Lyons Ferry | Н | 26 | 0 | 0 | NA | 25 | 0 | 1 | 0 |
| DAYTON ACCLIMA. POND | Touchet River | Н | 16 | 0 | 0 | NA | 16 | 0 | 0 | 0 |
| DAYTON ACCLIMA. POND | Touchet River | W | 128 | 0 | 66,125 | NA | 77 | 0 | 51 | 0 |
| Trapped at Dayton trap. | | | | | | | | | | |
| LYONS FERRY HATCHERY | Lyons Ferry | Н | 2,331 | 0 | 494,382 | 600,000 | 1,680 | 0 | 651 | 0 |
| LYONS FERRY HATCHERY | Tucannon River | Н | 16 | 0 | 0 | NA | 15 | 0 | 1 | 0 |
| LYONS FERRY HATCHERY | Tucannon River | W | 68 | 0 | 75,560 | 85,600 | 52 | 0 | 16 | 0 |
| Totals include 32 adults rec | eived from the lower Tu | cannon River t | rap. | | | | | | | |
| TUCANNON HATCHERY | Tucannon River | Н | 6 | 0 | 0 | NA | 6 | 0 | 0 | 0 |

| STEELHEAD SU | MMER | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|---------------------------|---------------------------|----------------|---------------------|-----------------|------------------|----------------------|------------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| TUCANNON HATCHERY | Tucannon River | W | 29 | 0 | 0 | NA | 29 | 0 | 0 | (|
| Trapped at lower Tucanno | n River trap. Total does | not include 32 | adults shipped to I | Lyons Ferry Ha | tchery for spawi | ning. | | | | |
| COTTONWOOD CR POND | Wallowa | Н | 844 | 0 | 318,430 | 300,000 | 519 | 0 | 325 | 0 |
| Eggs shipped to Lyons Fer | ry Hatchery for incubatio | n. | | | | | | | | |
| COTTONWOOD CR POND | Wallowa | W | 17 | 0 | 0 | NA | 16 | 0 | 1 | C |
| RINGOLD SPRINGS HATC | Wells | Н | 1,123 | 1 | 0 | NA | 1,050 | 0 | 73 | 1 |
| CHIWAWA HATCHERY | Chiwawa River | M | 10 | 0 | 0 | NA | 10 | 0 | 0 | 0 |
| WELLS HATCHERY | Wells | M | 535 | 0 | 1,001,000 | 1,100,000 | 96 | 0 | 439 | 0 |
| WELLS HATCHERY | Wenatchee River | M | 213 | 0 | 420,300 | 460,000 | 77 | 0 | 136 | 0 |
| Fish trapped at Dryden Do | um FCF and Tumwater De | am FCF and s | hipped to Wells Ha | tchery for spaw | ning. Eggs rett | ırned to Eastbank Ha | tchery for incul | bation. | | |
| Total Columbia Ri | ver Region | | 28,714 | 29 | 4,697,690 | 4,705,600 | 19,697 | 28 | 9,017 | 1 |
| Total Statewide | | | 32,289 | 29 | 6,168,190 | 6,135,600 | 19,909 | 28 | 12,380 | 1 |

| STEELHEAD WII | NTER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|----------------------------|--------------------------|---------------|--------------------|---------------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| KENDALL CR HATCHERY | Nooksack River | Н | 73 | 0 | 110,000 | 250,000 | 0 | 0 | 73 | 0 |
| BARNABY HATCHERY | Skagit River | Н | 131 | 0 | 244,005 | 500,000 | 0 | 0 | 131 | 0 |
| MARBLEMOUNT HATCHERY | Skagit River | Н | 261 | 0 | 342,340 | 250,000 | 0 | 0 | 261 | 0 |
| WHITEHORSE POND | Stillaguamish River | Н | 188 | 0 | 272,000 | 300,000 | 55 | 0 | 133 | 0 |
| TOKUL CR HATCHERY | Snohomish River | Н | 1,169 | 0 | 1,957,900 | 600,000 | 649 | 0 | 520 | 0 |
| REITER PONDS | Snohomish River | Н | 193 | 0 | 0 | NA | 0 | 0 | 193 | 0 |
| ISSAQUAH HATCHERY | Issaquah Creek | Н | 3 | 0 | 0 | NA | 3 | 0 | 0 | 0 |
| ISSAQUAH HATCHERY | Lake Washington | Н | 3 | 0 | 0 | NA | 3 | 0 | 0 | 0 |
| CEDAR RIVER HATCHERY | Cedar River | W | 2 | 0 | 0 | NA | 2 | 0 | 0 | 0 |
| SOOS CREEK HATCHERY | Green River | Н | 47 | 0 | 77,300 | 60,000 | 0 | 0 | 47 | 0 |
| Fish shipped from Palmer P | onds, Icy Creek, and Ket | a Creek to So | oos Creek Hatchery | for spawning. | | | | | | |
| SOOS CREEK HATCHERY | Green River | W | 32 | 0 | 64,000 | NA | 15 | 0 | 17 | 0 |
| VOIGHTS CR HATCHERY | Puyallup River | Н | 31 | 0 | 44,000 | 500,000 | 0 | 0 | 31 | 0 |
| DUNGENESS HATCHERY | Dungeness River | Н | 22 | 0 | 14,700 | 11,000 | 0 | 0 | 22 | 0 |
| Total Puget Sound I | Region | | 2,155 | 0 | 3,126,245 | 2,471,000 | 727 | 0 | 1,428 | 0 |
| Coastal Region | | | | | | | | | | |
| SOLDUC HATCHERY | Soleduck River | W | 42 | 0 | 70,000 | 80,000 | 12 | 0 | 30 | 0 |
| BOGACHIEL HATCHERY | Bogachiel River | Н | 3,880 | 0 | 1,139,600 | 900,000 | 511 | 0 | 3,369 | 0 |

| STEELHEAD WI | NTER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|-----------------------|--------------------|----|---------|--------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| HUMPTULIPS HATCHERY | Humptulips River | Н | 1,432 | 0 | 273,000 | 510,000 | 281 | 0 | 1,151 | C |
| LK ABERDEEN HATCHERY | Wynoochee River | Н | 209 | 0 | 392,000 | 300,000 | 0 | 0 | 209 | 0 |
| LK ABERDEEN HATCHERY | Van Winkle Creek | Н | 166 | 0 | 148,000 | 300,000 | 0 | 0 | 166 | 0 |
| BINGHAM CR HATCHERY | Skookumchuck River | M | 2,393 | 0 | 249,100 | 250,000 | 2,327 | 0 | 66 | 0 |
| BINGHAM CR HATCHERY | Satsop River | M | 102 | 0 | 168,400 | 175,000 | 10 | 0 | 92 | 0 |
| ELK CREEK TRAP | Chehalis River | Н | 0 | 0 | 0 | NA | 0 | 0 | 0 | 0 |
| FORKS CREEK HATCHERY | Willapa River | Н | 795 | 0 | 232,000 | 90,000 | 185 | 0 | 610 | 0 |
| FORKS CREEK HATCHERY | Willapa River | W | 106 | 0 | 0 | NA | 103 | 0 | 3 | 0 |
| NASELLE HATCHERY | Naselle River | Н | 31 | 0 | 52,000 | 85,000 | 0 | 0 | 31 | 0 |
| Total Coastal Regio | on | | 9,156 | 0 | 2,724,100 | 2,690,000 | 3,429 | 0 | 5,727 | 0 |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| ELOCHOMAN HATCHERY | Elochoman River | Н | 878 | 2 | 336,900 | 200,000 | 662 | 0 | 216 | 2 |
| ELOCHOMAN HATCHERY | Elochoman River | W | 24 | 0 | 0 | NA | 24 | 0 | 0 | 0 |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 1,702 | 0 | 554,548 | 420,000 | 1,583 | 0 | 119 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | Н | 1,337 | 0 | 74,920 | 60,000 | 942 | 0 | 395 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | M | 523 | 0 | 0 | NA | 234 | 0 | 289 | 0 |
| KALAMA FALLS HATCHRY | Kalama River | W | 2,161 | 0 | 113,635 | 60,000 | 2,150 | 0 | 11 | 0 |
| LEWIS RIVER HATCHERY | Lewis River | Н | 408 | 0 | 0 | NA | 157 | 0 | 251 | 0 |
| | | | | | | | | | | |

| STEELHEAD WI | INTER | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|---------------------------|---------------------|-----------------|---------|--------|-----------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| LEWIS RIVER HATCHERY | Lewis River | W | 4 | 0 | 0 | NA | 4 | 0 | 0 | C |
| MERWIN HATCHERY | Lewis River | Н | 363 | 0 | 357,000 | NA | 0 | 0 | 363 | C |
| Fish received from Merwin | n Dam FCF and Lewis | Channel for spa | wning. | | | | | | | |
| MERWIN DAM FCF | Lewis River | Н | 2,117 | 0 | 0 | 250,000 | 423 | 0 | 1,694 | 0 |
| MERWIN DAM FCF | Lewis River | W | 75 | 0 | 0 | NA | 71 | 0 | 4 | C |
| SKAMANIA HATCHERY | Skamania | Н | 619 | 0 | 308,000 | 250,000 | 141 | 0 | 478 | 0 |
| Total Columbia Ri | ver Region | | 10,211 | 2 | 1,745,003 | 1,240,000 | 6,391 | 0 | 3,820 | 2 |
| Total Statewide | | | 21,522 | 2 | 7,595,348 | 6,401,000 | 10,547 | 0 | 10,975 | 2 |

| STEELHEAD WI | NTER-LAT | E | Total Tı | rapped | | | Released t | o stream | Trappe relea | |
|----------------------------|--------------------------|------------------|----------------------|-----------------|------------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Regi | <u>on</u> | | | | | | | | | |
| COWLITZ TROUT HATCH | Cowlitz River | Н | 518 | 0 | 725,546 | 1,486,000 | 272 | 0 | 859 | 0 |
| 613 adults received from C | Cowlitz Salmon Hatchery | v. Trapped less | released totals incl | ude these shipp | ped fish. | | | | | |
| COWLITZ SALMON HATCH | Cowlitz River | Н | 1,875 | 0 | 0 | NA | 1,262 | 0 | 0 | 0 |
| 613 adults shipped to Cow | litz Trout Hatchery. Tro | apped less relea | sed totals do not in | clude these shi | pped fish. | | | | | |
| COWLITZ SALMON HATCH | Cowlitz River | W | 553 | 6 | 0 | NA | 553 | 6 | 0 | 0 |
| Total Columbia Riv | ver Region | | 2,946 | 6 | 725,546 | 1,486,000 | 2,087 | 6 | 859 | 0 |
| Total Statewide | | | 2,946 | 6 | 725,546 | 1,486,000 | 2,087 | 6 | 859 | 0 |

| CUTTHROAT (| COASTAL | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|--------------------|-----------------|----|---------|--------|---------|--------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | <u>!</u> | | | | | | | | | |
| ISSAQUAH HATCHERY | Lake Washington | W | 21 | 0 | 0 | NA | 20 | 0 | 1 | 0 |
| Total Puget Sound | d Region | | 21 | 0 | 0 | NA | 20 | 0 | 1 | 0 |
| Total Statewide | 2 | | 21 | 0 | 0 | NA | 20 | 0 | 1 | 0 |

| CUTTHROAT | LAHONTAN | | Total T | rapped | | | Released t | o stream | Trappe relea | |
|------------------|--------------|----|---------|--------|---------|--------------|------------|----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River R | <u>egion</u> | | | | | | | | | |
| OMAK HATCHERY | Lake Lenore | Н | 0 | 0 | 633,384 | 700,000 | 0 | 0 | 0 | 0 |
| Total Columbia | River Region | | 0 | 0 | 633,384 | 700,000 | 0 | 0 | 0 | 0 |
| Total Statewic | de | | 0 | 0 | 633,384 | 700,000 | 0 | 0 | 0 | 0 |

| CUTTHROAT V | VESTSLOPE | | Total T | rapped | | | Released t | to stream | Trappe relea | |
|--------------------|---------------|----|---------|--------|-----------|--------------|------------|-----------|-----------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Reg | <u>ion</u> | | | | | | | | | |
| CHIWAWA HATCHERY | Chiwawa River | W | 3 | 0 | 0 | NA | 3 | 0 | 0 | 0 |
| CHELAN HATCHERY | Twin Lakes | M | 2,972 | 0 | 877,800 | 700,000 | 2,910 | 0 | 62 | 0 |
| COLVILLE HATCHERY | Kings Lake | M | 610 | 0 | 205,600 | 500,000 | 610 | 0 | 0 | 0 |
| Total Columbia R | iver Region | | 3,585 | 0 | 1,083,400 | 1,200,000 | 3,523 | 0 | 62 | 0 |
| Total Statewide | · | | 3,585 | 0 | 1,083,400 | 1,200,000 | 3,523 | 0 | 62 | 0 |

| DOLLY/BULL TR NA | | Total Trapped | | | | | Released to stream | | Trapped less released | |
|-----------------------------|-----------------|---------------|--------|-------|---------|--------------|--------------------|-------|-----------------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Reg | <u>ion</u> | | | | | | | | | |
| TUCANNON HATCHERY | Tucannon River | W | 260 | 0 | 0 | NA | 260 | 0 | 0 | 0 |
| EASTBANK HATCHERY | Wenatchee River | W | 12 | 0 | 0 | NA | 12 | 0 | 0 | 0 |
| CHIWAWA HATCHERY | Chiwawa River | W | 501 | 0 | 0 | NA | 501 | 0 | 0 | 0 |
| Total Columbia River Region | | 773 | 0 | 0 | NA | 773 | 0 | 0 | 0 | |
| Total Statewide | | | 773 | 0 | 0 | NA | 773 | 0 | 0 | 0 |

| KOKANEE NA | | | Total T | rapped | | Released to stream | | Trapped less released | | |
|------------------------|--------------|----|---------|--------|------------|--------------------|--------|-----------------------|---------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| LK WHATCOM HATCHERY | Lake Whatcom | M | 139,630 | 0 | 12,264,512 | 13,100,000 | 0 | 0 | 139,630 | C |
| LAKEWOOD HATCHERY | Summit Lake | M | 1,041 | 0 | 251,800 | NA | 0 | 0 | 1,041 | 0 |
| Total Puget Sound | Region | | 140,671 | 0 | 12,516,312 | 13,100,000 | 0 | 0 | 140,671 | 0 |
| Columbia River Region | <u>on</u> | | | | | | | | | |
| SPEELYAI HATCHERY | Lewis River | Н | 944 | 0 | 144,000 | 140,000 | 156 | 0 | 788 | (|
| Total Columbia Riv | er Region | | 944 | 0 | 144,000 | 140,000 | 156 | 0 | 788 | C |
| Total Statewide | | | 141,615 | 0 | 12,660,312 | 13,240,000 | 156 | 0 | 141,459 | 0 |

| RAINBOW NA | | | Total Trapped | | | | Released to stream | | Trapped less released | |
|-----------------------------|----------------------|-------------------|------------------|------------|---------|--------------|--------------------|-------|--------------------------|-------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Puget Sound Region | | | | | | | | | | |
| MARBLEMOUNT HATCHERY | Ross Lake | W | 80 | 0 | 16,000 | NA | 80 | 0 | 0 | 0 |
| Egg collection from live-sp | awned adults at Ross | Lake for broodsto | ck program at Ma | rblemount. | | | | | | |
| CEDAR RIVER HATCHERY | Cedar River | W | 31 | 0 | 0 | NA | 31 | 0 | 0 | 0 |
| Total Puget Sound | Region | | 111 | 0 | 16,000 | NA | 111 | 0 | 0 | 0 |
| Total Statewide | | | 111 | 0 | 16,000 | NA | 111 | 0 | 0 | 0 |

| RAINBOW REDBAND | | | Total Trapped | | | | | to stream | Trapped less released | |
|--------------------|--------------|----|---------------|-------|---------|--------------|--------|-----------|-----------------------|-------|
| Facility | Stock | Во | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Reg | <u>gion</u> | | | | | | | | | |
| COLVILLE HATCHERY | Phalon Lake | W | 174 | 0 | 141,929 | 150,000 | 174 | 0 | 0 | 0 |
| Total Columbia R | River Region | | 174 | 0 | 141,929 | 150,000 | 174 | 0 | 0 | 0 |
| Total Statewide | 9 | | 174 | 0 | 141,929 | 150,000 | 174 | 0 | 0 | 0 |

| WHITEFISH NA | | | Total Trapped | | | | | Released to stream | | d less ised |
|--------------------|-----------------|----|---------------|-------|---------|--------------|--------|--------------------|--------|----------------|
| Facility | Stock | Bo | Adults | Jacks | Eggtake | Eggtake goal | Adults | Jacks | Adults | Jacks |
| Columbia River Reg | <u>ion</u> | | | | | | | | | |
| EASTBANK HATCHERY | Wenatchee River | W | 5 | 0 | 0 | NA | 5 | 0 | 0 | 0 |
| CHIWAWA HATCHERY | Chiwawa River | W | 4 | 0 | 0 | NA | 4 | 0 | 0 | 0 |
| Total Columbia Ri | iver Region | | 9 | 0 | 0 | NA | 9 | 0 | 0 | 0 |
| Total Statewide | | | 9 | 0 | 0 | NA | 9 | 0 | 0 | 0 |