

References Reviewed for the *Washington State Status Report for the Tufted Puffin*

Table B presents the 305 references that are cited in the *Washington State Status Report for the Tufted Puffin*. Each reference is categorized for its level of peer review pursuant to section 34.05.271 RCW, which is the codification of Substitute House Bill 2661 that passed the Washington Legislature in 2014. A key to the review categories under section 34.05.271 RCW is provided in Table A. References were categorized by Gary Wiles in January 2015.

Individual papers cited in the *Washington State Status Report for the Tufted Puffin* cover a number of topics discussed in the report, including information on: 1) the species' description, taxonomy, distribution, and biology; 2) habitat requirements; 3) population status and trends; 4) conservation status and protections; 5) research, monitoring, and restoration activities; and 6) factors affecting the continued existence of the species.

Table A. Key to 34.05.271 RCW Categories:

Category Code	34.05.271(1)(c) RCW
i	(i) Independent peer review: review is overseen by an independent third party.
ii	(ii) Internal peer review: review by staff internal to the department of fish and wildlife.
iii	(iii) External peer review: review by persons that are external to and selected by the department of fish and wildlife.
iv	(iv) Open review: documented open public review process that is not limited to invited organizations or individuals.
v	(v) Legal and policy document: documents related to the legal framework for the significant agency action including but not limited to: (A) federal and state statutes; (B) court and hearings board decisions; (C) federal and state administrative rules and regulations; and (D) policy and regulatory documents adopted by local governments.
vi	(vi) Data from primary research, monitoring activities, or other sources, but that has not been incorporated as part of documents reviewed under the processes described in (c)(i), (ii), (iii), and (iv) of this subsection.
vii	(vii) Records of the best professional judgment of department of fish and wildlife employees or other individuals.
viii	(viii) Other: Sources of information that do not fit into one of the categories identified in this subsection (1)(c).

Table B Reference	34.05.271 RCW Review Category
Abdul-Aziz, O. I., N. J. Mantua, and K. W. Myers. 2011. Potential climate change impacts on thermal habitats of Pacific salmon (<i>Oncorhynchus</i> spp.) in the North Pacific Ocean and adjacent seas. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> 68:1660-1680.	i
Addison, B., R. C. Ydenberg, and B. D. Smith. 2007. Tufted puffins (<i>Fratercula cirrhata</i>) respond to predation danger during colony approach flights. <i>Auk</i> 124:63-70.	i
Agler, B. A., S. J. Kendall, D. B. Irons, and S. P. Klosiewski. 1999. Declines in marine bird populations in Prince William Sound, Alaska coincident with a climatic regime shift. <i>Waterbirds</i> 22:98-103.	i
Agler, B. A., P. E. Seiser, S. J. Kendall and D. B. Irons. 1994. Marine bird and sea otter populations of Prince William Sound, Alaska: population trends following the <i>Exxon Valdez</i> oil spill. Restoration Project No. 93405, Final Report, U.S. Fish and Wildlife Service, Anchorage, Alaska.	vi
Ainley, D. G., and K. D. Hyrenbach. 2010. Top-down and bottom-up factors affecting seabird population trends in the California current system (1985–2006). <i>Progress in Oceanography</i> 84:242–254.	i
Ainley, D. G., and T. J. Lewis. 1974. The history of Farallon Island marine bird populations, 1854-1972. <i>Condor</i> 76:432-446.	i
Ainley, D. G., W. J. Sydeman, S. A. Hatch, and U. Wilson. 1994. Seabird population trends along the west coast of North America: causes and the extent of regional accordance. <i>In</i> J. R. Jehl, Jr., and N. K. Johnson, editors. A century of avifaunal change in western North America. <i>Studies in Avian Biology</i> 15:119-133.	i
Albers, P. H. 1978. The effects of petroleum on different stages of incubation in bird eggs. <i>Bulletin of Environmental Contamination and Toxicology</i> 19:624-630.	i
Alcorn, G. D. 1959. Puffins on the south Grays Harbor beaches. <i>Murrelet</i> 40:21.	i
Anderson, C. M., M. Mayes, and R. LaBelle. 2012. Update of occurrence rates for offshore oil spills. OCS Report, BOEM 2012-069, BSEE 2012-069, Bureau of Ocean Energy Management and Bureau of Safety and Environmental Enforcement, Department of the Interior, Herndon, Virginia.	vi
Anderson, D. M. 1997. Turning back the harmful red tide. <i>Nature</i> 388:513-514.	i
Anderson, P. J., and J. F. Piatt. 1999. Community reorganization in the Gulf of Alaska following ocean climate regime shift. <i>Marine Ecology Progress Series</i> 189:117-123.	i
Anker-Nilssen, T., R. T. Barrett, and J. V. Krasnov. 1997. Long and short-term responses of seabirds in the Norwegian and Barents Seas to changes in stocks of prey fish. Pages 683-698 <i>in</i> Forage fishes in marine ecosystems: proceedings of the international symposium on the role of forage fishes in marine ecosystems. Alaska Sea Grant College Program AK-SG-97-01, University of Alaska, Fairbanks, Alaska.	i
Anthony, J. A., and D. D. Roby. 1997. Variation in lipid content of forage fishes and its effect on energy provisioning rates to seabird nestlings. Pages 725-729 <i>in</i> Forage fishes in marine ecosystems: proceedings of the international symposium on the role of forage fishes in marine ecosystems. Alaska Sea Grant College Program AK-SG-97-01, University of Alaska, Fairbanks, Alaska.	i
AOU (American Ornithologists' Union). 1998. Check-list of North American birds. 7 th edition. American Ornithologists' Union, Washington, D.C.	i
Aubry, K. B., and S. D. West. 1984. The status of native and introduced mammals on Destruction Island, Washington. <i>Murrelet</i> 65:80-83.	i
Audubon Washington. 2004. State of the birds. Audubon Washington, Seattle, Washington.	vi

Table B Reference	34.05.271 RCW Review Category
Audubon Washington. 2009. State of the birds. Audubon Washington, Seattle, Washington.	vi
Avery-Gomm, S., J. F. Provencher, K. H. Morgan, and D. F. Bertram. 2013. Plastic ingestion in marine-associated bird species from the eastern North Pacific. <i>Marine Pollution Bulletin</i> 72:257-259.	i
Bailey, E. P. 1976. Breeding bird distribution and abundance in the Barren Islands, Alaska. <i>Murrelet</i> 57:2-12.	i
Bailey, E. P., and N. H. Faust. 1981. Summer distribution and abundance of marine birds and mammals between Mitrofanina and Sutwik Islands south of Alaska Peninsula. <i>Murrelet</i> 62:34-42.	i
Baird, P. H. 1990. Influence of abiotic factors and prey distribution on diet and reproductive success of three seabird species in Alaska. <i>Ornis Scandinavica</i> 21:224-235.	i
Baird, P. H. 1991. Optimal foraging and intraspecific competition in the Tufted Puffin. <i>Condor</i> 93:503-515.	i
Bargmann, G. 1998. Forage fish management plan. Washington Department of Fish and Wildlife, Olympia, Washington. 77 pp.	li,iii,iv
Batten, S. D., and A. W. Walne. 2011. Variability in northwards extension of warm water copepods in the NE Pacific. <i>Journal of Plankton Research</i> 33:1643-1653.	i
B.C. Conservation Data Centre. 2014. BC species and ecosystems explorer. British Columbia Ministry of Environment, Victoria, British Columbia. http://a100.gov.bc.ca/pub/eswp/ [accessed December 18, 2014]	vi
Bédard, J. 1969. Adaptive radiation in the Alcidae. <i>Ibis</i> 111:19-98.	i
Behrenfeld, M. J., R. T. O'Malley, D. A. Siegel, C. R. McClain, J. L. Sarmiento, et al. 2006. Climate-driven trends in contemporary ocean productivity. <i>Nature</i> 444:752-755.	i
Bent, A. C. 1919. Life history of North American diving birds. Dover Publications, New York, New York (1963 reprint).	i
Bertram, D. F., D. L. Mackas, and S. M. McKinnell. 2001. The seasonal cycle revisited: interannual variation and ecosystem consequences. <i>Progress in Oceanography</i> 49:283-307.	i
BirdLife International. 2012. <i>Fratercula cirrhata</i> . In IUCN Red List of Threatened Species. Version 2014.3. http://www.iucnredlist.org/ [accessed on December 19, 2014]	i
Blackburn, G. S., J. M. Hipfner, and R. C. Ydenberg. 2009. Evidence that Tufted Puffins <i>Fratercula cirrhata</i> use colony overflights to reduce kleptoparasitism risk. <i>Journal of Avian Biology</i> 40:412-418.	i
Blight, L. K., and A. E. Burger. 1997. Occurrence of plastic particles in seabirds from the Eastern North Pacific. <i>Marine Pollution Bulletin</i> 34:323-325.	i
Borstad, G., W. Crawford, J. M. Hipfner, R. Thomson, and K. Hyatt. 2011. Environmental control of the breeding success of Rhinoceros Auklets at Triangle Island, British Columbia. <i>Marine Ecology Progress Series</i> 424:285-302.	i
Bovy, K. 2007. Prehistoric human impacts on waterbirds at Watmough Bay, Washington, USA. <i>Journal of Island and Coastal Archaeology</i> 2:210-230.	i
Bowles, J. H. 1922. Birds of Tacoma and vicinity. <i>Murrelet</i> 3:14-16.	i
Boyd, R. 1999. Indians, fire and the land in the Pacific Northwest. Oregon State University Press, Corvallis, Oregon.	i
Branch, T. A., B. M. DeJoseph, L. J. Ray, and C. A. Wagner. 2013. Impacts of ocean acidification on marine seafood. <i>Trends in Ecology & Evolution</i> 28:178-186.	i
Brazil, M. A. 1991. The birds of Japan. Smithsonian Institution Press, Washington, D.C. 448 pp.	i
Bridge, E. S. 2004. The effects of intense wing molt on diving in alcids and potential influences on the evolution of molt patterns. <i>Journal of Experimental Biology</i> 207:3003-3014.	i

Table B Reference	34.05.271 RCW Review Category
Briggs, K. T., D. H. Varaoujen, W. W. Williams, R. G. Ford, M. L. Bonnell, and J. N. Casey. 1992. Seabirds of the Oregon and Washington OCS, 1989-1990. Pages 3.142-3.145 in J. J. Brueggeman, editor. Oregon and Washington marine mammal and seabird surveys: final report. Pacific OCS Region, Minerals Management Service, U.S. Department of the Interior, Los Angeles, California.	i
Brodeur, R. D., J. P. Fisher, R. L. Emmett, C. A. Morgan, and E. Casillas. 2005. Species composition and community structure of pelagic nekton off Oregon and Washington under variable oceanographic conditions. <i>Marine Ecology Progress Series</i> 298:41-57.	i
Brodier, S., B. Pisanu, A. Villers, E. Pettex, M. Lioret, J.-L. Chapuis, and V. Bretagnolle. 2011. Responses of seabirds to the rabbit eradication on Ile Verte, sub-Antarctic Kerguelen Archipelago. <i>Animal Conservation</i> 14:459-465.	i
Burger, A. E., and D. M. Fry. 1993. Effects of oil pollution on seabirds in the Northeast Pacific. Pages 254-263 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. The status, ecology, and conservation of marine birds of the North Pacific. Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
Burger, J., and M. Gochfeld. 2007. Metals and radionuclides in birds and eggs from Amchitka and Kiska Islands in the Bering Sea/Pacific Ocean ecosystem. <i>Environmental Monitoring and Assessment</i> 127:105-117.	i
Burger, J., and M. Gochfeld. 2009a. Comparison of arsenic, cadmium, chromium, lead, manganese, mercury and selenium in feathers in Bald Eagle (<i>Haliaeetus leucocephalus</i>), and comparison with Common Eider (<i>Somateria mollissima</i>), Glaucous-winged Gull (<i>Larus glaucescens</i>), Pigeon Guillemot (<i>Cephus columba</i>), and Tufted Puffin (<i>Fratercula cirrhata</i>) from the Aleutian chain of Alaska. <i>Environmental Monitoring and Assessment</i> 152:357-367.	i
Burger, J., and M. Gochfeld. 2009b. Mercury and other metals in feathers of Common Eider (<i>Somateria mollissima</i>) and Tufted Puffin (<i>Fratercula cirrhata</i>) from the Aleutian chain of Alaska. <i>Archives of Environmental Contamination and Toxicology</i> 56:596-606.	i
Burger, J., M. Gochfeld, D. Kosson, C. W. Powers, et al. 2007. Radionuclides in marine fishes and birds from Amchitka and Kiska Islands in the Aleutians: establishing a baseline. <i>Health Physics</i> 92:265-279.	i
Burrell, G. C. 1980. Some observations on nesting Tufted Puffins, Destruction Island, Washington. <i>Murrelet</i> 61:92-94.	i
Byrd, G. V., E. C. Murphy, G. W. Kaiser, A. Y. Kondratyev, and Y. V. Shibaev. 1993. Status and ecology of offshore fish-feeding alcids (murrees and puffins) in the North Pacific. Pages 176-186 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. The status, ecology, and conservation of marine birds of the North Pacific. Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
Campbell, R. W., N. K. Dawe, I. McTaggart-Cowan, J. M. Cooper, G. W. Kaiser, and M. C. E. McNall. 1990. The birds of British Columbia. Volume 2: diurnal birds of prey through woodpeckers. Royal British Columbia Museum, Victoria, British Columbia.	i
Carter, H. R., and S. G. Sealy. 2011. Historical breeding records of four species of alcid in British Columbia and southeastern Alaska, 1858–1910. <i>Northwestern Naturalist</i> 92:37-49.	i
Clapp R. B. 1986. A summary of alcid records from Hawaii. <i>Colonial Waterbirds</i> 9:104-107.	i
Clapp, R. B. and J. B. Giezentanner. 1979. Tufted Puffin from Laysan – first occurrence in the tropical Pacific. <i>‘Elepaio</i> 40:120-121.	i
Clausen, K. K., and P. Clausen. 2014. Forecasting future drowning of coastal waterbird habitats reveals a major conservation concern. <i>Biological Conservation</i> 171:177-185.	i

Table B Reference	34.05.271 RCW Review Category
Cody, M. L. 1973. Coexistence, coevolution and convergent evolution in seabird communities. <i>Ecology</i> 54:31-44.	i
Couch, L. K. 1929. Introduced European Rabbits in the San Juan Islands, Washington. <i>Journal of Mammalogy</i> 10:334-336.	i
Courchamp, F., M. Langlais, and G. Sugihara. 2000. Rabbits killing birds: modeling the hyperpredation process. <i>Journal of Animal Ecology</i> 69:154-164.	i
Crowell, J. B., Jr., and H. B. Nehls. 1975. The nesting season: northern Pacific Coast region. <i>American Birds</i> 29:1020-1025.	i
Cury, P. M., I. L. Boyd, S. Bonhommeau, T. Anker-Nilssen, R. J. M. Crawford, et al. 2011. Global seabird response to forage fish depletion – one-third for the birds. <i>Science</i> 334:1703-1706.	i
Davies, W. E., J. M. Hipfner, K. A. Hobson, and R. C. Ydenberg. 2009. Seabird seasonal trophodynamics: isotopic patterns in a community of Pacific alcids. <i>Marine Ecology Progress Series</i> 382:211-219.	i
Dawson, D. A., F. M. Hunter, J. Pandhal, R. Buckland, A. Parham, et al. 2005. Assessment of 17 new Whiskered Auklet (<i>Aethia pygmaea</i>) microsatellite loci in 42 seabirds identifies 5–15 polymorphic markers for each of nine Alcinae species. <i>Molecular Ecology Notes</i> 5:289–297.	i
Dawson, W. L. 1908a. The new reserves on the Washington Coast. <i>Condor</i> 10:45-49.	i
Dawson, W. L. 1908b. The bird colonies of the Olympiades. <i>Auk</i> 25:153-166.	i
Dawson, W. L. 1911. Another fortnight on the Farallones. <i>Condor</i> 13:171-83.	i
Dawson, W. L. and J. H. Bowles. 1909. The birds of Washington: a complete scientific and popular account of the 372 species of birds found in the state. Occidental Publishing Company, Seattle, Washington.	vi
Day, R. H., and D. G. Shaw. 1987. Patterns in the abundance of pelagic plastic and tar in the North Pacific Ocean, 1976–1985. <i>Marine Pollution Bulletin</i> 18:311-316.	i
DeGange, A. R., and R. H. Day. 1991. Mortality of seabirds in the Japanese land-based gillnet fishery for salmon. <i>Condor</i> 93:251-258.	i
DeGange, A. R., R. H. Day, J. E. Takekawa, and V. M. Mendenhall. 1993. Losses of seabirds in gill nets in the North Pacific. Pages 204-211 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. The status, ecology, and conservation of marine birds of the North Pacific. Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
Denlinger, L. M. 2006. Alaska seabird information series. Migratory Bird Management, Nongame Program, U.S. Fish and Wildlife Service, Anchorage, Alaska. 92 pp.	vi
Derraik, J. G. B. 2002. The pollution of the marine environment by plastic debris: a review. <i>Marine Pollution Bulletin</i> 44:842-852.	i
De Santo, T. L., and S. K. Nelson. 1995. Comparative reproductive ecology of the auks (family Alcidae). Pages 33-47 in C. J. Ralph, G. L. Hunt Jr., M. G. Raphael, and J. F. Piatt, editors. Ecology and conservation of the Marbled Murrelet. General Technical Report PSW-GTR-152, USDA Forest Service, Pacific Southwest Research Station, Albany, California. 420 pp.	i
Desforges, J.-P., M. Galbraith, N. Dangerfield, and P. S. Ross. 2014. Widespread distribution of microplastics in subsurface seawater in the NE Pacific Ocean. <i>Marine Pollution Bulletin</i> 79:94-99.	i
DFO (Fisheries and Oceans Canada). 2014. Stock assessment and management advice for British Columbia Pacific Herring: 2013 status and 2014 forecast. DFO Canadian Science Advisory Secretariat, Science Advisory Report 2014/003.	i
Dickerman, R. W. 1960. Possible nesting interference of Tufted Puffins by Glaucous-winged Gulls. <i>Murrelet</i> 41:16.	i

Table B Reference	34.05.271 RCW Review Category
Di Lorenzo, E., N. Schneider, K. M. Cobb, P. J. S. Franks, K. Chhaket, et al. 2008. North Pacific Gyre Oscillation links ocean climate and ecosystem change. <i>Geophysical Research Letters</i> 35, L08607, doi:10.1029/2007GL032838.	i
Donald, P. 2010. Facing extinction: the world's rarest birds and the race to save them. T. & A. D. Poyser, London, United Kingdom.	i
Doney, S. C., M. Ruckelshaus, J. E. Duffy, J. P. Barry, F. Chan, C. A. English, H. M. Galindo, J. M. Grebmeier, A. B. Hollowed, N. Knowlton, J. Polovina, N. N. Rabalais, W. J. Sydeman, and L. D. Talley. 2012. Climate change impacts on marine ecosystems. <i>Annual Review of Marine Science</i> 4:11-37.	i
Dragoo, D. E., G. V. Byrd, and D. B. Irons. 2010. Breeding status, population trends and diets of seabirds in Alaska, 2007. U.S. Fish and Wildlife Service Report AMNWR 2010/08, U.S. Fish and Wildlife Service, Homer, Alaska.	vi
Du, X., W. Peterson, A. McCulloch, and G. Liu. 2011. An unusual bloom of the dinoflagellate <i>Akashiwo sanguinea</i> off the central Oregon, USA, coast in autumn 2009. <i>Harmful Algae</i> 10:784-793.	i
Duffy, C. D., F. S. Todd, and W. R. Siegfried. 1987. Submarine foraging behavior of alcids in an artificial environment. <i>Zoo Biology</i> 6:373-378.	i
Durant, J. M., T. Anker-Nilssen, and N. C. Stenseth. 2003. Trophic interactions under climate fluctuations: the Atlantic Puffin as an example. <i>Proceedings of the Royal Society of London B</i> 270:1461-1466.	i
Edson, J. M. 1908. Birds of the Bellingham Bay region. <i>Auk</i> 25:425-439.	i
Edson, J. M. 1929a. Afield and afloat with Dawson (part I). <i>Murrelet</i> 10:1-6.	i
Edson, J. M. 1929b. Afield and afloat with Dawson (part II). <i>Murrelet</i> 10:27-33.	i
Edson, J. M. 1935. Some records supplementary to the distributional check-list of the birds of the state of Washington. <i>Murrelet</i> 16:11-14.	i
Ehrlich, P. R., D. S. Dobkin, and D. Wheye. 1988. The birder's handbook. Simon and Schuster, New York, New York.	i
Elliott, J. E., and D. G. Noble. 1993. Chlorinated hydrocarbon contaminants in marine birds of the temperate North Pacific. Pages 241-253 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. The status, ecology, and conservation of marine birds of the North Pacific. Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
Emmett, R. L., R. D. Brodeur, T. W. Miller, S. S. Pool, P. J. Bentley, G. K. Krutzikowsky, and J. McCrae. 2005. Pacific sardine (<i>Sardinops sagax</i>) abundance, distribution, and ecological relationships in the Pacific Northwest. California Cooperative Oceanic Fisheries Investigations Report 46:122-143.	i
Etkin, D. S., and J. Neel. 2001. Investing in spill prevention-has it reduced vessel spills and accidents in Washington state? Pages 47-56 in Proceedings of 2001 International Oil Spill Conference. American Petroleum Institute, Washington, D.C.	vi
Fabry, V. J., B. A. Seibel, R. A. Feely, and J. C. Orr. 2008. Impacts of ocean acidification on marine fauna and ecosystem processes. <i>ICES Journal of Marine Science</i> 65:414-432.	i
Falxa, G., J. Baldwin, D. Lynch, S. L. Miller, S. K. Nelson, S. F. Pearson, M. G. Raphael, C. Strong, T. Bloxton, B. Galleher, B. Hogoboom, M. Lance, and R. Young. 2011. Marbled Murrelet effectiveness monitoring, Northwest Forest Plan: 2009 and 2010 summary report. 26 pp.	i
Fields, P. A., J. B. Graham, R. H. Rosenblatt, and G. N. Somero. 1993. Effects of expected global climate change on marine faunas. <i>Trends in Ecology and Evolution</i> 8:361-366.	i
Francis, R. C., S. R. Hare, A. B. Hollowed, and W. S. Wooster. 1998. Effects of interdecadal climate variability on the oceanic ecosystems of the NE Pacific. <i>Fisheries Oceanography</i> 7:1-21.	i

Table B Reference	34.05.271 RCW Review Category
Frazer, D. A. 1974. Breeding biology of the Tufted Puffin on Destruction Island: a brief summary of the 1974 field season. University of Washington, Seattle, Washington.	vi
Frazer, D. A. 1975. Breeding biology of the Tufted Puffin (<i>Lunda cirrhata</i>): a review. M.S. thesis, University of Washington, Seattle, Washington.	i
Frederiksen, M., T. Anker-Nilssen, G. Beaugrand, and S. Wanless. 2013. Climate, copepods and seabirds in the boreal Northeast Atlantic – current state and future outlook. <i>Global Change Biology</i> 19:364-372.	i
Friesen, V. L., A. J. Baker, and J. F. Piatt. 1996. Phylogenetic relationships within the Alcidae (Charadriiformes: Aves) inferred from total molecular evidence. <i>Molecular Biology and Evolution</i> 13:359-367.	i
Fry, D. M. 1995. Reproductive effects in birds exposed to pesticides and industrial chemicals. <i>Environmental Health Perspectives</i> 103:165-171.	i
Galusha, J. G., B. Vorvick, M. R. Opp, and P. T. Vorvick. 1987. Nesting season censuses of seabirds on Protection Island, Washington. <i>Murrelet</i> 68:103-107.	i
Gill, F. 2007. <i>Ornithology</i> . 3rd edition. W. H. Freeman and Co., New York, New York.	i
Gill, R. E., Jr., and G. A. Sanger. 1979. Tufted Puffins nesting in estuarine habitat. <i>Auk</i> 96:792-794.	i
Gjerdrum, C. 2004. Parental provisioning and nestling departure decisions: a supplementary feeding experiment in Tufted Puffins (<i>Fratercula cirrhata</i>) on Triangle Island, British Columbia. <i>Auk</i> 121:463-472.	i
Gjerdrum, C., A. M. J. Vallée, C. C. St. Clair, D. F. Bertram, J. L. Ryder, and G. S. Blackburn. 2003. Tufted Puffin reproduction reveals ocean climate variability. <i>Proceedings of the National Academy of Sciences</i> 100:9377-9382.	i
Gjerdrum, C., G. M. Yanega, and D. F. Bertram. 2006. Bill harnesses on nestling Tufted Puffins influence adult provisioning behavior. <i>Journal of Field Ornithology</i> 77:329-334.	i
Glibert, P. M., D. M. Anderson, P. Gentien, E. Graneli, and K. G. Sellner. 2005. The global, complex phenomena of harmful algal blooms. <i>Oceanography</i> 18:135-147.	i
Glick, P., J. Clough, and B. Nunley. 2007. Sea-level rise and coastal habitats in the Pacific Northwest: an analysis for Puget Sound, southwestern Washington, and northwestern Oregon. Seattle, WA: National Wildlife Federation. 106 pp.	vi
Golovkin, A. 2001. Seabird harvest in Russia. Pages 44–46 in L. Denlinger and K. Wohl, editors. Seabird harvest regimes in the circumpolar nations. Conservation of Arctic Flora and Fauna, Technical Report No. 9, CAFF International Secretariat, Akureyri, Iceland.	i
Golubova, E. Y. 2002. The state of food resources and reproductive success of Tufted and Horned Puffins in the northern Sea of Okhotsk. <i>Ekologiya</i> 5:378-387.	i
Good, T. P., J. A. June, M. A. Etnier, and G. Broadhurst. 2009. Ghosts of the Salish Sea: threats to marine birds in Puget Sound and the Northwest Straits from derelict fishing gear. <i>Marine Ornithology</i> 37:67–76.	i
Good, T. P., J. A. June, M. A. Etnier, and G. Broadhurst. 2010. Derelict fishing nets in Puget Sound and the Northwest Straits: patterns and threats to marine fauna. <i>Marine Pollution Bulletin</i> 60:39–50.	i
Good, T. P., S. F. Pearson, P. Hodum, D. Boyd, B. F. Anulacion, and G. M. Ylitalo. 2014. Persistent organic pollutants in forage fish prey of rhinoceros auklets breeding in Puget Sound and the northern California Current. <i>Marine Pollution Bulletin</i> 86:367-378.	i
Gould, P. J., and J. F. Piatt. 1993. Seabirds of the central North Pacific. Pages 27-38 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. The status, ecology, and conservation of marine birds of the North Pacific. Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i

Table B Reference	34.05.271 RCW Review Category
Gustafson, R. G., J. Drake, M. J. Ford, J. M. Myers, E. E. Holmes, and R. S. Waples. 2006. Status review of Cherry Point Pacific Herring (<i>Clupea pallasii</i>) and updated status review of the Georgia Basin Pacific Herring distinct population segment under the Endangered Species Act. NOAA Technical Memorandum NMFS-NWFSC-76, U.S. Department of Commerce, Seattle Washington. 182 pp.	i
Hamel, N. J., A. E. Burger, K. Charlton, P. Davidson, S. Lee, D. F. Bertram, and J. K. Parrish. 2009. Bycatch and beached birds: assessing mortality impacts in coastal net fisheries using marine bird strandings. <i>Marine Ornithology</i> 37:41–60.	i
Harris, M. P., and S. Wanless. 2011. <i>The puffin</i> . T. & A.D. Poyser, London, United Kingdom.	i
Harrison, C. S., H. Fen-Qi, K. S. Choe, and Y. V. Shibaev. 1992. The laws and treaties of the North Pacific Rim nations that protect seabirds on land and at sea. <i>Colonial Waterbirds</i> 15:264-277.	i
Hartman, L. H., and D. S. Eastman. 1999. Distribution of introduced Raccoons <i>Procyon lotor</i> on the Queen Charlotte Islands: implications for burrow-nesting seabirds. <i>Biological Conservation</i> 88:1-13.	i
Hasegawa, O., Y. Ishibashi, and S. Abe. 2005. Polymorphic microsatellite DNA markers for the Rhinoceros Auklet (<i>Cerorhinca monocerata</i>). <i>Molecular Ecology Notes</i> 5:637-638.	i
Hatch, S. A., and G. A. Sanger. 1992. Puffins as samples of juvenile pollock and other forage fish in the Gulf of Alaska. <i>Marine Ecology Progress Series</i> 80:1-14.	i
Hatch, S. A., P. M. Meyers, D. M. Mulcahy, and D. C. Douglas. 2000a. Performance of implantable satellite transmitters in diving seabirds. <i>Waterbirds</i> 23:84-94.	i
Hatch, S. A., P. M. Meyers, D. M. Mulcahy, and D. C. Douglas. 2000b. Seasonal movements and pelagic habitat use of murres and puffins determined by satellite telemetry. <i>Condor</i> 102:145-154.	i
Heath, H. 1915. Birds observed on Forrester Island, Alaska, during the summer of 1913. <i>Condor</i> 17:20–41.	i
Hedd, A., D. F. Bertram, J. L. Ryder, and I. J. Jones. 2006. Effects of interdecadal climate variability on marine trophic interactions: Rhinoceros Auklets and their fish prey. <i>Marine Ecology Progress Series</i> 309:263-278.	i
Henny, C. J., L. J. Blus, and R. M. Pouty. 1982. Organochlorine residues and shell thinning in Oregon seabird eggs. <i>Murrelet</i> 63:15-21.	i
Hill, K.T., P. R. Crone, N. C. H. Lo, B. J. Macewicz, E. Dorval, J. D. McDaniel, and Y. Gu. 2011. Assessment of the Pacific sardine resource in 2011 for U.S. management in 2012. NOAA Technical Memorandum NMFS-SWFSC-487.	i
Hipfner, J. M. 2008. Matches and mismatches: ocean climate, prey phenology and breeding success in a zooplanktivorous seabird. <i>Marine Ecology Progress Series</i> 368:295–304.	i
Hipfner, J. M. 2009. Euphausiids in the diet of a North Pacific seabird: annual and seasonal variation and the role of ocean climate. <i>Marine Ecology Progress Series</i> 390:277–289.	i
Hipfner, J. M., L. K. Blight, R. W. Lowe, S. I. Wilhelm, G. J. Robertson, et al. 2012. Unintended consequences: how the recovery of sea eagle <i>Haliaeetus</i> spp. populations in the northern hemisphere is affecting seabirds. <i>Marine Ornithology</i> 40:39–52.	i
Hipfner, J. M., M. R. Charette, and G. S. Blackburn. 2007. Subcolony variation in breeding success in the Tufted Puffin (<i>Fratercula cirrhata</i>): association with foraging ecology and implications. <i>Auk</i> 124:1149-1157.	i
Hodder, J. 2003. Tufted Puffin <i>Fratercula cirrhata</i> . Pages 298-299 in D. B. Marshall, M. G. Hunter, and A. L. Contreras, editors. <i>Birds of Oregon: a general reference</i> . Oregon State University Press, Corvallis, Oregon.	i

Table B	34.05.271 RCW Review Category
Reference	
Hodum, P. J. 2007. Respuesta de la fardela blanca (<i>Puffinus creatopus</i>) a la erradicación de conejos en Isla Santa Clara. CONAF Technical Report.	vi
Hoegh-Guldberg, O. and J. F. Bruno. 2010. The impact of climate change on the world's marine ecosystems. <i>Science</i> 328:1523-1528.	i
Hoffman, W., D. Heinemann, and J. A. Weins. 1981. The ecology of seabird feeding flocks in Alaska. <i>Auk</i> 98:437-456.	i
Honda, K., J. E. Marcovecchio, S. Kan, R. Tatsukawa, and H. Ogi. 1990. Metal concentrations in pelagic seabirds from the North Pacific Ocean. <i>Environmental Contamination Toxicology</i> 19:704-711.	i
Hunn, E. S. 2012. Birding in Seattle and King County: site guide and annotated list. Seattle Audubon Society, Seattle, Washington.	vi
Hunt, G. L., Jr., Z. A. Eppley, and D. C. Schneider. 1986. Reproductive performance of seabirds: the importance of population and colony size. <i>Auk</i> 103:306-317.	i
Hunt, G. L., Jr., P. J. Stabeno, G. E. Walters, H. Sinclair, R. Brodeur, J. Napp, and N. Bond. 2002. Climate change and control of the southeastern Bering Sea pelagic ecosystem. <i>Deep Sea Research II: Topical Studies in Oceanography</i> 49:5821-5853.	i
Hyrenbach, K. D., and R. R. Veit. 2003. Ocean warming and seabird communities of the southern California Current System (1987–98): response at multiple temporal scales. <i>Deep Sea Research II: Topical Studies in Oceanography</i> 50:2537–2565.	i
IPCC (Intergovernmental Panel on Climate Change). 2013. Summary for policymakers. <i>in</i> T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, and P. M. Midgley, editors. <i>Climate change 2013: the physical science basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.</i> Cambridge University Press, Cambridge, United Kingdom.	i
Irons, D. B., S. J. Kendall, W. P. Erickson, L. L. McDonald, and B. K. Lance. 2000. Nine years after the <i>Exxon Valdez</i> oil spill: effects on marine bird populations in Prince William Sound, Alaska. <i>Condor</i> 102:723-737.	i
Jannot, J., E. Heery, M. A. Bellman, and J. Majewski. 2011. Estimated bycatch of marine mammals, seabirds, and sea turtles in the US west coast commercial groundfish fishery, 2002-2009. National Marine Fisheries Service, Seattle, Washington.	vi
Jaques, D., and C. S. Strong. 2001. Seabird status at Castle Rock National Wildlife Refuge, 1997-1999. Humboldt Bay National Wildlife Refuge, U.S. Fish and Wildlife Service, Loleta, California.	vi
Jessup, D. A, M. A. Miller, J. P. Ryan, H. M. Nevins, H. A. Kerkering, et al. 2009. Mass stranding of marine birds caused by a surfactant-producing red tide. <i>PLoS ONE</i> 4:e4550. doi:10.1371/journal.pone.0004550.	i
Jewett, S. G., W. P. Taylor, W. T. Shaw, and J. W. Aldrich. 1953. <i>Birds of Washington state.</i> University of Washington Press, Seattle, Washington.	i
Jones, H. P., and S. W. Kress. 2012. A review of the world's active seabird restoration projects. <i>Journal of Wildlife Management</i> 76:2–9.	i
Jones, L. 1908a. June with the birds of the Washington coast. <i>Wilson Bulletin</i> 20:189-199.	i
Jones, L. 1908b. June with the birds of the Washington coast: down the coast to Destruction. <i>Wilson Bulletin</i> 20:57-62.	i
Jones, L. 1909. June with the birds of the Washington coast. <i>Wilson Bulletin</i> 21:2-15.	i
June, J. and K. Antonelis. 2009. Marine habitat recovery of five derelict fishing gear removal sites in Puget Sound, Washington. Natural Resources Consultants, Seattle, Washington. 19 pp.	vi

Table B Reference	34.05.271 RCW Review Category
Kaiser, G. W., and L. S. Forbes. 1992. Climatic and oceanographic influences on island use in four burrow-nesting alcids. <i>Ornis Scandinavica</i> 23:1-6.	i
Kenyon, K. W., and V. B. Scheffer. 1961. Wildlife surveys along the northwest coast of Washington. <i>Murrelet</i> 42:29-37.	i
King, J. R., V. N. Agostini, C. J. Harvey, G. A. McFarlane, M. G. G. Foreman, J. E. Overland, E. Di Lorenzo, N. A. Bond, and K. Y. Aydin. 2011. Climate forcing and the California Current ecosystem. <i>ICES Journal of Marine Science</i> 68:1199-1216.	i
King, K. A., and C. A. Lefever. 1979. Effects of oil transferred from incubating gulls to their eggs. <i>Marine Pollution Bulletin</i> 10:319-321.	i
Kitaysky, A. S., and E. G. Golubova. 2000. Climate change causes contrasting trends in reproductive performance of planktivorous and piscivorous alcids. <i>Journal of Animal Ecology</i> 69:248-262.	i
Kocourek, A. L., S. W. Stephensen, K. J. So, A. J. Gladics, and J. C. Ziegler. 2009. Burrow-nesting seabird census of the Oregon Coast National Wildlife Refuge Complex, June – August 2008. U.S. Fish and Wildlife Service, Newport, Oregon. 63 pp.	vi
Kress, S. W., and D. N. Nettleship. 1988. Re-establishment of Atlantic Puffins (<i>Fratercula arctica</i>) at a former breeding site in the Gulf of Maine. <i>Journal of Field Ornithology</i> 59:161-170.	i
Krueger, K. L., K. B. Pierce, Jr., T. Quinn, and D. E. Penttila. 2010. Anticipated effects of sea level rise in Puget Sound on two beach-spawning fishes. Pages 171-178 in H. Shipman, M. N. Dethier, G. Gelfenbaum, K. L. Fresh, and R. S. Dinicola, editors. Puget Sound shorelines and the impacts of armoring—proceedings of a state of the science workshop. U.S. Geological Survey Scientific Investigations Report 2010–5254. 262 pp.	i
Lance, B. K., D. B. Irons, S. J. Kendall, and L. L. McDonald. 1999. Marine bird and sea otter population abundance of Prince William Sound, Alaska: trends following the T/V <i>Exxon Valdez</i> oil spill, 1989-98. <i>Exxon Valdez Oil Spill Restoration Project Annual Report (Project 98159)</i> , U.S. Fish and Wildlife Service, Anchorage, Alaska.	vi
Landsberg, J. H. 2002. The effects of harmful algal blooms on aquatic organisms. <i>Reviews in Fisheries Science</i> 10:113-390.	i
Larrison, E. J., and E. N. Francq. 1962. Field guide to the birds of Washington state. Seattle Audubon Society, Seattle, Washington.	vi
Lawrence, R. H. 1892. A preliminary list of the birds of the Grays Harbor region, Washington. <i>Auk</i> 9:38-47.	i
Leschner, L. L. 1976. The breeding biology of the Rhinoceros Auklet on Destruction Island. M.S. thesis. University of Washington, Seattle, Washington.	i
Lewitus, A. J., R. A. Horner, D. A. Caron, E. Garcia-Mendoza, B. M. Hickey, M. Hunter, D. D. Huppert, R. M. Kudela, G. W. Langlois, J. L. Largier, E. J. Lessard, R. RaLonde, J. E. J. Rensel, P. G. Stratton, V. L. Trainer, and J. F. Tweddle. 2012. Harmful algal blooms along the North American west coast region: history, trends, causes, and impacts. <i>Harmful Algae</i> 19:133-159.	i
Lindgren, M., and D. M. Checkley, Jr. 2013. Temperature dependence of Pacific sardine (<i>Sardinops sagax</i>) recruitment in the California Current Ecosystem revisited and revised. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> 70:245–252.	i
Litz, M. N. C., R. L. Emmett, S. S. Heppell, and R. D. Brodeur. 2008. Ecology and distribution of the northern subpopulation of Northern Anchovy (<i>Engraulis mordax</i>) off the U.S. west coast. <i>California Cooperative Oceanic Fisheries Investigations Report</i> 49:167-182.	i
Lowe, R. 1993. El Nino hard on Oregon seabirds. <i>Pacific Seabird Group Bulletin</i> 20:62.	i

Table B Reference	34.05.271 RCW Review Category
Lvov, D. K., V. I. Chervonski, I. N. Gostinschikova, A. S. Zemit, V. L. Gromashevski, Y. M. Tsyarkin, and O. V. Veselovskaya. 1972. Isolation of Tyuleniy virus from ticks <i>Ixodes (Ceraticxodes) putus</i> Pick.-Camb. 1878 collected on Commodore Islands. Archiv für die Gesamte Virusforschung 38:139-142.	i
Mackas D. L., S. Batten, and M. Trudel. 2007. Effects on zooplankton of a warmer ocean: recent evidence from the Northeast Pacific. Progress in Oceanography 75:223-252.	i
Mahaffy, M. S., D. R. Nysewander, K. Vermeer, T. R. Wahl, and P. E. Whitehead. 1994. Status, trends and potential threats related to birds in the Strait of Georgia, Puget Sound and Juan de Fuca Strait. Pages 256-28 in R. C. H. Wilson, R. J. Beamish, F. Aitkins, and J. Bell, editors. Review of the marine environment and biota of Strait of Georgia, Puget Sound, and Juan de Fuca Strait. Proceedings of the BC/Washington Symposium on the Marine Environment, January 13 and 14, 1994. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1948.	i
McChesney, G. J., and H. R. Carter. 2008. Tufted Puffin (<i>Fratercula cirrhata</i>). Pages 213-217 in W. D. Shuford and T. Gardali, editors. California bird species of special concern: a ranked assessment of species, subspecies, and distinct populations of birds of immediate conservation concern in California. Studies of Western Birds 1, Western Field Ornithologists, Camarillo, California, and California Department of Fish and Game, Sacramento, California.	vi
McChesney, G. J., H. R. Carter, and D. L. Whitworth. 1995. Reoccupation and extension of southern breeding limits of Tufted Puffins and Rhinoceros Auklets in California. Waterbirds 18:79-90.	i
McKernan, D. L., and V. B. Scheffer. 1942. Unusual numbers of dead birds on the Washington coast. Condor 44:264-266.	i
McShane, C., T. Hamer, H. Carter, G. Swartzman, V. Friesen, D. Ainley, R. Tressler, K. Nelson, A. Burger, L. Spear, T. Mohagen, R. Martin, L. Henkel, K. Prindle, C. Strong, and J. Keany. 2004. Evaluation report for the 5-year status review of the Marbled Murrelet in Washington, Oregon, and California. Unpublished report, EDAW, Inc. Seattle, Washington.	vi
Miller, I. M., C. Shishido, L. Antrim, and C. E. Bowlby. 2013. Climate change and the Olympic Coast National Marine Sanctuary: interpreting potential futures. Marine Sanctuaries Conservation Series ONMS-13-01, Office of National Marine Sanctuaries, National Oceanic and Atmospheric Administration, Silver Spring, Maryland.	vi
Miller, R. C. 1936. Minutes of club meetings. Murrelet 17:59-60.	i
Miller, R. C., E. D. Lumley, and F. S. Hall. 1935. Birds of the San Juan Islands, Washington. Murrelet 16:51-65.	i
Monroe, A., P. Noah, and S. Brown. 1994. Comparison of medical treatment regimes for aspergillosis in captive Tufted Puffins (<i>Lunda cirrhata</i>). Penguin Conservation 7:1-5.	i
Morgan, E., and D. Siemann. 2011. Climate change effects on marine and coastal habitats in Washington state. Washington Department of Fish and Wildlife, Olympia, Washington, and National Wildlife Federation, Seattle, Washington.	ii,iii
Morrison, K. W., M. Hipfner, G. S. Blackburn, and D. J. Green. 2011. Effects of extreme climate events on adult survival of three Pacific auks. Auk 128:707-715.	i
Morrison, K. W., M. J. Hipfner, C. Gjerdrum, and D. J. Green. 2009. Wing length and mass at fledging predict local juvenile survival and age at first return in Tufted Puffins. Condor 111:433-441.	i
Moss, M. L. 2007. Haida and Tlingit use of seabirds from the Forrester Islands, Southeast Alaska. Journal of Ethnobiology 27:28-45.	i

Table B Reference	34.05.271 RCW Review Category
Nagasawa, K., V. Barus, and H. Ogi. 1998. Description of larval <i>Contracaecum variegatum</i> (Rudolphi, 1809) and adult <i>Contracaecum</i> sp. (Nematoda: Anisakidae) collected from seabirds of the Bering Sea. <i>Journal of the Yamashina Institute for Ornithology</i> 30:22-30.	i
NatureServe. 2014. NatureServe explorer: an online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. http://www.natureserve.org/explorer [accessed December 18, 2014]	vi
Neel, J., C. Hart, D. Lynch, S. Chan, and J. Harris. 2007. Oil spills in Washington state: a historical analysis (revision of 1997 report). Publication No. 97-252, Washington State Department of Ecology, Olympia, Washington. 51 pp.	vi
Nettleship, D. 1996. Family Alcidae (alcids). Pages 678-722 in J. del Hoyo, A. Elliott, and J. Sargatal, editors. <i>Handbook of the birds of the world</i> . Vol. 3. Hoatzin to auks. Lynx Edicions, Barcelona, Spain.	i
NFSC (Northwest Fisheries Science Center). 2008. Report on the bycatch of marine mammals and seabirds by the US West Coast groundfish fleet. Northwest Fisheries Science Center, NOAA Fisheries, Seattle, Washington.	vi
Niizuma, Y., and O. Yamamura. 2004. Assimilation efficiency of Rhinoceros Auklet (<i>Cerorhinca monocerata</i>) chicks fed Japanese Anchovy (<i>Engraulis japonicus</i>) and Japanese Sand Lance (<i>Ammodytes personatus</i>). <i>Comparative Biochemistry and Physiology, Part A: Molecular and Integrative Physiology</i> 139:97-101.	i
NMFS (National Marine Fisheries Service). 2009. Endangered and threatened wildlife and plants: proposed threatened status for southern distinct population segment of Eulachon. <i>Federal Register</i> 74(48):10857-10876.	i
NMFS (National Marine Fisheries Service). 2010. Endangered and threatened wildlife and plants: threatened status for southern distinct population segment of Eulachon. <i>Federal Register</i> 75(52):13012-13024.	i
NMFS (National Marine Fisheries Service). 2013. Status review of the eastern distinct population segment of Steller Sea Lion (<i>Eumetopias jubatus</i>). National Marine Fisheries Service, Juneau, Alaska.	i
NRDC (Natural Resources Defense Council). 2014. Petition to list the contiguous U.S. distinct population segment of Tufted Puffin (<i>Fratercula cirrhata</i>) under the Endangered Species Act. Natural Resources Defense Council, New York, New York.	vi
Nysewander, D. R., J. R. Evenson, B. L. Murphie, and T. A. Cyra. 2005. Report of marine bird and marine mammal component, Puget Sound Ambient Monitoring Program, for July 1992 to December 1999 period. Washington Department of Fish and Wildlife and Puget Sound Action Team, Olympia, Washington.	ii
ODFW/WDFW (Oregon Department of Fish and Wildlife/Washington Department of Fish and Wildlife). 2014. 2014 joint staff report concerning stock status and fisheries for sturgeon and smelt. Oregon Department of Fish and Wildlife, Salem, Oregon, and Washington Department of Fish and Wildlife, Olympia, Washington. 47 pp.	ii,iii
O'Hara, P. D., P. Davidson, and A. E. Burger. 2009. Aerial surveillance and oil spill impacts based on beached bird survey data collected in southern British Columbia. <i>Marine Ornithology</i> 37:61-65.	i
O'Neil, P. 2013. Ottawa's oil-spill plan for B.C. can't cope with coming supertankers. <i>Vancouver Sun</i> , February 6, 2013. http://www.vancouversun.com/news/Ottawa+spill+plan+cope+with+coming+supertankers/7920670/story.html [accessed April 25, 2013]	viii

Table B Reference	34.05.271 RCW Review Category
Ono, K. 2012. Tufted Puffin conservation in Japan: trials on gillnet mitigation measures. Presentation abstract, page 28 in Birdlife International Workshop Report on Seabird Bycatch in Gillnet Fisheries, 3-4 May 2012, Berlin, Germany.	vi
ORBIC (Oregon Biodiversity Information Center). 2013. Rare, threatened and endangered species of Oregon. Institute for Natural Resources, Portland State University, Portland, Oregon. 111 pp.	vi
Osa, Y., and Y. Watanuki. 2002. Status of seabirds breeding in Hokkaido. Journal of the Yamashina Institute for Ornithology 33:107-141.	i
Osborne, R. W., R. E. Tallmon, K. Koski, and K. Meyer. 1998. San Juan Islands National Wildlife Refuge 1997 inventory. The Whale Museum, Friday Harbor, Washington. 283 pp.	vi
Ostrand, W. D., K. O. Coyle, G. S. Drew, J. M. Maniscalco, and D. B. Irons. 1998. Selection of forage-fish schools by murrelets and Tufted Puffins in Prince William Sound, Alaska. Condor 100:286-297.	i
Page, G. W., H. R. Carter, and R. G. Ford. 1990. Numbers of seabirds killed or debilitated in the 1986 <i>Apex Houston</i> oil spill in central California. Studies in Avian Biology 14:164–174.	i
Palmer, R. H. 1927. Birds of the Olympic Peninsula of Washington. Part I. Murrelet 8:35-42.	i
Palsson, W. A., T.-S. Tsou, G. G. Bargmann, R. M. Buckley, J. E. West, M. L. Mills, Y. W. Cheng, and R. E. Pacunski. 2009. The biology and assessment of rockfishes in Puget Sound. Washington Department of Fish and Wildlife, Olympia, Washington. 208 pp.	ii,iii
Parrish J. K., M. Marvier, and R. T. Paine. 2001. Direct and indirect effects: interactions between Bald Eagles and Common Murres. Ecological Applications 11:1858-1869.	i
Paterek, J. 1996. Encyclopedia of Native American costume. W.W. Norton & Co., New York, New York.	i
Pearson, S. F., P. J. Hodum, T. P. Good, M. Schrimpf, and S. M. Knapp. 2013. A model approach for estimating colony size, trends, and habitat associations of burrow-nesting seabirds. Condor 115:356-365.	i
Pearson, S. F., P. Hodum, M. Schrimpf, J. K. Parrish, T. Good, and J. Dolliver. In review. Variation in seabird diet and reproduction across oceanographic regimes, time periods, and environmental conditions.	i,ii,iii
Penttila, D. 2007. Marine forage fishes in Puget Sound. Puget Sound Nearshore Partnership Report No. 2007-03, U.S. Army Corps of Engineers, Seattle, Washington.	vi
Peperzak, L. 2003. Climate change and harmful algal blooms in the North Sea. Acta Oecologica 24:S139-S144.	i
Pereira, S. L., and A. J. Baker. 2008. DNA evidence for a Paleocene origin of the Alcidae (Aves: Charadriiformes) in the Pacific and multiple dispersals across northern oceans. Molecular Phylogenetics and Evolution 46:430–445.	i
PFMC (Pacific Fishery Management Council). 2011. Status of the Pacific coast coastal pelagic species fishery and recommended acceptable biological catches: stock assessment and fishery evaluation, 2011. Pacific Fishery Management Council, Portland, Oregon.	vi
Phillips, E. M., J. E. Zamon, H. M. Nevins, C. M. Gible, R. S. Duerr, and L. H. Kerr. 2011. Summary of birds killed by a harmful algal bloom along the south Washington and north Oregon coasts during October 2009. Northwestern Naturalist 92:120-126.	i
Piatt, J. F., and P. J. Anderson. 1996. Response of Common Murres to the <i>Exxon Valdez</i> oil spill and long-term changes in the Gulf of Alaska marine ecosystem. American Fisheries Society Symposium 18:720-737.	i
Piatt, J. F., and R. G. Ford. 1996. How many seabirds were killed by the <i>Exxon Valdez</i> oil spill? American Fisheries Society Symposium 18:712-719.	i

Table B	34.05.271 RCW Review Category
Reference	
Piatt, J. F., and A. S. Kitaysky. 2002. Tufted Puffin <i>Fratercula cirrhata</i> . Birds of North America 708:1-31.	i
Piatt, J. F., and T. van Pelt. 1993. Common Murre die-off in Alaska. Pacific Seabirds 20:61.	i
Piatt, J. F., D. D. Roby, L. Henkel, L., and K. Neuman. 1997. Habitat use, diet and breeding biology of Tufted Puffins in Prince William Sound, Alaska. Northwestern Naturalist 78:102-109.	i
Piatt J. F., W. J. Sydeman, and F. Wiese. 2007. Introduction: a modern role for seabirds as indicators. Marine Ecology Progress Series 352:199–204.	i
Pierce, D. J., and T. R. Simons. 1986. The influence of human disturbance on Tufted Puffin breeding success. Auk 103:214-216.	i
Pierotti, R. 1983. Gull-puffin interactions on Great Island, Newfoundland. Biological Conservation 26:1-14.	i
Puget Sound Action Team. 2005. State of the Sound 2004. Puget Sound Action Team, Olympia, Washington.	i
Quinn, T., K. Krueger, K. Pierce, D. Penttila, K. Perry, T. Hicks, and D. Lowry. 2012. Patterns of Surf Smelt, <i>Hypomesus pretiosus</i> , intertidal spawning habitat use in Puget Sound, Washington State. Estuaries and Coasts 5:1214-1228.	i
Ramseur, J. L. 2012. Oil spills in U.S. coastal waters: background and governance. Congressional Research Service 7-5700.	i
Raphael, M. G., J. Baldwin, G. A. Falxa, M. H. Huff, M. Lance, S. L. Miller, S. F. Pearson, C. J. Ralph, C. Strong, and C. Thompson. 2007. Regional population monitoring of the Marbled Murrelet: field and analytical methods. General Technical Report PNW-GTR-716, Pacific Northwest Research Station, USDA Forest Service, Portland, Oregon. 70 pp.	i,ii
Reagan, A. B. 1910. Destruction of young water birds by a storm. Auk 27:92.	i
Rhoads, S. N. 1893. The birds observed in British Columbia and Washington during spring and summer, 1892. Proceedings of the Academy of Natural Sciences of Philadelphia 45:21-65.	i
Ricca, M. A., A. K. Miles, and R. G. Anthony. 2008. Sources of organochlorine contaminants and mercury in seabirds from the Aleutian archipelago of Alaska: inferences from spatial and trophic variation. Science of the Total Environment 406:308-323.	i
Rice, C. A. 2006. Effects of shoreline modification on a northern Puget Sound beach: microclimate and embryo mortality in Surf Smelt (<i>Hypomesus pretiosus</i>). Estuaries and Coasts 29:63-71.	i
Rice, J. 1985. Interactions of variation in food supply and kleptoparasitism levels on the reproductive success of Common Puffins (<i>Fratercula arctica</i>). Canadian Journal of Zoology 63:2743-2747.	i
Rice, J. 1987. Behavioural responses of Common Puffins to kleptoparasitism by Herring Gulls. Canadian Journal of Zoology 65:339-347.	i
Richardson, F. 1961. Breeding biology of the Rhinoceros Auklet on Protection Island, Washington. Condor 63:456-473.	i
Robards, M. D., J. F. Piatt, and K. D. Wohl. 1995. Increasing frequency of plastic particles ingested by seabirds in the subarctic North Pacific. Marine Pollution Bulletin 30:151-157.	i
Rodway, M. S., and M. J. F. Lemon. 2011. Use of permanent plots to monitor trends in burrow-nesting seabird populations in British Columbia. Marine Ornithology 39:243-253.	i
Roemmich, D., and J. McGowan. 1995. Climatic warming and the decline of zooplankton in the California Current. Science 267:1324-1326.	i
Romano, M. D., J. F. Piatt, and D. D. Roby. 2006. Testing the junk-food hypothesis on marine birds: effects of prey type on growth and development. Waterbirds 29:407-414.	i
Rosen, Y. 2011. Rogue drift-net fishing vessel seized in North Pacific. Reuters, September 30, 2011.	viii

Table B	34.05.271 RCW Review Category
Reference	
Sangster, G., J. M. Collinson, P.-A. Crochet, A. G. Knox, D. T. Parkin, et al. 2011. Taxonomic recommendations for British birds: seventh report. <i>Ibis</i> 153:883–892.	i
Santora, J. A., I. D. Schroeder, J. C. Field, B. K. Wells, and W. J. Sydeman. 2014. Spatio-temporal dynamics of ocean conditions and forage taxa reveal regional structuring of seabird-prey relationships. <i>Ecological Applications</i> 24:1730-1747.	i
Schrimpf, M. B., J. K. Parrish, and S. F. Pearson 2012. Trade-offs in prey quality and quantity revealed through the behavioral compensation of breeding seabirds. <i>Marine Ecology Progress Series</i> 460:247–259.	i
Sealy, S. G. 1973. Interspecific feeding assemblages of marine birds off British Columbia. <i>Auk</i> 90:796-802.	i
Serra-Sogas, N., P. D. O’Hara, R. Canessa, P. Keller, and R. Pelot. 2008. Visualization of spatial patterns and temporal trends for aerial surveillance of illegal oil discharges in western Canadian marine waters. <i>Marine Pollution Bulletin</i> 56:	i
Shumway, S. E., S. M. Allen, and P. D. Boersma. 2003. Marine birds and harmful algal blooms: sporadic victims or under-reported events? <i>Harmful Algae</i> 2:1-17.	i
Simenstad, C., M. Ramirez, J. Burke, M. Logsdon, H. Shipman, et al. 2011. Historical change and impairment of Puget Sound shorelines: atlas and interpretation of Puget Sound Nearshore Ecosystem Project change analysis. Report No. 2011-01, Puget Sound Nearshore Ecosystem Project, Washington Department of Fish and Wildlife, Olympia, Washington, and U.S. Army Corps of Engineers, Seattle, Washington.	i
Smith, A. P., and D. G. Quin. 1996. Patterns and causes of extinction and decline in Australian conilurine rodents. <i>Biological Conservation</i> 77:243-267.	i
Smith, M. R., P. W. Mattocks, Jr., and K. M. Cassidy. 1997. Breeding birds of Washington state: location data and predicted distributions. Volume 4. Washington State Gap Analysis – Final Report. Publications in Zoology No. 1, Seattle Audubon Society, Seattle, Washington. 538 pp.	i
Sparks, J., and T. Soper. 1987. Penguins. 2nd edition. David & Charles, Newton Abbot, United Kingdom.	i
Speich, S. M, and T. R. Wahl. 1989. Catalog of Washington seabird colonies. U.S. Fish and Wildlife Service Biological Report 88(6), U.S. Fish and Wildlife Service, Washington, D.C., and Minerals Management Service, Los Angeles, California. 510 pp.	i
Sprenger, C. B., and P. W. Dunwiddie. 2011. Fire history of a Douglas-Fir-Oregon White Oak woodland, Waldron Island, Washington. <i>Northwest Science</i> 85:108-119.	i
St. Clair, C. C., R. C. St. Clair, and T. D. Williams. 2001. Does kleptoparasitism by Glaucous-winged Gulls limit the reproductive success of Tufted Puffins? <i>Auk</i> 118:934-943.	i
Stephensen, S. W. 2014. Tufted Puffin monitoring study at Haystack Rock, Cannon Beach, Oregon 2010-2013. U.S. Fish and Wildlife Service, Newport, Oregon.	vi
Stick, K. C., and A. Lindquist. 2009. 2008 Washington state herring stock status report. Washington Department of Fish and Wildlife, Olympia, Washington. 100 pp.	ii,iii
Stinson, D. W., J. W. Watson, and K. R. McAllister. 2007. Washington state status report for the Bald Eagle. Washington Department of Fish and Wildlife, Olympia, Washington. 86 pp.	ii,iii,iv
Suryan, R. M., E. M. Phillips, K. J. So, J. E. Zamon, R. W. Lowe, and S. W. Stephensen. 2012. Marine bird colony and at-sea distributions along the Oregon coast: Implications for marine spatial planning and information gap analysis. Report 2, Northwest National Marine Renewable Energy Center, Corvallis, Oregon.	i

Table B Reference	34.05.271 RCW Review Category
Sydeman, W. J., R. W. Bradley, P. Warzybok, C. L. Abraham, J. Jahncke, K. D. Hyrenbach, V. Kousky, J. M. Hipfner, and M. D. Ohman. 2006. Planktivorous auklet <i>Ptychoramphus aleuticus</i> responses to ocean climate, 2005: unusual atmospheric blocking? <i>Geophysical Research Letters</i> 33:L22S09.	i
Tanaka, H. 1989. Biology and bioaccumulation of PCBs in Tufted Puffins <i>Lunda cirrhata</i> of the northern North Pacific. <i>Journal of the Yamashina Institute for Ornithology</i> 21:1-41.	i
TCW Economics. 2008. Economic analysis of the non-treaty commercial and recreational fisheries in Washington state. TCW Economics, Sacramento, California.	vi
<i>Tenyo Maru</i> Trustees. 2000. Final restoration plan and environmental assessment for the <i>Tenyo Maru</i> oil spill. U.S. Fish and Wildlife Service, Lacey, Washington. 70 pp. http://www.darrp.noaa.gov/northwest/tenyo/admin.html [accessed December 18, 2014]	vi
Teuten, E. L., J. M. Saquing, D. R. U. Knappe, M. A. Barlaz, S. Jonsson, et al. 2009. Transport and release of chemicals from plastics to the environment and to wildlife. <i>Philosophical Transactions of the Royal Society B</i> (2009) 364:2027–2045.	i
Thayer, J. A., and W. J. Sydeman. 2007. Spatio-temporal variability in prey harvest and reproductive ecology of a piscivorous seabird, <i>Cerorhinca monocerata</i> , in an upwelling system. <i>Marine Ecology Progress Series</i> 329:253-265.	i
Therriault, T. W., D. E. Hay, and J. F. Schweigert. 2009. Biological overview and trends in pelagic forage fish abundance in the Salish Sea (Strait of Georgia, British Columbia). <i>Marine Ornithology</i> 37:3-8.	i
Thom, R. M., D. K. Schreffler, and K. Macdonald. 1994. Shoreline armoring effects on coastal ecology and biological resources in Puget Sound, WA. <i>Coastal Erosion Management Studies, Volume 7</i> , Washington Department of Ecology, Olympia, Washington.	i
Thompson, C. W., and A. S. Kitaysky. 2004. Polymorphic flight-feather molt sequence in Tufted Puffins (<i>Fratercula cirrhata</i>): a rare phenomenon in birds. <i>Auk</i> 121:35-45.	i
Thompson, C. W., S. A. Kitaysky, and R. Westra. 2001. Tufted Puffin flight feather molt and effects of food availability. <i>Pacific Seabirds</i> 28:55-56.	i
Thompson, S. A., W. J. Sydeman, J. A. Santora, K. H. Morgan, W. Crawford, and M. T. Burrows. 2012. Phenology of pelagic seabird abundance relative to marine climate change in the Alaska Gyre. <i>Marine Ecology Progress Series</i> 454:159-170.	i
Thorsen, A. C. 1980. Diurnal land visitations by Rhinoceros Auklets. <i>Western Birds</i> 11:154.	i
Thorsen, A. C. 1981. Midsummer occurrence of the Horned Puffin in Rosario Strait, Washington. <i>Western Birds</i> 12:56.	i
Thorsen, A. C., and J. G. Galusha. 1971. A nesting population study of some islands in the Puget Sound area. <i>Murrelet</i> 52:20-23.	i
Turner, N. J. 1999. Time to burn: traditional use of fire to enhance resource production by aboriginal peoples in British Columbia. Pages 185-218 in R. Boyd, editor. <i>Indians, fire, and the land in the Pacific Northwest</i> . Oregon State University Press, Corvallis, Oregon.	i
Tyler, W. B., K. T. Briggs, D. B. Lewis, and R. G. Ford. 1993. Seabird distribution and abundance in relation to oceanographic processes in the California Current System. Pages 48-60 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. <i>The status, ecology, and conservation of marine birds of the North Pacific</i> . Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
USFWS (U.S. Fish and Wildlife Service). 2005. Regional seabird conservation plan, Pacific Region. U.S. Fish and Wildlife Service, Portland, Oregon. 264 pp.	i

Table B Reference	34.05.271 RCW Review Category
USFWS (U.S. Fish and Wildlife Service). 2007. Washington Islands National Wildlife Refuges, Flattery Rocks, Quillayute Needles, and Copalis National Wildlife Refuges: comprehensive conservation plan and environmental assessment. U.S. Fish and Wildlife Service, Port Angeles, Washington.	i
USFWS (U.S. Fish and Wildlife Service). 2009. Alaska seabird conservation plan. U.S. Fish and Wildlife Service, Anchorage, Alaska. 136 pp.	i
USFWS (U.S. Fish and Wildlife Service). 2010. Protection Island and San Juan Islands National Wildlife Refuges comprehensive conservation plan and San Juan Islands Wilderness stewardship plan. U.S. Fish and Wildlife Service, Seattle, Washington. 557 pp.	i
Van Buren, A. N., and P. D. Boersma. 2007. Humboldt Penguins (<i>Spheniscus humboldti</i>) in the Northern Hemisphere. <i>Wilson Journal of Ornithology</i> 119:284-288.	i
Van Dorp, J. R. and J. Merrick. 2014. VTRA 2010 final report: preventing oil spills from large ships and barges in northern Puget Sound & Strait of Juan de Fuca. George Washington University, Washington, D.C., and Virginia Commonwealth University, Richmond, Virginia. http://www.psp.wa.gov/VTRA.php [accessed December 18, 2014]	vi
Vermeer, K. 1979. Nesting requirements, food and breeding distribution of Rhinoceros Auklets, <i>Cerorhinca monocerata</i> , and Tufted Puffins <i>Lunda cirrhata</i> . <i>Ardea</i> 67:101-110.	i
Vermeer, K., and L. Cullen. 1979. Growth of Rhinoceros Auklets and Tufted Puffins, Triangle Island, British Columbia. <i>Ardea</i> 67:22-27.	i
Vermeer, K., L. Cullen, and M. Porter 1979. A provisional explanation of the reproductive failure of Tufted Puffins (<i>Lunda cirrhata</i>) on Triangle Island. <i>Ibis</i> 121:348-354.	i
Vermeer, K., K. R. Summers, and D. S. Bingham. 1976. Birds observed at Triangle Island, British Columbia, 1974 and 1975. <i>Murrelet</i> 57:35-42.	i
Vigfusdottir, F. 2007. Vinur eða vágestur? Áhrif kanína á lundabyggð á Heimaey. <i>Naturufraedingurinn</i> : volume and page numbers unavailable.	i
Wahl, T. R. 1975. Seabirds in Washington's off-shore zone. <i>Western Birds</i> 6:117-134.	i
Wahl, T. R. 2005. Tufted Puffin. Pages 205-206 in T. R. Wahl, B. Tweit, and S. G. Mlodinow, editors. <i>Birds of Washington: status and distribution</i> . Oregon State University Press, Corvallis, Oregon.	i
Wahl, T. R., and B. Tweit. 2000. Seabird abundances off Washington, 1972-1998. <i>Western Birds</i> 31:69-88.	i
Wahl, T. R., K. H. Morgan, and K. Vermeer. 1993. Seabird distribution of British Columbia and Washington. Pages 39-47 in K. Vermeer, K. T. Briggs, K. H. Morgan, and D. Siegel-Causey, editors. <i>The status, ecology, and conservation of marine birds of the North Pacific</i> . Canadian Wildlife Service Special Publication, Ottawa, Ontario.	i
Warzybok, P.M., R. W. Berger, and R. W. Bradley. 2012. Status of seabirds on Southeast Farallon Island during the 2012 breeding season. PRBO Conservation Science, Petaluma, California.	vi
WDFW (Washington Department of Fish and Wildlife). 2001-2012. Puget Sound area commercial and recreational salmon fisheries and their effects on ESA-threatened Marbled Murrelets. Washington Department of Fish and Wildlife, Olympia, Washington.	ii,iii
WDFW (Washington Department of Fish and Wildlife). 2014. Washington state species of concern lists. Washington Department of Fish and Wildlife, Olympia, Washington. http://www.wdfw.wa.gov/conservation/endangered/All/ [accessed December 18, 2014]	ii
Wehle, D. H. S. 1980. The breeding biology of the puffins: Tufted Puffin (<i>Lunda cirrhata</i>), Horned Puffin (<i>Fratercula corniculata</i>), Common Puffin (<i>F. arctica</i>), and Rhinoceros Auklet (<i>Cerorhinca monocerata</i>). PhD dissertation, University of Alaska, Fairbanks, Alaska.	i
Wehle, D. H. S. 1982. Food of adult and subadult Tufted and Horned Puffins. <i>Murrelet</i> 63:51-58.	i

Table B	34.05.271 RCW Review Category
Reference	
Wehle, D. H. S. 1983. The food, feeding, and development of young Tufted and Horned Puffins in Alaska. <i>Condor</i> 85:427-442.	i
Welch, C. 2009. Trying to crack an ocean mystery: what caused killer algal blooms? <i>Seattle Times</i> , November 29, 2009. http://seattletimes.com/html/localnews/2010378956_algalbloom29m.html [accessed December 19, 2014]	viii
Whidden, S. E., C. T. Williams, A. R. Breton, and C. L. Buck. 2007. Effects of transmitters on the reproductive success of Tufted Puffins. <i>Journal of Field Ornithology</i> 78:206-212.	i
Wiese, F. K., and G. J. Robertson. 2004. Assessing seabird mortality from chronic oil discharges at sea. <i>Journal of Wildlife Management</i> 68:627–638.	i
Willett, G. 1915. Summer birds of Forrester Island, Alaska. <i>Auk</i> 32:295–305.	i
Williams, C. T., and C. L. Buck. 2010. Spatial and temporal variation in Tufted Puffin (<i>Fratercula cirrhata</i>) nestling diet quality and growth rates. <i>Marine Ornithology</i> 38:41-48.	i
Williams, C. T., S. D. Kildaw, and C. L. Buck. 2007. Sex-specific differences in body condition indices and seasonal mass loss in Tufted Puffins. <i>Journal of Field Ornithology</i> 78:369-378.	i
Williams, P. L., and L. G. Frank. 1979. Diet of the Snowy Owl in the absence of small mammals. <i>Condor</i> 81:213-214.	i
Wilson, U. W. 1993. Rhinoceros Auklet burrow use, breeding success, and chick growth: gull-free vs. gull-occupied habitat. <i>Journal of Field Ornithology</i> 64:256-261.	i
Wilson, U. W. and D. A. Manuwal. 1986. Breeding biology of the Rhinoceros Auklet in Washington. <i>Condor</i> 88:143-155.	i
Wolf, S. G., W. J. Sydeman, J. M. Hipfner, C. L. Abraham, B. R. Tershy, and D. A. Croll. 2009. Range-wide reproductive consequences of ocean climate variability for the seabird Cassin's Auklet. <i>Ecology</i> 90:742–753.	i
WSDOE (Washington State Department of Ecology). 2014. Vessel entries and transits for Washington waters, VEAT 2013. Publication 14-08-004, Washington State Department of Ecology, Olympia, Washington.	vi
Zamon, J. E. 2003. Mixed species aggregations feeding upon herring and sandlance schools in a nearshore archipelago depend on flooding tidal currents. <i>Marine Ecology Progress Series</i> 261:243-255.	i
Zwolinski, J. P. and D. A. Demer. 2012. A cold oceanographic regime with high exploitation rates in the Northeast Pacific forecasts a collapse of the sardine stock. <i>Proceedings of the National Academy of Sciences</i> 109:4175-4180.	i
Žydelis, R., C. Small, and G. French. 2013. The incidental catch of seabirds in gillnet fisheries: a global review. <i>Biological Conservation</i> 162:76-88.	i