

# 2022

SEAN DOUGHERTY, District Wildlife Biologist  
PAULA CLEMENTS, Assistant District Wildlife  
Biologist



Washington  
Department of  
**FISH and  
WILDLIFE**



Food plot waiting for migrating waterfowl at Frenchman Regulated Access Area

*Photo by Chattan McPherson, Natural Resource Specialist 2*

## **DISTRICT 5 HUNTING PROSPECTS**

Grant and Adams counties

## TABLE OF CONTENTS

DISTRICT 5 GENERAL OVERVIEW .....	4
Public Lands in District 5 GMUs.....	5
Game Reserves .....	11
ELK.....	12
General Information, Management Goals, and Population Status .....	13
What to Expect During the 2022 Season .....	13
DEER .....	13
General Information, Management Goals, and Population Status .....	14
What To Expect During The 2022 Season .....	16
Deer Areas .....	17
BEAR .....	20
General Information, Management Goals, and Population Status .....	20
What to Expect During the 2022 Season .....	20
COUGAR .....	21
General Information, Management Goals, and Population Status .....	21
What To Expect During The 2022 Season .....	21
PHEASANT .....	22
QUAIL .....	23
CHUKAR AND PARTRIDGE .....	24
DOVE .....	25
UPLAND BIRD MANAGEMENT .....	26
WATERFOWL.....	27
Hunting Tips.....	27
Hunter Collected Data from RAA .....	40
SMALL GAME.....	42
Distribution and Population Status .....	42

PUBLIC LANDS .....	43
WDFW-Managed Land .....	43
Department of Natural Resources .....	43
U.S. Fish and Wildlife Service .....	43
National Forest .....	43
Bureau of Land Management.....	43
Bureau of Reclamation .....	43
PRIVATE LANDS .....	44
Land Ownership.....	44
Private Lands Program .....	44
ADA Access.....	45
ADDITIONAL INFORMATION .....	44
Youth Hunting Opportunities .....	44
Bird Dog Training.....	44
Target Shooting .....	44
Tools and Technology.....	45
Be a Wildlife Steward - Get involved.....	45
Hunter Tutorials and Resources.....	45
Literature Cited .....	47

## DISTRICT 5 GENERAL OVERVIEW


There are abundant hunting opportunities throughout District 5, and this district is most recognized for waterfowl, upland bird, and mule deer hunting. Ring-necked pheasants and California quail continue to be the most abundant and popular upland game birds in District 5. Additionally, Grant County is one of the top-producing counties for both species. There are other opportunities within the district to hunt mourning doves, bobcats, cougars, chukar, gray partridge, cottontail rabbits, coyotes, and both general season and permit opportunities for mule deer. Hunters harvest elk in Game Management Units (GMUs) 278 and 284, but elk populations are small and scattered.

The Washington Department of Fish and Wildlife (WDFW) manages the [Columbia Basin Wildlife Area](#) that boasts approximately 190,000 acres of public land (Figure 5). There are additional public lands that the [Washington Department of Natural Resources](#), [U.S. Fish and Wildlife Service](#), Bureau of Reclamation, and Bureau of Land Management manage. Habitat in District 5 consists primarily of crop fields, shrubsteppe and wetlands in Grant County, and dryland crop fields, rangelands, and shrubsteppe in Adams County. Most habitat would be characterized as shrubsteppe with the dominant native upland vegetation including big sagebrush (*Artemisia tridentata*), bitterbrush (*Purshia tridentata*), rabbitbrush (*Chrysothamnus nauseosus*), bluebunch wheatgrass (*Pseudoroegneria spicata*), Sandberg's bluegrass (*Poa secunda*), great basin wildrye (*Leymus cinereus*), needle-and-thread (*Hesperostipa comata*), and Indian ricegrass (*Oryzopsis hymenoides*). Cheatgrass (*Bromus tectorum*) is the most common non-native species, and it is problematic for wildlife due to its ability to promote wildfire and dominate arid landscapes.


Riparian areas and wetlands are abundant in Grant County and mostly associated with the Columbia Basin Irrigation Project (CBIP). Coyote willow (*Salix exigua*), golden currant (*Ribes aureum*), and Woods' rose (*Rosa woodsii*) are the dominant native shrubs associated with riparian habitats. Non-native riparian species include Russian olive (*Eleagnus angustifolia*), which is found throughout CBIP. There are many important crops for wildlife within the CBIP, including corn, wheat, other grains, alfalfa, and orchards. Within the CBIP, hunters can expect to find abundant waterfowl, as well as pheasants, quail, and mourning doves.

Lands surrounding the CBIP tend to consist of highly fragmented shrubsteppe, dryland wheat, coulees, and Conservation Reserve Program (CRP) lands. In these areas, hunters can expect to find gray partridge, mule deer, and chukar in the steepest portions of the district (Sun Lakes, Quincy Lakes, and Banks Lake units). For more information, see the [WDFW website](#).

**PUBLIC LANDS IN DISTRICT 5 GMUS**



**Figure 1.** Public Lands in GMU 272.



**Figure 2.** Public Lands in GMU 278.




Figure 3. Public Lands in GMU 284




Figure 4. Public Lands in GMU 290.





Figure 5. WDFW Columbia Basin Wildlife Area units available for hunting highlighted green.

Chance of Locating Species of Interest


Species/ Habitats	Banks Lake	Sun Lakes	Gloyd Seeps	Quincy Lakes	Winchester Lake	The Desert	Potholes Reservoir	Seep Lakes	Goose Lakes	Lower Crab Creek	Priest Rapids	Billy Clapp	Sprague Lake
	Mule Deer	G	F	L	VL	N	VG*	VG*	L	L	F	L	N
Bear	VL	VL	N	N	N	N	N	N	N	N	N	N	N
Elk	N	N	N	N	N	N	N	N	N	N	VL	N	N
Cougar	VL	VL	N	VL	N	N	N	N	N	N	N	N	N
Coyote	G	G	G	G	G	G	G	G	G	G	F	L	F
Bobcat	L	L	VL	VL	N	N	N	N	N	N	VL	N	N
Rabbit	L	L	F	F	L	VL	VL	L	L	F	L	L	L
Chukar	G	F	N	L	N	N	N	N	N	F	L	F	N
Gray Partridge	F	L	VL	VL	VL	VL	VL	VL	VL	N	N	VL	L
Pheasant (Wild)	L	VL	G	L	F	G	G	VL	VL	G	VL	VL	L
Pheasant (Released)	G	N	VG**	N	N	N	N	N	N	G	G	N	N
California Quail	G	G	G	F	F	VG	VG	F	F	VG	L	F	L
Ducks	G	F	F	F	VG	VG	VG	F	F	G	F	N	N
Geese	F	F	L	L	L	F	F	F	F	F	L	N	N
Mourning Dove	F	L	G	F	F	G	G	F	F	F	L	L	L
Bullfrogs	L	VL	F	L	F	VG	VG	F	F	F	L	VL	L

Figure 6. Generalized Hunting Opportunity for Columbia Basin Wildlife Area Units.

Very Good	VG
Good	G
Fair	F
Limited	L
Very Limited	VL
None	N

## GAME RESERVES

Hunting, trapping, and wildlife disturbance is not allowed within game reserve boundaries. These boundaries provide undisturbed areas that help keep waterfowl in the area and improve hunting opportunities during hunting season. Hunters can find game reserve boundaries in the [WDFW Hunt Planner](#).



**Figure 7.** Location of game reserves and closed federal refuge units (in red) throughout and adjacent to District 5.



## GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS

Elk are rare in District 5. Resident elk herds do **not** exist in game management unit (GMU) 272, 278, or 290. Due to the potential for significant crop depredation issues, WDFW does not encourage the establishment of elk herds in District 5. WDFW provides *Any Elk* hunting opportunities during the general archery, modern firearm, and muzzleloader seasons.

GMU 284 is near the Hangman Creek sub-herd of the Selkirk herd. This herd is composed of approximately 300 elk and occurs approximately 16 miles northeast at Turnbull National Wildlife Refuge (GMU 130). These elk enter GMU 284, where hunters harvest them. Hunters harvested 13 elk in District 5 in 2021. There were seven elk harvested in GMU 284, five elk in GMU 278, and four in GMU 272.

## WHAT TO EXPECT DURING THE 2022 SEASON

If hunters wish to hunt elk in District 5 during the 2022 season, they should seek access on private lands in the eastern portions of GMU 284. Without access to private lands, public land opportunities are very limited.

## GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS



**Figure 9.** Bachelor group of mule deer bucks. Photo by Eric Braaten.

**GMU 272** includes approximately 53,000 acres of the Columbia Basin Wildlife Area (Gloyd Seeps, Banks Lake, Sun Lakes, Billy Clapp, and Quincy Lakes units), most of which is open to hunting. The number of deer hunters that hunt general seasons (includes multi-weapon permits) within GMU 272 (since 2001) ranges from about 1,000 to 1,700. The reported antlerless permit success rate for disabled hunters was 33%. The success rates for youth permits are good.

**GMU 278** includes approximately 36,000 acres of the Columbia Basin Wildlife Area (Lower Crab Creek Unit), which is predominantly shrubsteppe habitat with some interspersed wetlands along Crab Creek. Numerous parcels within DNR and federal ownership also exist in this GMU. Harvest in this unit is generally between 20-90 deer. The number of general season deer hunters within GMU 278, including multi-weapon permits, ranges from about 100-310. WDFW does not perform formal surveys in GMU 278, but harvest data indicates a stable deer population.

**GMU 284** is predominately private property, so hunters should plan to get permission to access private lands and/or plan on hunting lands enrolled in the WDFW Access Program. There are some public lands scattered throughout this GMU, but they tend to be scattered and small (<640 acres). The number of deer general season hunters within GMU 284 ranges from about 650-1,100.

**GMU 290** is a special-permit Quality Deer Hunt Unit, with restrictions that reduce hunter density and encourages older-aged deer. The unit is open for various upland hunting as well and contains three Regulated Access Areas for waterfowl. Buck-doe ratios have remained consistent at approximately 50 bucks:100 does, with most bucks classified as greater than 2.5-years-old during aerial surveys.

Harvest success for bucks varies greatly by hunt choice. Hunts listed in order from highest to lowest success rates are as follows: late modern, early modern, muzzleloader, late archery, and early archery. This GMU contains very few access roads, and scouting is **strongly recommended** to increase success. 41% of the land in GMU 290 is part of the Columbia Basin Wildlife Area and managed by WDFW, so public opportunity is widely available. Public land in this unit consists of riparian and wetland areas associated with the Winchester and Frenchman waste ways and is surrounded by sandy dunes with varying densities of shrub cover. Most of the private agricultural land in this unit occurs throughout the western half. Hunters with permits will experience much greater success by hiking further away from access roads and scouting the area. Additionally, during nearly all the permit hunts, other types of hunting are also occurring. Waterfowl and upland birds are the two most popular types.

Table 1. Mule deer harvest summary for District 5 GMUs by weapon type.

<b>GMU</b>	<b>Weapon</b>	<b>Antlerless</b>	<b>Antlered</b>	<b>Total Harvest</b>	<b>Number of Hunters</b>	<b>% Success</b>
<b>272</b>	Archery	16	20	36	288	13%
	Modern Firearm	0	267	267	1,196	22%
	Multi-Season	14	50	63	206	31%
	Muzzleloader	0	18	18	92	20%
	<b>Totals</b>	<b>30</b>	<b>355</b>	<b>385</b>	<b>n/a</b>	<b>n/a</b>
<b>278</b>	Archery	4	8	12	73	16%
	Modern Firearm	0	45	45	221	20%
	Multi-Season	3	18	21	50	42%
	Muzzleloader	0	3	3	27	11%
	<b>Totals</b>	<b>7</b>	<b>74</b>	<b>81</b>	<b>n/a</b>	<b>n/a</b>
<b>284</b>	Archery	5	13	18	65	28%
	Modern Firearm	0	279	279	831	34%
	Multi-Season	0	39	39	87	45%
	Muzzleloader	0	21	21	71	30%
	<b>Totals</b>	<b>14</b>	<b>330</b>	<b>344</b>	<b>913</b>	<b>n/a</b>
<b>290*</b>	Modern-Early	n/a	12	10	13	86%
	Modern-Late	n/a	4	5	5	80%
	Archery-Early	n/a	0	5	5	0%
	Archery-Late	n/a	2	5	9	25%
	Muzzleloader	n/a	2	1	1	100%
	Second Deer	17	n/a	10	16	100%
	Youth	8	n/a	3	4	89%
	<b>Totals</b>	<b>25</b>	<b>20</b>	<b>39</b>	<b>53</b>	<b>n/a</b>

\*Please note that GMU 290 data are based only on hunter reports; not all hunters reported effort or harvest.

For additional information, please see the [Adams and Grant counties Deer Harvest Statistics](#).

### WHAT TO EXPECT DURING THE 2022 SEASON

Most deer harvest occurs in GMUs 272 (Beezley) and 284 (Ritzville). Post-hunt buck:doe ratios from ground surveys in 2021 were 28:100 and 23:100, respectively. Fawn:doe ratios were good during the 2021 ground survey efforts, with 52:100 in GMU 272 and 48:100 in GMU 284. Hunters should expect another good year for mule deer hunting throughout the district.





**Figure 10.** Mule deer doe in ripening wheat. Photo by Eric Braaten.

## **DEER AREAS**

There are localized deer concentration areas in District 5 where, during harsh or prolonged winters, deer have the potential to cause crop damage. To address this issue, WDFW provides limited, permit-only opportunities to harvest antlerless deer that occur close to these areas. This is intended to reduce crop damage by deterring mule deer from congregating. WDFW defines such areas as Deer Areas and in District 5 they include Deer Area 2010 (Lakeview) in GMU 272, and Deer Area 2011 (Benge) in GMU 284. See the most recent [Big Game Hunting Seasons and Regulations pamphlet](#) for current permit opportunities and legal boundary descriptions.

# Lakeview; Deer Area 2011

# Ephrata District





Figure 11. Lakeview Deer Area (boundary highlighted in yellow)

# Benge; Deer Area 2010

Ephrata District



**DISCLAIMER**

Due to the dynamic nature of data and the need to rely on outside sources of information, the Washington Department of Fish and Wildlife cannot accept responsibility for errors or omissions in the data and information contained in and products produced from this application. There are no warranties which accompany the maps and information contained in or produced by this application. For legal definitions of hunting regulations, seasons, and boundaries, the user should refer to Chapters 232-12, 232-16, and 232-28 of the Washington Administrative Code (<http://www.leg.wa.gov/wac/>).

- WA\_Railroads
- Highway
- County
- Seasonal closure
- Closed road
- City limits
- Deer area
- Ownership**
- Federal
- State



1:200,000



Figure 12. Benge Deer Area (boundary highlighted in yellow)

## BEAR

### **GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS**

District 5 does not have a resident population of black bears. The establishment of a black bear population in this district is not expected soon.

### **WHAT TO EXPECT DURING THE 2022 SEASON**

District 5 is not an optimal area to target black bears. Occasionally, bears may disperse through this district, and the most likely places to encounter those individuals are the Beezley Hills and areas surrounding Banks Lake.

## COUGAR

### **GENERAL INFORMATION, MANAGEMENT GOALS, AND POPULATION STATUS**

There is a small population of adult cougars in District 5, and the annual harvest is very low (typically fewer than 10 per year). Cougar harvest comes mostly from GMU 272 (Beezley Hills). Populations are expected to remain stable in this area for the foreseeable future.

### **WHAT TO EXPECT DURING THE 2022 SEASON**

District 5 is not an optimal area to target cougars. However, the most likely places to encounter cougars are Beezley Hills, Moses Coulee, and along the Crab Creek drainage upstream from the town of Stratford. Hunters often harvest cougars incidentally when they are hunting other carnivores.

## PHEASANT

Grant County has been Eastern Washington's top pheasant-harvest county since 2006. Hunters harvested 6,727 birds in Grant County and 1,065 in Adams County for a total harvest of 10,803 pheasants in District 5 in 2021. See [Adams and Grant counties Pheasant Harvest Statistics](#) for additional information and to see the most recent harvest information.

The largest concentrations of wild pheasants on WDFW lands in District 5 are found within GMU 290 (Desert Unit) between Potholes Reservoir and the town of George, although private lands can host good populations. Mixed bags of wild and released birds can be found in the Lower Crab Creek and Gloyd Seeps units, whereas hunters will likely only find released birds in the Dry Falls, Steamboat Rock, Quincy, and Buckshot sites. Hunters can find directions to pheasant release sites in the [Eastern Washington Pheasant Enhancement Program](#) pamphlet. Nontoxic shot is required at all pheasant release sites. Please note that the release dates are not made public, to reduce overcrowding at release sites and ensure the safety of WDFW staff members during releases. However, hunters can count on pheasants being released before the youth upland season (Sept. 17-18), before the general season opening day (Oct. 22), and two additional releases before the end of November.

Hunters looking for wild birds should focus their efforts on areas of dense cover. Thickets of Russian olive, cattail, roses, weedy areas associated with irrigation ditches, canals, and ponds are most likely to hold pheasants. Hunters should be prepared to do some walking when pursuing wild pheasants as they tend to flush, well in advance of hunters, and are just about as likely to run as flush. Hunters can increase their odds with a dog to both find and retrieve the birds in the dense cover. Be aware porcupines are often seen in many of these areas.

Hunters can anticipate seeing lots of pheasants. Most hunters who invest effort and cover a lot of ground will find wild birds. Hunters can increase their chances for a productive hunt by selecting nontoxic shot and diversifying the game bag with waterfowl.

Pheasants are an excellent species for new hunters to learn to hunt, with numerous opportunities available for success and mentorship. In past years, WDFW partnered with Pheasants Forever to co-host pheasant youth and mentored hunts. However, at the time of this publication, information was not available about the availability of this opportunity. For more information, please see the [Columbia Basin Pheasants Forever page](#).

## QUAIL

Grant County is typically one of the best producers for quail. In 2021, hunters in Grant County harvested 11,004 birds and hunters in Adams County harvested 1,026 birds. See [Adams and Grant counties Quail Harvest Statistics](#) for additional information.

In Grant County, there are many opportunities to hunt quail on public lands (see Figure 6 for more details). Hunters focusing on Adams County should seek permission on private lands to improve the chances of finding birds. Private lands access can be granted through the WDFW Private Lands Access Program or by simply knocking on a few doors. Hunters will improve their odds with a trained dog to find and retrieve birds.

Large coveys, or flocks of birds, are difficult to find by mid-season on public lands, and successful hunters will benefit by identifying multiple coveys to pursue throughout the season. Riparian areas will offer the best hunting, and hunters can increase their chances by securing access to private lands where pressure can be much lower. If pressure is high, some coveys can be found in shrub cover away from the heavily hunted areas. Hunters willing to do more hiking will likely find more birds.

Quail hunting is expected to be good again this year with reports from the field painting an optimistic picture. As mentioned previously, hunters can increase the chances of a successful hunting trip by using nontoxic shot and targeting multiple species.

## CHUKAR AND PARTRIDGE

During the 2021 season hunters harvested 170 Hungarian partridges and 781 chukars in Grant County and in Adams County hunters harvested 11 chukars and 22 Hungarian partridges. The harvest success rates for both species in both Grant and Adams counties fluctuate quite dramatically from year to year, but hunters should not be overly concerned with these fluctuations because the populations of both species are widely dispersed. See [Adams and Grant counties Chukar Harvest Statistics](#) for additional information.

District 5 is not a popular destination for chukar or gray partridge hunters due to relatively small populations, but hunters can still find birds throughout much of the district. Most chukar



hunting in the district occurs in the Coulee Corridor areas around Banks and Lenore lakes and along the Columbia River breaks north of Vantage. Gray partridges occur in low densities throughout the Columbia Basin but hunters rarely target them. They are instead taken incidentally while hunting chukars, quail, or pheasants. Most gray partridges occur in private agricultural fields, particularly in the dryland wheat portions of Adams County and, to a lesser degree, Grant County. Reports from the field paint a very good picture for both chukars and gray partridge.

**Figure 13.** Chukar brood. Photo by Eric Braaten



## DOVE

Grant County is consistently one of the Washington's top mourning dove producing counties, with hunters harvesting 15,491 birds in 2021. Hunters harvested 1,770 doves in Adams County. This upcoming hunting season continues with the hunting season extension through Oct. 30, and dove hunting is expected to be like last year. If conditions are stable, the birds found during scouting trips should be around during the hunt, but unstable conditions often redistribute birds. Hunters may improve their success by securing access to wheat fields for morning hunts. Evening hunts can be productive in wheat fields or traditional roosting areas. Look for large stands of trees (ideally with dead limbs) near water and surrounded by agriculture for the best roost hunt results. Hunters can find roost site hunting along the north and west sides of Potholes Reservoir, east side of Winchester Lake, and throughout the Desert Unit of the Columbia Basin Wildlife Area.

Hunters should be aware that Eurasian collared doves occur with mourning doves, and the Eurasian collared doves **do not** count towards daily bag limits. Eurasian collared doves are classified as a *Deleterious Species* in Washington and have few regulations governing harvest, so be sure to take a few when the opportunity arises.




**Figure 14.** Banded mourning dove. Photo by Sean Dougherty

## UPLAND BIRD MANAGEMENT

Upland bird management in District 5 consists primarily of sharecropping, strategic use of bird feeders to increase over-winter survival, and actively working to improve nesting cover on private and public lands.

See Figure 6 for more detailed information on huntable species within the wildlife area units.



**Figure 15.** Generalized upland bird concentrations (pheasant, quail, and chukar) throughout the Ephrata District.

## WATERFOWL

Grant County is consistently Washington's top duck and goose producing county. In 2021, hunters harvested 56,487 ducks in Grant County. Adams County hunters added another 15,720 ducks. Hunters can find additional information at [WDFW's game harvest statistics webpage](#).

In 2021, hunters harvested 18,176 geese in Grant County, and Adams County hunters added 2,730. Hunters can find additional information at [WDFW's game harvest statistics webpage](#).



Figure 16. Drake cinnamon teal. Photo by Eric Braaten

### HUNTING TIPS

#### *Scouting*

Scouting is the key to success when waterfowl hunting. Many opportunities exist for public waterfowl hunts, but hunters should first identify the general flight paths to determine feeding and roosting locations. Feeding flights for ducks typically occur early in the morning and near dusk, typically outside legal shooting hours. Select areas to hunt based on the species you want to target. Dabbling ducks are more commonly targeted on the Columbia Plateau, where grain corn and wheat fields attract mallards and pintails and shallow wetlands attract teal, American wigeon, and gadwall. Canada geese feed primarily in wheat and alfalfa fields, so requesting permission from private landowners is often necessary to secure field goose hunting.

Diving ducks are typically hunted along the Columbia River, particularly at Wells Pool, Wapamum Pool, and Priest Rapids Pool. They forage over beds of submerged aquatic vegetation such as pondweeds and milfoil. Knowing when and where ducks are feeding will help hunters determine the best locations to intercept the duck traffic with decoy spreads. Setting up a decoy spread on waters between the feeding and roosting sites will generally yield good hunting opportunities, particularly during periods of wind, snow, or fog. Typically, the larger roosting sites will be the Wanapum Closure (Columbia River), Winchester Reserve, Potholes Reserve, and Columbia National Wildlife Refuge Marsh units.

Hunters should be mindful that water (and muck) depths are highly variable, and it takes a lot of trial and error to learn where you can and cannot set decoys. For some areas, boat access may be the only or best option. Winchester and Frenchman waste ways (the two major drainages entering the west side of Potholes Reservoir) are crossable in some areas with chest waders, but use caution, as deep holes do exist and patches of muck can be difficult to exit, particularly when packing decoys.

### ***Early and Late Season Goose Hunting***

Hunters should continue to be excited about the goose bag limits being separated by species. This change will provide hunters to have the potential to put more birds in the bag. The changes will not affect where to go, but goose hunters in mid-October could increase their focus on white-fronted geese around Moses Lake, Winchester Lake, and along the Winchester Wasteway. There are no guarantees for those birds to be around during hunting season, but in typical years, there are 200-500 white-fronted geese for the first few weeks of the waterfowl season.

During the later parts of the waterfowl season, there have been increasing numbers of snow geese observed around Potholes Reservoir and even Moses Lake. Hunters pursuing those birds should focus efforts on the grain fields surrounding those reservoirs south of Interstate 90. In 2017 and 2018, approximately 1,500-2,500 snow geese spent the winter on Columbia National Wildlife Refuge. Those birds were frequently observed flying north towards agricultural fields surrounding Potholes Reservoir.

### ***Where to Hunt***

#### ***Regulated Access Areas***

Dogs are often a necessity for retrieving throughout most of District 5, but Regulated Access Areas (RAAs) have some shallow ponds that can be effectively hunted with only chest waders. Hunters can find time restrictions and the number of vehicles allowed for the RAA in the hunting pamphlet and Table 3 (below). These sites are Register to Hunt, so be sure to register at the box provided in the parking areas. We collect hunter information from these sites to inform management decisions and justify further habitat improvements. Each RAA is discussed in more detail below.




Figure 17. Regulated Access Area locations adjacent to game reserves closed to hunting.





Figure 18. Winchester Ponds Regulated Access Area.

### Winchester Ponds RAA

Winchester Ponds is the most popular RAA in the district and consistently has birds. Five blinds are distributed throughout the access area and are available on a first-come basis. Hunters are not required to hunt from blinds, as the area is open to free-roam. Typically all five parking spots are filled once access opens at 4 a.m. This RAA is only open during Goose Management Area 4 Goose Days.



**Figure 19.** Frenchman Ponds Regulated Access Area.

### Frenchman Ponds RAA

Frenchman Ponds had extensive restoration work performed in the past few years and will hold good numbers of waterfowl throughout the hunting season. The area is open to free-roam and allows for both upland and waterfowl hunting. Two wheel-chair accessible hunting blinds are open to all hunters but must be forfeited by non-disabled hunters if a disabled hunter requests the site. Disabled hunters will be able to drive to the blinds and park relatively close, but those hunters will need to contact the regional office at 509-754-4624 for details.

This area is open seven days a week throughout all hunting seasons.




Figure 20. North Potholes Regulated Access Area.

### North Potholes RAA

North Potholes RAA has unique hunting conditions because the Potholes Reservoir determines water levels within these ponds. Some identified hunt sites, like Ponds 3 and 5, could be dry, particularly from October through November during the hunting season. The lowest water levels probably occur during the first half of November. Because the deepest portions of these ponds do not dry out, extremely mucky conditions exist for early season hunting. Parking spots correspond to specific hunt sites. Hunters will be required to hunt within eyesight of identified sites in the field. Hunters must not hunt waterfowl away from their designated hunt site but may pursue other game, such as upland birds, mule deer, coyote, and cottontail rabbits, on a free-roam basis. Hunters pursuing species other than waterfowl are strongly encouraged to stay at least 400 meters (1/4 mile) from designated waterfowl hunt sites.

This area is open seven days a week throughout all hunting seasons.



## HUNTER COLLECTED DATA FROM RAA

**Table 2.** Data collected from Hunters at each RAA in District 5.


Regulated Access Area	Parking Spots	Register to Hunt	Hunt Days	Other
Winchester	5	Register on site	Wed, Sat, Sun; Mgmt Area 4 goose hunting days	No vehicles before 4 a.m.
Frenchman	5 + 2 ADA	Register on site	All huntable days	No vehicles before 4 a.m.
North Potholes	5	Register on site	All huntable days	No vehicles before 4 a.m.

<u>Harvest</u>			<u>Harvest</u>			<u>Harvest</u>		
Winchester			Frenchman			North		
Ponds	Duck	Goose	Ponds	Duck	Goose	Potholes	Duck	Goose
2011-12	299	11	2011-12	142	4			
2012-13	738	19	2012-13	300	10			
2013-14	507	26	2013-14	149	3			
2014-15	1067	34	2014-15	281	4			
2015-16	597	12	2015-16	461	9	2015-16	110	11
2016-17	249	27	2016-17	368	7	2016-17	268	35
2017-18	165	5	2017-18	394	25	2017-18	297	25
2018-19	454	17	2018-19	336	7	2018-19	108	9
2019-20	890	33	2019-20	382	9	2019-20	94	14
2020-21	602	5	2020-21	407	4	2020-21	24	5
2021-22	390	12	2021-22	387	1	2021-22	94	7
<b>Average</b>	<b>542</b>	<b>18</b>	<b>Average</b>	<b>328</b>	<b>8</b>	<b>Average</b>	<b>142</b>	<b>15</b>


### *Other public lands*

Common opinion amongst some hunters is that the RAAs discussed previously are the **best** option for public waterfowl hunting. While this opinion may hold true under the right circumstances, it is not always the case. When migrant waterfowl are in the area, just about any suitable site can be productive. Many places throughout the Columbia Basin provide excellent hunting opportunities.

One of the more popular waterfowl hunting areas is Potholes Reservoir. The abundance of small dune islands, where hunters find cover, makes this an attractive area. Most hunters use the northern portion of the reservoir, where they find shallow water and numerous islands. New hunters should be aware that Potholes Reservoir water levels do increase dramatically through the hunting season. Hunters looking for less hunting pressure should choose weekdays.



**Figure 21.** Aerial imagery showing difference between high water (June) and low water (September) levels on Potholes Reservoir.



**Figure 22.** Potholes Reservoir water surface elevation (in feet) during waterfowl season. Note that water surface elevation is measured at the O’Sullivan dam and some lag in flooding will occur in the upper portions of the reservoir.

Winchester Lake is another location where hunters can expect to see good numbers of ducks but hunting pressure can be relatively high there too. Winchester Lake sits in a prime location, getting traffic from mallards that feed on grain corn in the surrounding area. Ducks typically come from Winchester Game Reserve, Potholes Game Reserve, Moses Lake, and/or the Wanapum Closure to feed in fields, and they occasionally attempt to shorten their commute to the roost by stopping at Winchester Lake.

Realistically, there are very few “secret spots” within the Columbia Basin. There are just places that are hunted less frequently. Hunters willing to put some time into exploring new areas will likely discover a few gems. Walk-in areas that hold waterfowl include the following: Desert Unit, Lower Crab Creek, and Royal Lakes. Most of these areas are predominantly public land.

## SMALL GAME

### DISTRIBUTION AND POPULATION STATUS

Small game in District 5 consists primarily of bobcats, raccoons, foxes, crows, coyotes, and cottontail rabbits. There are no sizeable populations of forest grouse, but there is a small population of turkeys in the northern portions of GMU 272. We do not conduct formal surveys to assess the population status of small game species. Bobcats occur in small numbers, and harvest is relatively low. Raccoons occur in fair numbers in association with wetlands and residential developments when adequate habitat exists. Fox farms occurred adjacent to the Columbia Plateau during the early 1900s but declines in fur prices during the 1950s resulted in foxes being released into the wild. A few descendants of these individuals occur and can still be found. However, these introduced foxes are still considered relatively uncommon, with most reports coming from areas north of Moses Lake. Crows are typically hunted in areas where damage occurs but hunting opportunities for crows locally are limited. Coyotes are a common and wide-spread small game species within the district. Hunters interested in pursuing coyotes should be sure to spend time refining their tactics and be patient when making calling sets. There are many online resources available to interested hunters, and many landowners are willing to allow access for hunters who ask permission.

Cottontail rabbits are widespread and common throughout District 5, in areas of optimal habitat. In native landscapes, hunters should look for rock outcrops, greasewood patches, or other brushy thickets where suitable escape cover occurs. These rabbits are often found along habitat edges. Therefore, focusing efforts in areas where two or more of their preferred habitats occur will produce the best results, particularly if green forage is nearby. On private lands, cottontails can be found within and around equipment storage areas or rock piles. To be successful hunting rabbits, hunters should cover lots of ground while “kicking” brush. Stopping periodically will cause nearby rabbits to become nervous and they will oftentimes flee when you resume walking, providing a brief shooting window. Another popular way to hunt rabbits is using trained beagles. Hunters targeting cottontails must be able to differentiate between cottontails and pygmy rabbits, which are a federally endangered species. Pygmy rabbits look like cottontails but have a brown tail. Pygmy rabbits are found in small pockets of shrubsteppe and CRP habitat. Hunters would likely only encounter pygmy rabbits north and northwest of Ephrata.

## PUBLIC LANDS

### WDFW-MANAGED LAND

The Columbia Basin Wildlife Area contains about 190,000 acres and provides essential or critical habitat for hundreds of species. These lands exist to allow for sustainable wildlife populations while providing compatible recreational opportunities. For more information on this wildlife area, please visit the WDFW Lands [website](#). Visitors to the wildlife area need to be aware that a Discover Pass or Vehicle Access Pass is required to access all WDFW lands.

### DEPARTMENT OF NATURAL RESOURCES

The Washington Department of Natural Resources maintains lands that are open to the public for compatible recreational purposes. Visitors to DNR land should be aware that a Discover Pass is required for access. Further information regarding recreational opportunities on DNR land can be found [here](#).

### U.S. FISH AND WILDLIFE SERVICE

The U.S. Fish and Wildlife Service manages land to conserve, protect, and enhance fish, wildlife, plants, and their habitats for the continuing benefit of the American people. The Columbia and Saddle Mountain National Wildlife Refuges, Hanford Reach National Monument, and lands owned by the Department of Energy are managed by the USFWS in District 5. They have strict hunting regulations, which can be found [here](#).

### NATIONAL FOREST

There is no national forest in District 5.

### BUREAU OF LAND MANAGEMENT

The Bureau of Land Management manages land to sustain its health, diversity, and productivity for the use and enjoyment of present and future generations. Some BLM land is found in District 5 and is open to public hunting and other compatible uses. For more information regarding BLM property, please visit the [BLM website](#).

### BUREAU OF RECLAMATION

The Bureau of Reclamation (BOR) manages, develops, and protects water and related resources in an environmentally and economically sound manner in the interest of the American public. Their land is open to public use for compatible recreational purposes. Much, but not all, of the BOR property in District 5 is managed by WDFW. Further information regarding recreational opportunities on BOR lands can be found [here](#).

## PRIVATE LANDS

### LAND OWNERSHIP

Whether hunting, hiking, or wildlife viewing, it is important to respect private property rights and always ask permission before entering private lands. Fortunately, technology has made the process of ownership determination easy. Simply log on to the [Adams County parcel map](#) or the [Grant County parcel map](#) and use the interactive map program to zoom into your area of interest. Clicking on the parcels will reveal landowner information. The disadvantage of these resources is the lack of portability and difficulty scanning a large area for the availability of public land. However, these are by far the best available resources for identifying ownership of specific locations. The best resource available for identifying where public land occurs is the [Department of Natural Resources public lands quadrangles](#) (1:100k), available for a fee at the DNR website. Other mobile applications are now readily available and can be purchased through various sources, with a little sleuthing hunters can find lots of information.

### PRIVATE LANDS PROGRAM

Since 1948, WDFW has worked with private landowners statewide to provide public access through negotiated agreements. Landowners participating in a WDFW cooperative agreement retain liability protection provided under [RCW 4.24.210](#). Landowners receive technical services, materials for posting (signs and posts), and in some cases monetary compensation. These lands under the agreement are well-known by WDFW Enforcement.

Currently, the private lands access program includes four basic access agreement types: Feel Free to Hunt, Register to Hunt, Hunt by Written Permission, and Hunt by Reservation. For more information, see [WDFW's private lands webpage](#). Currently, there are approximately 179,000 acres of private property in District 5 that are accessible to hunters through these agreements. When accessing these lands, hunters should obey all the rules posted and should also be respectful of the private property that is open to public access. Most complaints received from hunting access cooperators concern hunters not following rules and being disrespectful. Many hunters are not aware of the tremendous opportunities that are available on these private properties. With a little scouting and planning, hunters could improve their odds of success. Find more information on where these enrolled lands occur at [WDFW's private lands search](#) or use the [Mobile Hunting Regulations](#) mapping feature.

Private Lands Access Program	Grant County	Adams County
Feel Free To Hunt	14,296	7,767
Hunt By Written Permission	31,679	107,857
Hunt By Reservation (Online)	18,138	2,051
<b>TOTAL</b>	<b>64,113</b>	<b>117,675</b>

**Table 3.** Approximate acreage of access available by access type.

## ADA ACCESS

The Ephrata District maintains a few sites to help people with disabilities. These sites occur at Rocky Ford Creek (Drumheller Pond), Buckshot Ranch, and the Frenchman Ponds Regulated Access Area. Hunters must have a Disabled Hunter Permit to access hunting areas behind locked gates. For additional information, please call or write to WDFW's Title VI Coordinator, WDFW, 360-902-2349, Fax: 360-902-2392, or Email: [title6@dfw.wa.gov](mailto:title6@dfw.wa.gov)

**Rocky Ford Creek Directions:** Travel south from Ephrata on SR 282 for 7.2 miles. Turn right onto Neppel Road (Old Moses Lake Highway). Go 0.1 miles and turn right at the public fishing sign. Continue 0.5 miles to the access site. The access duck blind is on a small pond off the creek. A vehicle can be used to drop off a disabled hunter next to the blind. The ground around the blind is rough and access into the water is best with a small hand launch boat or raft. An accessible vault toilet is in the parking lot located nearby for the walk-in anglers. The use of the blind is by reservation only. Hunters can obtain a key from the Ephrata Regional Office by calling 509-754-4624.

**Buckshot Ranch:** Drive south on SR 243 along the Columbia River from Vantage toward Mattawa. Turn right (west) onto Road 26 SW and go about one mile to the Priest Rapids/Buckshot Wildlife Area. Follow the gravel road into a parking area and turn right between two fence posts. Follow the dirt road north 0.25 miles to a locked gate on the left. A ground-level roll-in goose pit blind is available with seasonal success dependent on weather. Call the Ephrata Regional Office at 509-754-4624 to reserve the blind and obtain a key.

**Frenchman Ponds Regulated Access Area:** From Moses Lake, travel south on Highway 17 to Road M SE and turn right (south). Continue on Road M for about six miles and turn right (west) onto Highway 262 (O'Sullivan Dam Road). Continue on Highway 262 across O'Sullivan Dam and past Potholes State Park and turn right (north) onto Road C SE. Proceed north on Road C SE for 1.4 miles and look for the disabled access gate on the left-hand side of the road. For further detail, see the map in the Regulated Access Area section of this document. Call the Ephrata Regional Office at 509-754-4624 to reserve the blind and obtain a combination to the lock.

Additional opportunities may be available to those seeking accommodations. Please contact WDFW's Title VI Compliance Coordinator at 360-902-2703 or email [title6@dfw.wa.gov](mailto:title6@dfw.wa.gov).

## ADDITIONAL INFORMATION

### YOUTH HUNTING OPPORTUNITIES

#### *Waterfowl*

There is a youth hunt scheduled for Oct. 1, 2022 and Feb. 4, 2023. Both dates will provide tremendous opportunities to get kids out hunting. Additionally, the Feb. 4 hunt day has the potential to be an awesome opportunity. That date is **after** the general waterfowl season, which is great for hunters because at that time there are typically more ducks in the area. Additionally, those ducks will be widely distributed and will have become habituated with no hunting pressure.

#### *Pheasants*

WDFW and the Columbia Basin Chapter of Pheasants Forever have been collaborating in recent years to host a day of pheasant hunting during the youth season. At the time of this publication, the status of the event is uncertain, but the event typically takes place on the first Saturday of the Upland Youth Hunt weekend. WDFW Hunter Education instructors will be onsite and will help with shooting instruction and offer “loaner” shotguns, and volunteers will be providing dogs to assist youth hunters. Additionally, Pheasants Forever typically provides food for all hunters and parents and will also give away items to youth hunting participants. For more information, check the [Columbia Basin Chapter of Pheasants Forever - Facebook Page](#).

### BIRD DOG TRAINING

District 5 does not currently have any areas designated for bird-dog training, although work is underway to develop a dog training area. Any training on WDFW land must be within the established bird-dog training season, which runs from August 1 – March 31. Please see the website and regulations booklet for more details.

### TARGET SHOOTING

Per [WAC 220-500-140](#), target shooting is allowed on WDFW-managed lands, but there are restrictions that should be understood. In order for shooters to gain that understanding, they are strongly encouraged to review the information posted [here](#).

**Table 4.** Information for shooting range facilities.

<b>County</b>	<b>Name</b>	<b>Contact</b>
Adams	Lind Golf & Gun Club	509-671-3314
Adams	Othello Gun Club	509-488-3768
Adams	Ritzville Gun Club	Gun Club Road, Ritzville
Adams	Washtucna Gun Club	509-646-3263
Grant	Boyd Mordhorst Memorial Range Ephrata	509-345-2550
Grant	Coulee City Sportsmen	509-632-5137
Grant	Marlin Trap Club	509-982-2445
Grant	Moses Lake Gun Club	509-765-1382
Grant	Quincy Gun Club	509-787-5506

## **TOOLS AND TECHNOLOGY**

Numerous resources exist to assist hunters in finding hunting opportunities and improving their experiences. WDFW has created numerous mapping tools that identify public and private lands and their associated regulations. WDFW also provides the public with access to our Status and Trends Reports, Management Plans for species, and harvest statistics. These can all be found on the [WDFW website](#).

Handheld GPS units can help identify your locations in remote places, but even smartphones can work in areas with and without cellular reception. Numerous resources are available through retailers to assist in mapping and comfort, but scouting, shooting proficiency, and learning wildlife habits will provide the best chances of improving your hunting success.

## **BE A WILDLIFE STEWARD - GET INVOLVED**

WDFW and other agencies are always looking for good volunteer assistance in improving habitat for wildlife. Find time to help with wildlife-related projects and encourage kids to learn about nature and our wildlife heritage through our [WDFW Volunteer Program](#).

## **HUNTER TUTORIALS AND RESOURCES**

*If pages won't open on your browser, try a different browser (e.g., Google Chrome rather than Internet Explorer)*

**Share the Land and Clean-up after Yourself:** Large expanses of healthy connected public lands are necessary to ensure the persistence of wildlife species with healthy and sustainable populations. Respect and share the land, which means cleaning up after yourself and eliminating impacts. Pick up your shells, carry out your garbage, and tread lightly.



## **Hunting Ethics and Fair Chase:**

[pope-young.org/fairchase/](http://pope-young.org/fairchase/)

[boone-crockett.org/boone-and-crockett-defining-fair-chase](http://boone-crockett.org/boone-and-crockett-defining-fair-chase)

[wdfw.wa.gov/hunting/requirements/ethics-safety/conduct](http://wdfw.wa.gov/hunting/requirements/ethics-safety/conduct)

## **“How to Hunt”**

**Hunter Education:** Many links to resources about specific topics

[wdfw.wa.gov/hunting/requirements](http://wdfw.wa.gov/hunting/requirements)

**Hunting Clinics and Publications:** Thorough explanations about the basics of hunting, from wildlife behavior to hunting tips and tactics.

[wdfw.wa.gov/hunting/requirements/hunting-clinics](http://wdfw.wa.gov/hunting/requirements/hunting-clinics)

**How to Prepare for the Season:**

<https://wdfw.wa.gov/hunting/requirements/preparing-to-hunt>

**First Hunt Foundation** (mentored hunt):

[firsthuntfoundation.org](http://firsthuntfoundation.org)

**Many Additional Resources:** WDFW’s website has many documents and plans that give details on the history of wildlife, management harvest statistics, and other items of interest. They can be found here:

[wdfw.wa.gov/hunting](http://wdfw.wa.gov/hunting)

## **“Where to Hunt”**

WDFW maintains a web map tool that allows you to zoom into different areas and indicate the hunt-type of interest. You can see different land ownerships and regulations on different parcels:

[geodataservices.wdfw.wa.gov/huntregs](http://geodataservices.wdfw.wa.gov/huntregs)

**WDFW Public Lands:** Be aware there are some closed areas and Game Reserves where hunting and trapping are prohibited. Read the Regulations Pamphlet and read and obey signs.

[wdfw.wa.gov/hunting/locations](http://wdfw.wa.gov/hunting/locations)

[wdfw.wa.gov/about/wdfw-lands](http://wdfw.wa.gov/about/wdfw-lands)

[wdfw.wa.gov/hunting/locations/pheasant-enhancement](http://wdfw.wa.gov/hunting/locations/pheasant-enhancement)

**Other Government Lands:** Washington Department of Natural Resources and federal public's lands are generally available for hunting. Read the agency's regulations, read and obey signs, and do not cross fences without permission.

DNR: [www.dnr.wa.gov/go#hunting-and-fishing](http://www.dnr.wa.gov/go#hunting-and-fishing)

Bureau of Reclamation: [www.usbr.gov/assetmanagement/](http://www.usbr.gov/assetmanagement/)

USFWS Refuges: [www.fws.gov/refuges/hunting/](http://www.fws.gov/refuges/hunting/)

**Private Lands:** Many private landowners allow hunting on their property, although permission requirements vary. Some allow anyone to enter without permission and some require written permission. Each landowner's parcel indicates the permission type required, species that can be found there, and specifics about the parcel.

[wdfw.wa.gov/hunting/locations/private-lands](http://wdfw.wa.gov/hunting/locations/private-lands)

## LITERATURE CITED

Buller, R. J. 1975. Redistribution of waterfowl, the influence of water, protection, and feed. International Waterfowl Symposium 1:143–154.

Rabenberg, M. J. 1982. Ecology and population dynamics of mallards wintering in the Columbia Basin. M.S. Thesis, University of Montana, Missoula. 135 pp.

Munro, R. E., and C. F. Kimball. 1982. Population ecology of the mallard: VII. Distribution and derivation of the harvest. U.S. Fish and Wildlife Service Resource Publication 147.