



Washington
Department of
**FISH and
WILDLIFE**

Summary of Washington Pacific Halibut Fisheries Management in 2014

December 2014

Washington Department of Fish and Wildlife
48 Devonshire Road
Montesano, WA 98563

**WASHINGTON DEPARTMENT OF FISH AND WILDLIFE
SUMMARY OF PACIFIC HALIBUT FISHERIES MANAGEMENT IN 2014**

The purpose of this report is to summarize the Washington Department of Fish and Wildlife’s (WDFW) management and enforcement activities for the 2014 Pacific halibut fisheries. It includes a synopsis of Washington’s recreational catch and incidental halibut catch in the sablefish fishery north of Point Chehalis. A summary of WDFW’s enforcement efforts relative to patrolling recreational and commercial halibut fisheries during 2014 is attached.

Washington’s Recreational Halibut Fisheries in 2014

Washington’s halibut fisheries are managed under the Pacific Fishery Management Council’s Pacific Halibut Catch Sharing Plan for Area 2A. The catch sharing plan specifies how the Area 2A total allowable catch (TAC) as defined by IPHC is allocated or “shared” among various state commercial and recreational sectors. For Washington, WDFW manages its recreational fisheries by subarea. These subareas are:

1. Puget Sound (inside waters east of the Sekiu River, including Puget Sound)
 - Eastern Region (inner Sound waters east of Low Point)
 - Western Region (Strait waters west of Low Point)
2. North Coast (waters in the Strait of Juan de Fuca west of the Sekiu River and Pacific Ocean waters south to the Queets River)
3. South Coast (Pacific Ocean waters south of the Queets River to Leadbetter Point)
4. Columbia River (Pacific Ocean waters south of Leadbetter Point to Cape Falcon, Oregon)

A summary of Washington’s recreational halibut seasons for 2014 is described in Table 1.

Table 1. Washington recreational halibut seasons, catch, and average weight by subarea

Subarea	Quota (lbs)	Catch (lbs)	Avg Wt (lbs)	Season Dates
Puget Sound	57,393			West: May 22–25, May 29-31, June 7 East: May 9 – 10, May 17, May 22-25, May 29 – 31, June 7
North Coast	108,030	112,002	18.47	May 15, 17, 22, 24
South Coast	42,739	45,903	18.62	Primary: May 4, 6, 11, 13, 18
Columbia River ^{1/}	11,895	7,630	14.13	Early: May 1 – Aug 3 Thu-Sun; Late: Aug 7 – Sept 28 Fri-Sun

^{1/} Columbia River harvest is Washington catch only.

Halibut are measured at the dock and the lengths of the samples are then converted to weights. On the coast, lengths are taken throughout the season on a weekly basis and applied to the number of halibut caught to project the total catch in pounds. The catches are then monitored and the fisheries are closed when they are projected to attain their respective subarea quota.

North Coast Subarea

The general management structure for the north coast subarea has remained unchanged since 2009 when revisions were made to provide better notification of fishery closures and re-openings resulting from in-season quota management. The fishery in this area is structured to be open on Thursdays and Saturdays and is initially scheduled to be open for the first two weeks. A management closure is in place during the third week to tally the early season catch and provide sufficient notice to anglers if sufficient quota is remaining to offer additional fishing days. The total catch in north coast subarea was 112,002 pounds after four days. No additional fishing days were allowed after the management closure.

South Coast Subarea

The South Coast subarea is structured to open on the first Sunday in May and continue two days per week (Sunday and Tuesday) for three consecutive weeks before a management closure the following week. Similar to the north coast subarea, the management closure provides adequate time to monitor quota attainment and provide advance notice of a potential closure. Two thousand pounds or 10 percent of the subarea quota is reserved for incidental catch in the nearshore area which is open seven days per week. In 2014, the primary season was only open for five days and was closed prior to the management closure. Catch during the primary season totaled 44,637 pounds exceeding the primary season allocation of 40,739. The nearshore fishery was closed after 1,266 of the nearshore allocation of 2,000 pounds was caught to minimize the amount that the overall south coast subarea allocation would be exceeded.

Columbia River Subarea

The Columbia River Subarea allocation has not been obtained in recent years so changes to the season structure have been focused on increasing fishing opportunity. In 2014, the season structure for this subarea was revised to increase the days of the week that the season was open from Friday to Sunday to Thursday through Sunday. In addition, a nearshore area was established where groundfish could be retained with halibut on board on days not open to the all depth fishery. To minimize encounters with overfished species such as yelloweye and canary the only groundfish that can be retained during with a halibut on board during the all depth fishery are sablefish and Pacific cod. The addition of a nearshore area is intended to increase fishing opportunity while continuing to protect overfished species by allowing groundfish retention in the area where interaction with overfished species is not likely. In 2014, the early season opened on May 1 and continued four days per week, Thursday through Sunday through September 28. A total of 6,823 pounds of halibut were landed in the Washington portion of the Columbia River subarea during the all depth fishery. Thirty-two pounds of halibut were landed in the Washington portion of the Columbia River subarea in the nearshore fishery that was open Mondays through Wednesdays from May 5 through September 30.

Puget Sound Subarea

Inseason catch estimates are not available for the Puget Sound fishery so fishing seasons are set after the quota is announced using historical catch data to project the season length that will achieve but not exceed the subarea quota. Fishing effort and catch rates have increased in this area over the past several years and has resulted in fewer open days per week and shorter seasons overall.

WDFW held a public meeting in early February, following the IPHC Annual Meeting, to gather public input prior to setting the 2014 seasons. In setting the 2014 season, the number of days available was applied to the entire Puget Sound region with an additional focus on setting the seasons in the two regions so they overlapped as much as possible to reduce the overall length of the Puget Sound. In 2014 the Puget Sound season was open a total of 11 days compared to 14 days in 2013.

Puget Sound Recreational Halibut Catch Estimation Methodology

WDFW produces catch estimates for the Puget Sound recreational halibut fishery using data from two sources—creel surveys by port samplers collect catch information (without an estimate of effort) and total effort is derived from a random phone survey. Sampling coverage is driven by a requirement to maintain a minimum of a 20% sampling rate on marked-selective Chinook salmon fisheries and is limited by funding availability. Fortunately (from a sampling perspective), the Puget Sound halibut fishery occurs in only a few Marine Catch Areas (MCAs) when there is little salmon opportunity with a season of about 8-11 days (across two months—May and June—which are combined into one Wave). In recent years, the sampling rate for the Puget Sound halibut fishery has ranged from 25-50%, achieving closer to 25% on average.

In response to a recommendation by the federal Marine Recreational Information Program (MRIP), WDFW revised its port sampling site selection process to apply weights to the different sites. The weight values were developed to assist the sampling program in selecting the sites to be sampled and to correct for the sites that have a low probability of being selected. However, there is still some subjectivity involved in site selection, and initial weight values were assigned based on the likelihood of being sampled with the intent of achieving the required 20% sampling rate for Chinook salmon.

WDFW is in the process of reviewing its site weight assignments and determining the appropriate values for the sites for the halibut fishery. Once we have completed that review, we will revise the weights for the halibut sites and re-calculate our official catch estimates for 2012, 2013, and 2014, and provide those estimates to IPHC.

Additionally, WDFW has submitted a grant proposal to fund an intensive sampling effort for the Puget Sound recreational halibut fisheries in 2015 to help us ground-truth our assumptions, revised site weights, and catch estimation methodology. We look forward to working with IPHC staff as we work through the details of the site weighting process and develop the proposed intensive sampling plan.

Canadian Halibut Landed Into Neah Bay

As part of WDFW's port sampling efforts for recreational halibut fisheries, we also sample the halibut caught in Canadian waters and landed into Neah Bay from March through October. The number of Canadian halibut landed into Neah Bay totaled 629 in 2014 which is less than in 2013. The amount of Canadian halibut landed into Neah Bay has decreased significantly since 2010 likely due to increasing restrictions implemented by the Department of Fisheries and Oceans Canada on recreational halibut regulations and licensing requirements for the waters adjacent to Neah Bay. Table 2 summarizes the Canadian halibut catch landed into Neah Bay for 2010-2014.

Table 2. Canadian halibut landings into Neah Bay, Washington, 2010-2014.

Year	# Boats	# Anglers	# Halibut
2014	295	797	629
2013	390	1,107	690
2012	335	833	595
2011	425	1,253	880
2010	539	1,629	1,245

Incidental Halibut Catch in the 2014 Sablefish Fishery North of Point Chehalis, WA

The 2A Halibut Catch Sharing Plan provides for incidental landings of halibut in the primary longline sablefish fishery north of Pt. Chehalis, Washington, in years when the Area 2A TAC is greater than 900,000 lbs. The primary directed sablefish fishery north of Point Chehalis will be allocated the Washington sport allocation that is in excess of 214,110 lb, provided a minimum of 10,000 pounds is available. The amount of halibut allowed in the directed sablefish fishery is capped at 70,000 lbs; any remaining allocation is transferred back to the Washington recreational fishery and divided among the subareas according to the methodology described in the Plan. The 2014 area 2A TAC was 960,000 pounds and the initial Washington sport allocation was 228,384 leaving 14,274 for incidental halibut landings in the longline sablefish fishery. The Pacific Fishery Management Council adopted a 75 pound halibut per 1,000 pound sablefish limit per landing with up to two additional halibut in excess of the 75 pounds per 1,000 pound landing ratio allowed per landing (both dressed weight, halibut with head-on). The sablefish fishery extends from April 1 through October 31 with associated halibut landings allowed beginning April 1.

Twelve vessels made a total of 42 landings containing halibut in the directed tier-limit sablefish fishery north of Pt. Chehalis. The total catch of dressed, head-off halibut in the directed sablefish fishery north of Pt. Chehalis at the conclusion of the fishery on October 31 was 12,224 pounds which is 86 percent of the established quota. The incidental halibut landings in the sablefish fishery north of Point Chehalis from 2010-2014 are summarized in Table 3.

Table 3. Incidental Halibut in the Sablefish Fishery North of Pt. Chehalis

Year	Vessels	Landings	Quota	Catch	% of Quota
2014	12	42	14,274	12,224	85.6
2013	14	53	21,173	14,151	66.8
2012	11	32	21,173	5,010	23.7
2011	n/a	n/a	0	n/a	n/a
2010	n/a	n/a	0	n/a	n/a

Summary

WDFW plans to continue to monitor and sample our recreational and commercial fisheries, including the amount of halibut caught in Canadian waters and landed into Neah Bay; continue to take a precautionary approach when setting our Puget Sound season; maintain our

enforcement efforts during the halibut recreational fisheries; and monitor the efforts to document halibut bycatch in the West Coast commercial fisheries and recommend appropriate action through the Pacific Fishery Management Council.