Draft Simcoe Mountains Unit Management Plan

Coordinated Resource Management



Open views above Dairy Canyon, Simcoe Mountains Unit. Photo by Alan L. Bauer.



Table of Contents

Introduction	4
Summary	4
Property Description	5
Manageability and Viability	8
Multiple Benefits	
Climate Change	8
Adaptive Management Process	9
Forest Management Plan	
Forested Uplands Management Strategy	
Priority Habitat Species	
Western Gray Squirrel Management Strategy	
Oregon White Oak Management Strategy	
Commercial Forest Management	
Resilient Working Forest Adaptive Management Strategy (RWFAMS)	15
Climate Change Considerations	
Small Scale Forest Management Projects	
Management Summary	
Commercial Treatment Project Timeline	
Next Steps	
Summary	
Range Management	
Literature Review	
Management	
Wildlife and Habitat Management	
Invasive Species and Plants	
Recreation Management	
Neighboring Public Lands	
Hunting	
Compatible Recreational Uses	
Non-Compatible Recreational Uses	
Hydrology	



Streamflow	
Water Quality	
Fisheries	
Water Use and Water Rights	
Climate Change	45
Hydrology Management Goal and Objectives	
Cultural Resources	
Cultural Resources Inadvertent Discovery Plan	
Contacts	
Culturally Important Natural Resources	
Infrastructure and Maintenance	
Infrastructure Inventory	
Infrastructure Maintenance	
References	55
Appendices	
a) Simcoe Mountains Unit Goals, Objectives, and Performance Measures	
b) Memorandum of Understanding	60

Individuals who need to receive this information in an alternative format, language, or who need reasonable accommodations to participate in WDFW-sponsored public meetings or other activities may contact the Title VI/ADA Compliance Coordinator by phone at 360-902-2349, TTY (711), or email (<u>Title6@dfw.wa.gov</u>).

Introduction

Summary

In June 2016, the Eastern Klickitat Conservation District (EKCD), the Central Klickitat Conservation District (CKCD), and the Washington Department of Fish and Wildlife (WDFW) signed a Memorandum of Understanding (MOU) (Appendix B) to facilitate the habitat conservation and stewardship of lands in the Simcoe Mountains, in Klickitat County. One of the agreements in the MOU called for the development of a Simcoe Mountains Unit Property Management Plan using the established guidelines of the Coordinated Resources Management process. The Simcoe Mountains Unit Coordinated Resources Management (CRM) community process was initiated in September 2016 by the EKCD, CKCD, and the WDFW. The CRM planning process was designed to provide a collaborative approach to the development of an adaptive property management plan to include components for each of the Conservation Values within the MOU which are: Recreational Values, Fish Habitat Values, Wildlife Habitat Values, Water Quality, Quantity, and Hydrology Values, and Working Lands Values, including grazing and forestry.

Participants in the CRM and the development of this Property Management Plan includes representatives from: WDFW, EKCD, CKCD, Yakama Nation, Klickitat County, grazing permittees, NRCS, Western Pacific Timber, Columbia Land Trust, neighboring landowners, and the local outdoor recreation community. Anyone is welcome to participate in the CRM process at any time.

All participants in the CRM process agreed to the following Objectives Statement for the Simcoe Mountains Unit management plan:

"Collaborative management, habitat stewardship, and conservation for multiple uses – cultural, recreation, working lands, fish and wildlife."



Bickleton Ridge Star Flower. Photo by Alan L. Bauer.



Participants also agreed to a plan format, which would include chapters addressing forest management, range management, wildlife/and habitat management, recreation management, hydrology, cultural resources, and infrastructure and maintenance. Subgroups from the CRM participants were assigned to write individual chapters, which were each then reviewed by all participants for review and comment. Participants reviewed the plan again together and reached consensus on the final drafts of each chapter. This was accomplished by meeting monthly until all chapters had been completed. The final Simcoe Mountains Unit Management Plan is included as an addendum to the Klickitat Wildlife Area Management Plan, though the process of writing the content of the Simcoe Mountains Unit Management Plan is unique and distinct from the other portions of the Klickitat Wildlife Area Plan.

Property Description

The 10,314-acre Simcoe Mountains Unit is located in the Simcoe Mountains, which define the southeastern extent of the Cascade Range in Washington (Figure 1 and 2). The Simcoe Mountains are the initiation point for the Rock Creek drainage, representing one of the most diverse fish and wildlife habitats in southcentral Washington. The upper riparian zones of the Rock Creek basin are comprised of ponderosa pine, Douglas fir, and Oregon white oak communities, while the midelevation riparian areas are made up of a unique, high-quality white alder plant community not found in other areas of eastern Washington. The area within the Simcoe Mountains Unit includes mixed conifer forest, Oregon oak woodlands, white alder, grassland, shrubsteppe, basalt cliffs, talus, riparian, and in-stream habitats. Collectively, these habitats support the life needs of a variety of wildlife and fish species. Priority species protected in this area include federally listed steelhead, Chinook salmon, state-threatened western gray squirrel, and a significant mule deer population. Recreation uses include deer and turkey hunting, hiking, and wildlife and wildflower viewing.

The Simcoe Mountains Unit connects lands managed by the **Bureau of Land Management** (BLM), Yakama Nation, The Nature Conservancy, Washington State Department of Natural Resources (DNR), Washington State Parks and **Recreation Commission**, and other large private forest and ranch lands. The management of this Unit presents a unique partnership opportunity between WDFW, East and **Central Klickitat County** Conservation Districts, and multiple partners organized through the CRM process. Goals for the Simcoe Mountains Unit include long-term protection of riparian and upland fish and



Simcoe Mountains Unit. Photo by Alan L. Bauer.



wildlife habitat that provide connectivity from the upper Rock Creek watershed to the Columbia River, within a working lands framework of compatible grazing and forestry.





Figure 1. Simcoe Mountains Unit Vicinity Map.



Figure 2. Simcoe Mountains Unit Map.





Manageability and Viability

The Simcoe Mountains and Rock Creek drainage have abundant fish and wildlife resources partially because ownership is in a large intact block. The watershed is either in federal, tribal, state, or private ownership. The CRM process includes state, federal, tribal, county, and private entities to support a long-term partnership within a working lands framework of compatible grazing and forestry. Each entity is committed to continued watershed, wildlife, and habitat management with compatible grazing and forestry, while at the same time ensuring long-term protection of important wildlife habitat through the development of a management plan using the CRM process.

Multiple Benefits

The land ownership and management program for the Simcoe Mountains Unit will reflect the community values of working lands while providing long-term habitat protection and public access to a part of eastern Klickitat County, which has little public land ownership or access.

The Simcoe Mountains Unit offers non-motorized recreational activities including hiking, biking riding, horseback riding, wildlife viewing, hunting, and mushroom and berry picking. This area has significant historical, cultural, and recreational value to the local community.

Established management practices will be used to enhance habitat and species diversity and complexity. A myriad of opportunities for stream and riparian enhancements are possible. Aquatic-related enhancements might include elimination of fish barriers, fencing of key riparian areas, restoration of riparian vegetation, introduction of wood structures into the stream environment, and nutrient enhancement. Habitat enhancements for terrestrial species will include activities such as road maintenance, forest management activities designed to improve forest stand health, weed treatments, restoration of native plant communities, prescribed burns, recovery of previously burned areas, and grazing with the development of a rotational grazing strategy. Long-term monitoring of the habitat and species diversity, helps contribute to steelhead recovery, supports working lands with sustainable grazing and forestry, and promotes outdoor recreation and healthy lifestyles by securing public access.

Climate Change

Washington is experiencing the effects of climate change consistent with those observed globally. These changes include higher temperatures, increased drought frequency and severity, a longer frost-free season, decreased spring snowpack, warming stream temperatures, shifts in streamflow timing and magnitude, and longer and more widespread wildfire seasons. Researchers project these shifts will accelerate in coming years and are expected to fundamentally alter certain ecological processes, creating challenges for the survival of imperiled species and the integrity of vulnerable ecosystems. Despite the uncertainty associated with projecting future landscape conditions, it's important to evaluate risks to climate-sensitive activities and integrate appropriate responses into decision-making, project design, and implementation.

This management plan incorporates climate change considerations into each chapter, with the goal of assessing climate change impacts in the context of other conservation threats or stressors, where relevant, and including appropriate measures to mitigate those risks.



Adaptive Management Process

Each January, WDFW will coordinate a facilitated meeting for Simcoe Mountain Unit CRM participants to evaluate progress toward plan goals. CRM participants will contribute agenda items 30-days prior to the annual meeting date and the facilitator will develop the agenda. The agenda will include all known updates, plans, and issues that may affect the Simcoe CRM for the coming year. This may include any of the objectives, strategies, and tasks listed in the management plan. This review would also include WDFW policy work that may affect the Simcoe Mountains Unit, WDFW and Conservation District project funding opportunities, and an after-action review of previous year's communication and coordination.

The meeting will also provide an opportunity to update and identify projects for the coming year with discussion of goals, objectives, strategies, and tasks. The Goals, Objectives, Strategies, and Tasks list as well as the identified project leads will guide the implementation and timing of the projects. CRM participants will have the opportunity to provide input, recommendations, and participate in project development (either at the meeting or in committees as needed). The Wildlife Area Manager will oversee all the projects and ensure the leads are communicating progress to the CRM participants. As projects arise during the year that need immediate attention, participants can contact the Wildlife Area Manager and then the project lead will communicate with the CRM participants.

In response to non-consensus a participant can request the Wildlife Area Manager to convene the Simcoe Unit CRM for a facilitated discussion. The participants/committee will present the issue to the CRM participants, and will use a variation on basic consensus, as defined below.

In discussing an issue participants agree to:

- Listen with an open mind and be willing to consider perspectives and ideas that come up in the discussion.
- Try to understand the reasoning of the other participants.
- Describe their reasoning briefly so others can understand them.
- Avoid trying to make other people change their minds.
- Resist changing a position simply to reach agreement, while still having significant reservations.
- View differences of opinion as helpful rather than harmful.
- Remember the overarching goal of the property is to balance habitat conservation, nonmotorized recreation, and working lands values.
- Consensus does not mean every CRM participant agrees 100% in favor of a given decision. It does mean that at the end of the discussion, when a decision needs to be made, that no participant is willing to stand in the way of the decision moving forward (ideally, all voices and concerns have been fully aired and discussed).

Each January meeting will conclude with clear expectations as to who, what, when, and how information is to be shared throughout the coming year.

Communication for and about the issues/topics will be handled in two ways:

- 1. Regular updates will be posted to the <u>WDFW website</u>.
- 2. There will be an internal email listserv including all participants of the CRM. A good faith effort will be made to keep all CRM participants apprised of issues that arise throughout the year.



Simcoe Mountains Unit lupine and pine forest. Photo by Alan L. Bauer.



Forest Management Plan

The Simcoe Mountains Unit includes a diverse mix of forested ecosystems ranging from the relatively dry East Cascades Oak-Ponderosa Pine Forest and Woodland Forest type in the southern portion of the unit to the wetter Northern Rocky Mountain Subalpine Woodland and Parkland Forest type in the northern portion of the unit. Sandwiched in between these two types is the most common forest type on the ownership, the Northern Rocky Mountain dry-mesic montane mixed conifer forest. Previous ownership managed for maximizing timber production using a long-term, sustainable business model. The timber management goal for the property, as part of the Klickitat Wildlife Area, is to continue to manage the property as a working forest with an emphasis on providing quality wildlife habitat, resiliency to disease and insects, and a forest that more closely resembles the historic range of variability with high ecological integrity ratings. Any active management will consider strategies for Priority Habitats and Species (PHS) including the western gray squirrel and Oregon white oak.

Forested Uplands Management Strategy

Forested uplands will be managed to preserve, protect and perpetuate its forests as fish and wildlife habitat while providing sustainable fish and wildlife recreational and commercial opportunities. To ensure that habitat is protected, WDFW forests will generally be managed for high ecological integrity as defined in the mission statement of the *Management Strategy for Washington State Department of Fish and Wildlife's Forests* (Tveten, 2014). Where appropriate, active management will be used to restore stands and accomplish the goal of achieving high ecological integrity. This will be accomplished with small scale projects (pre-commercial thinning, shaded fuel breaks, etc.) and large-scale projects (commercial thinning, oak restoration, etc.) as funding and resources are available. These projects are intended to provide the most favorable habitat conditions for a wide variety of species while making the stands more resilient to insects, disease, and catastrophic fire.

The two forested ecosystems that will substantially benefit from active management are the East Cascades, Oak-Ponderosa Pine Forest, and the Northern Rocky Mountain Dry-Mesic Montane Mixed Conifer Forest.

Following is a summary of stand conditions and management considerations for these two forest types.

East Cascades Oak-Ponderosa Pine Forest


- Forests dominated by Oregon white oak and ponderosa pine or Douglas fir.
- Good candidate for active management.
- Overstory tree stocking levels of approximately 20 to 30 trees per acre.
- A mix of conifer (primarily ponderosa pine with some Douglas-fir) and hardwood species within the historic range of variability.
- Maintain clumps, openings, skips and gaps to create a mosaic stand post-treatment.

- Remove conifer from oak groves exhibiting conifer encroachment.
- Historically had a relatively frequent fire return interval, approximately 20 to 25 years.

Northern rocky mountain dry-mesic montane mixed conifer forest

- Highly variable montane conifer forests on the east slopes of the Cascades and Okanogan Highlands.
- Primary tree species include Douglas fir and ponderosa pine but may include western larch, white pine & lodgepole pine.
- Good candidate for active management (including most of the proposed active management for the East Simcoe acquisition).
- Overstory stocking levels of approximately 25 to 35 trees per acre.
- A mix of conifer (primarily ponderosa pine with some Douglas-fir) and hardwood species within the historic range of variability.
- Maintain clumps, openings, skips and gaps to create a mosaic stand post-treatment.
- Leave unique species (western larch and white pine) when possible.
- Relative frequent historic fire return interval, approximately 20 to 40 years.

A map of forest types found in the Simcoe Unit can be found at the end of this chapter.



Simcoe Mountains Unit Riparian Habitat. Photo by Alan L. Bauer.



Priority Habitat Species

There are two Priority Habitats and Species (PHS) found on the Simcoe Mountains Unit. These include the western gray squirrel and Oregon white oak woodland/savanna. Where these priority habitats are found, management strategies (using <u>WDFW PHS Guidelines</u>) will be adapted to provide for additional measures that are intended to protect and enhance those species. Following is a summary of those guidelines for these two species.

Western Gray Squirrel Management Strategy

The western gray squirrel is a priority species for conservation. The Simcoe Mountains Unit includes suitable habitat for this species. Active management projects will require western gray squirrel nest surveys in advance of layout of proposed projects. Another nest survey will be required just prior to harvest.

Forestry in western gray squirrel habitat that neglects to consider the needs of this species can greatly impact local populations. However, carefully planned forestry can have minimal impacts when the habitat needs of western gray squirrels are accommodated. Forestry projects in squirrel habitat should promote healthy stands by protecting and enhancing key primary and secondary habitat features. Retaining habitat diversity (e.g., variable tree density, small canopy gaps, densely forested patches), rather than creating stand uniformity, is important to maintaining squirrel habitat. Although protecting nest sites is important, it is equally important to conserve foraging areas and escape routes. Forest management plans should also account for the needs of squirrels when planning the harvest of unoccupied stands that have the characteristics of primary and secondary habitat.

Variable-density thinning is the most appropriate method of timber harvest in western gray squirrel habitat. This strategy should include the retention of more densely forested "skip" patches; enhancement of tree growth through thinning and by establishing small gaps; and the retention or creation of variable herbaceous, shrub, and tree canopy cover within a stand. Areas best suited for skip patches will have clusters of nests and/or other characteristics of primary western gray squirrel habitat. Maintaining adequate primary habitat is critical to the continued use of sites by western gray squirrels. Prior to conducting a forest practice, areas of characteristic primary habitat should be identified and designated as limited-entry patches (primarily for fine fuel removal) within harvest units. As we move into the implementation stage of this plan, consultation with habitat biologists will occur to determine if there are any primary habitat areas found within the unit.

A feathered thinning strategy will be used in those areas with nests identified. Trees will be marked in clumps around nest trees, progressing from a no-cut inner zone to a thinning from below in the outer zone to the general upland area marking strategy beyond. Large, open grown trees will be interspersed between clumps to provide a seed source for food and a stopping point when crossing open areas. Riparian buffers will provide not only stream habitat benefits but potential travel corridors between patches of squirrel habitat. If riparian travel corridors are not available, suitable travel corridors may be located during the layout phase of the project. Harvest operations proposed within occupied squirrel habitat will not be allowed between March 1 and August 31 to accommodate the nesting and rearing season and will not be allowed without the expressed written consent of the WDFW district habitat biologist.



Following is a proposed marking strategy for western gray squirrel nest trees and the buffer area surrounding those trees:

- The nest tree shall be marked with orange paint with one complete band at eye level and one butt mark at the base of the tree on the downhill side. The unique nest tree identification number shall be marked in orange paint below the eye level mark on the uphill side of the tree.
- All conifers and hardwoods within a 25-ft. radius of the nest tree shall be retained as leave trees.
- A thinning from below, removing excess suppressed trees in the 6 to 10 inches DBH (Diameter at Breast Hight) class, will be conducted in the zone between a 25-ft. radius and 50-ft. radius of the nest tree.
- Moving away from the 50-ft. radius squirrel management buffer, those trees providing connectivity to other nest trees (primarily large open grown trees) will be selected to leave in addition to the trees already being left as part of the upland thinning strategy described above.

Oregon White Oak Management Strategy

Oregon white oak habitat on the property is diverse and includes mixed conifer-oak woodlands, pine-oak forests, and pure stands of oak which may grow in shrub or tree form. Oregon white oak is also considered to be a WDFW PHS species. Oak trees exhibit a wide variety of characteristics depending upon growing conditions and age. Larger trees with broader crowns are often found in association with other tree species and are a product of better soils and/or more water. Pure oak stands are usually found in areas where other tree species are unable to survive. The oaks occupying these marginal growing sites are often densely stocked with small but old trees. Some very densely stocked sites developed following wildfires that killed the original trunks and crowns of mature oaks, whose living root systems produced large numbers of sprouts. These sprouts are often utilized as forage by wildlife, and over years of repeated browsing, the regrowth often forms a broom of stunted shrub like oak. Oaks arising from acorns frequently exhibit a shrub form as well if they grow where browsing animals are present. Less common are oak, large and old enough to have developed cavities inside. These trees (or snags) have high value for wildlife shelter.

Probably the most significant negative impact to Oregon white oak on the wildlife area is conifer encroachment. To reduce this impact, most conifers located within oak stands as well as conifers within a tree length of the edge of the oak pocket may be removed. The exception to this will be conifers that provide habitat connectivity or trees with unique characteristics that would make suitable wildlife trees.

Thinning of oak stands may be considered, where appropriate, to enhance growth rates and vigor of the stand. Thinning should target the removal of trees in dense, even-aged oak stands. Carefully selected individual trees may be pruned or removed where over-shading threatens younger oaks and oak regeneration where regeneration is desired.

Thinning should be employed with the goal of improving age-class and successional diversity. This practice should not result in the spatial decline of oaks. In oak woodland stands, 25% to 50% canopy cover will be maintained. Very old or large oaks should not be removed. Thinning of small



diameter trees and release of large diameter trees will enhance broader crown development and promote acorn production.

Low-intensity, prescribed burns, conducted on a regular basis (approximately 20 to 30 year intervals), may be used to exclude Douglas-fir encroachment, stimulate vigorous sprouting, and contribute to multi-aged stands.

Fire has been an integral component of oak ecology. Oaks, beyond the sapling stage, are highly resistant to fire. Fire targets herbaceous ground cover and Douglas-fir, the latter of which typically encroaches on and competes for light with oaks, which are shade intolerant. Ponderosa pine is a fire-resistant conifer species that also competes with oaks for light and is found throughout the wildlife area. Ponderosa pine stands are generally not negatively affected and can benefit from low-intensity fires. Vigorous restoration, including the use of prescribed fire, may be appropriate in areas with severe Douglas-fir encroachment.

After the thinning operation is completed, follow-up treatments (including prescribed fire) will be necessary to maintain and enhance oak habitat. However, the cost of prescribed fire and smoke management concerns may preclude the use of prescribed fire as a management tool in oak stands. Slashing and/or pre-commercial thinning of undesirable species, particularly conifers, may be a useful tool where prescribed fire is not an option. Regardless of the silvicultural treatment method(s) used, routine maintenance every 10 to 15 years will be necessary to maintain habitat gains from the initial treatment. Over time, oak woodland acreage should remain relatively static with only minimal, if any, increases.

An inventory of oak thickets or pockets within the unit would be a valuable tool moving forward with the oak management strategy described above. As funding and resources are available, conservation district or WDFW staff or both may be used to identify oak polygons in the unit.

Commercial Forest Management

For those stands where commercial forest management is possible and appropriate, the primary treatment strategy will be to move closer to the Historic Range of Variability (HRV) and improve ecological integrity ratings. PHS management recommendations for western gray squirrel and/or Oregon white oak will be applied.

Resilient Working Forest Adaptive Management Strategy (RWFAMS)

In proposed commercial forest management treatment units, proposed thinning prescriptions will ensure heterogeneity in the stand. This strategy would begin the process of moving stands closer to the HRV. This strategy moves stands closer to pre-settlement conditions regarding stocking levels, species composition, tree size and tree spatial arrangement.





Simcoe Mountains Unit White oak habitat. Photo by Alan L. Bauer.

Management strategies will provide flexibility to adapt to unexpected events such as wildfires or epidemic insect/disease outbreaks. When these events do occur, an assessment will be made to determine the extent of the problem and potential treatment strategies. In the case of epidemic insect or disease outbreaks, the cause of that outbreak is typically stocking levels that are significantly higher than the HRV. Hotter drier summers, expected with the effects of climate change, can also be a catalyst in causing epidemic forest health outbreaks. Maintaining appropriate species composition and stocking levels is the best defense against widespread insect or disease outbreaks. When these events do occur, an assessment will be made, and potential treatment prescriptions presented to the CRM and/or management teams.

Post wildfire treatments are possible but the strategy for doing so is a little more complicated. A ground-based fire, typical of a well-managed stand that is close to the HRV, may benefit from the effects of wildfire. In the case of stand replacement fire, typical of overstocked stands with abundant ladder fuels, the strategy would be to leave the stand close to the HRV post-treatment. In other words, the prescription would leave species, stocking levels and spatial arrangements similar to what should have been found in the stand prior to the wildfire event. When these events do occur, an assessment will be made, and potential treatment prescriptions presented to the CRM and/or management teams.

Implementation of the HRV strategy will include leaving individual trees, clumps of trees, openings, and uncut skips. Many refer to this method as the Individual, Clumps and Openings (ICO) thinning strategy. The complexity of this type of prescription will necessitate the need to mark leave trees prior to the actual thinning operation. The complexity of this type of prescription will necessitate the need to mark leave trees prior to the actual thinning operation. The complexity of this type of prescription will necessitate the need to mark leave trees prior to the actual thinning operation. The following criteria will be used during the leave tree selection process:



- In most stands, the preferred leave tree species will be ponderosa pine. However, Douglasfir will be left, where appropriate, to maintain species diversity.
- All Oregon white oak will be retained as per contract requirements and will not have to be marked as a leave tree.
- Beyond leaving all Oregon white oak, use Oregon white oak management strategy from above.
- In general, remove all conifer from oak thickets unless they are large diameter trees with unique characteristics.
- Where western gray squirrel nest trees have been identified, follow management guidelines found in the western gray squirrel management strategy.
- Leave large diameter "legacy" trees.
- Leave trees with good growing characteristics (good crown ratios and relatively free of pathogens and/or insect attack).
- Leave defective trees with unique characteristics (trees with cat faces, "wolfy" crowns, large limbs, etc.) for Wildlife Reserve Tree (WRT) recruitment.
- In snag deficient areas, mark trees 10inches dbh and greater with defects in the butt log with 2 orange bands for WRT recruitment. This indicates to the logging contractor that he needs to "snip off" the tree as high as he can reach with the harvester to create a WRT.
- In general, attempt to leave a residual stand with a post-treatment stocking level of between 25 (average 42-ft. spacing) trees per acre on drier stands to 35 (average 35ft. spacing) tress per acre on the wetter stands. Realize that these stocking/spacing guidelines are only intended as a spatial reference starting point.
- Scatter tree clumps (2 to 10 trees per clump) across the unit (e.g., desirable tree species, legacy trees, unique trees, etc.) where appropriate
- Create small openings (.5 to 3 acres) across the unit. Take advantage of pre-existing openings with good production of browse species where appropriate.
- Create skips (.5 to 3 acres in size) for thermal and/or hiding cover.
- Minimum diameter for leave trees is 8-inch dbh.
- In general, leave trees less than 24 inches dbh unless they pose a safety threat (e. g. tree is at risk of falling over a main line road) or they are a non-preferred species with preferred species surrounding (e.g., late seral grand fir surrounded by early seral ponderosa pine, western larch or Douglas fir). This strategy will create more resilient stands that are more likely to withstand the impacts of climate change.
- Snags will not be marked as leave trees with orange paint. All snags that do not pose a safety threat, as per Labor and Industries guidelines, are required to be left by the logging contractor. Those snags dropped for safety reasons by the logging contractor will be left in place.
- Dwarf mistletoe infected trees provide important habitat fora variety of wildlife species and will be left individually or in clumps as appropriate (such as lower hillside, adjacent to tree species that are not subject to mistletoe infection, draw bottoms, etc.). The goal will be to reduce the threat of the mistletoe spreading to adjacent host species and throughout the stand.



It is important to understand that transitioning stands and forests, closer to the HRV is a process that will take decades to complete. Follow-up treatments will be a necessity and not an option. These treatments include prescribed fire, slashing or pre-commercial thinning and ongoing commercial thinning.

- **Prescribed Fire** is a tool that may be considered following commercial thinning operations. Dry forest types found on the Simcoe Mountains Unit typically experienced a low intensity fire return interval of 20 years on the driest forest types up to 40 years on the wetter forest types. Returning prescribed fire to the landscape is an important tool in the restoration process if funding is available and conditions will allow.
- **Slashing or Pre-Commercial Thinning** is an important tool to further reduce fuel loading and ladder fuels. This follow up to commercial thinning is generally considered appropriate where prescribed fire is not an option. Reducing stocking levels will mimic the effects of fire but is generally considered not to be as effective.
- **Commercial Thinning** as an ongoing follow up treatment, should be considered every 25 to 40 years depending on stand conditions or response following the previous thinning cycle. In general, follow-up commercial thinning entries would be expected to use the ICO strategy from above with more of an emphasis on thinning from below.

Climate Change Considerations

We know that dry forest types, such as those found on the Simcoe Mountains Unit, historically relied on low and mixed severity fires at relatively frequent intervals (Agee, 1996; Perry et al, 2011) to maintain those stands. These fires resulted in ecosystems with large trees that were also large carbon stores (Smithwick et al, 2002; Stephenson et al, 2014). Our ability to effectively suppress wildfires, in combination with intensive grazing and timber harvest, has resulted in a shift in forest composition to overstocked stands with a higher proportion of late seral species such as grand fir and Douglas fir (Miller et al, 2009; Stephens 1998). This has resulted in uncharacteristically large and severe wildfires resulting from the increase in fuel loading and ladder fuels typical of shade tolerant, late seral tree species (Miller et al, 2002; Stephenson et al, 2014). Restoring forests for carbon sequestration reduces carbon dioxide concentrations in the atmosphere and can be used to mitigate environmental threats of climate change (Brown, 1996; Griscom et al, 2017.; Vitousek, 1991).

Adapting to the expected effects of climate change and promoting ecological resilience be an important management strategy moving forward, particularly on dry forest types prevalent on the Simcoe Mountains Unit (DeMeo et al, 2018; Franklin and Johnson, 2012; Hessburg et al, 2015). Starting the process of moving stands closer to the HRV will makes stands more resilient and a better carbon sink over time. This strategy will, over time, result in a higher proportion of large diameter, wildfire resistant ponderosa pine and large diameter Oregon white oak. Managing the Simcoe Mountains Unit as close as possible to the HRV will result in more resilient stands that are more likely to withstand the challenges expected to occur as a result of climate change as well as the threat of epidemic insect outbreaks and stand replacement fires.



Small Scale Forest Management Projects

As resources and funding are available, small scale forest management projects will be considered. These projects will help to achieve our forest management goals in areas where the work might not get done otherwise. Projects might include variable width fuel breaks, small pre-commercial thinning/slashing projects, native tree or shrub planting, etc. Project work would be conducted by conservation district staff, WDFW staff or both and will be vetted through the CRM process.

Given the ongoing threat of catastrophic stand replacement wildfire, it should be a priority to consider creating effective fuel breaks in strategic locations on the Simcoe Mountains Unit. This would include thinning trees to a stocking level of 20 to 25 acres to compliment natural fuel breaks that already exist (e.g., shrubsteppe, talus slopes, roads, ridge tops, etc.). Additional measures within these fuel breaks would be to reduce ladder fuels and understory vegetation densities.

Management Summary

For all projects, economic reality and budgets will play a major role in implementation of proposed forest management projects. If the funding isn't available to move forward with a project, either from timber sale revenues or grants or both, the CRM will not be moving forward with that project. The CRM recognizes that costs can be lowered by increasing the size of the project. Costs can also be lowered by removing those units with marginal removal volumes and higher operating costs, deferring harvest of these units until a later date.

Revenue from the sale of logs can be maximized by using sound marketing techniques. In areas with marginal or negative return, that means deferring projects until log prices are moving upwards. Additionally, WDFW foresters are also looking for niche markets for products that might not be apparent to other landowners. In order to take advantage of upward market trends, the CRM can strive to have projects ready to go as much as possible. In other words, complete layout work, permitting and other paperwork to have "shovel ready" projects. Both options meet WDFW forest management objectives without compromising the ability to manage the land as an economically viable working forest.

See Figure 5 for a map of potential forest management treatment areas found on the Simcoe Mountains Unit.

Current Commercial Project Assumptions

- No harvest or thinning of Oregon white oak, present in most units. Any thinning or slashing in oak pockets will be considered as part of a potential post-harvest pre-commercial thinning/slashing treatment.
- Isolated individual Douglas-fir will be left to increase species diversity in the stand.
- Generally, ponderosa pine will be favored in areas of mixed dry conifer.
- Most of the ponderosa pine harvest volume would come from smaller diameter trees (thinning from below). As such, ponderosa pine will be appraised at "camp run" prices (no top diameter splits).
- Pulp wood (logs less than 5 inches dib and greater than or equal to 2 inches dib) was not cruised. For appraisal purposes, it is assumed that approximately 13 tons/acre (5-7 inches dbh trees and sawlog tops) would be removed.



- Strive for a residual stocking level of 2 to 3 MBF/Acre post-treatment.
- Projects developed using existing inventory (cruise) data and new data yet to be collected.

Commercial Treatment Project Timeline

During the current 10-year planning cycle, it is assumed that all acres, where active management is appropriate, will be treated. Following is the anticipated timeline for layout of commercial projects. As per WDFW forest management guidelines, commercial forest management projects will be vetted using the forest restoration pathway. This pathway or strategy can be found in Table 1. Following is the anticipated timeline for layout of commercial projects.

Task	Lead	Days Required*	Timing
Walk through stand exams to determine appropriate management strategy	CD and WDFW Staff	Variable	As funding and resources are available
Present project to Region Management Team	WDFW Staff	2 Hours	TBD
Define project FMU's	CD and WDFW Staff	Variable	Spring before proposed project
Develop Project Map and Preliminary Prescription	Lead Forester	2	Summer or fall before sale date
Present project to District Team	Lead Forester and District Team	1	Winter before sale date
Western Gray Squirrel Survey	Lead Forester and Habitat Staff	20 acres/day	Spring before sale date
Cultural Resources Survey	Lead Forester and Archaeological Staff	20 acres/day	Spring before sale date
Section 7 Consultation***	Archaeological Staff	1	Spring/summer Before sale date
Prescribed Fire Consultation***	Forester and PF Lead	2	Spring/summer Before sale date
Develop Final Prescription	CD, WDFW Bio and Lead Forester	1	Spring/summer Before sale date
Submit Proposal to Wildlife Commission	Forester and Wildlife Staff	2	Spring/summer Before sale date
Type Streams and Wetlands	Foresters and CD Staff	Variable	Spring/summer Before sale date
Unit Boundary Layout	Foresters and CD Staff	Variable	Spring/summer Before sale date
RMZ/WMZ Layout	Foresters and CD Staff	Variable	Spring/summer Before sale date
Mark Trees	Foresters and CD Staff	Variable	Spring/summer Before sale date
Timber Cruise	Foresters and CD Staff	Variable	Spring/summer Before sale date
Complete Paperwork	Lead Forester	5	Spring/summer Before sale date

Table 1. Forest Management Project Timeline



Schedule/Advertise Sale	Lead Forester and CD Managers	1	Spring/summer Before sale date
Western Gray Squirrel Survey	WDFW Habitat Biologists, Lead Forester and CD Staff	Variable	Spring/summer Before sale date
Begin Mechanical Operations	Lead Forester and Contractor	Variable	Spring/Summer
Assess Follow Up Treatment Needs	Lead Forester and CD Managers	1	Every Spring
Western Gray Squirrel Survey	WDFW Habitat Biologists	Variable	Every Spring**

*Estimate based upon typical restoration project

**Every year until project is deemed successful and then as needed

***If necessary and funding is available

Next Steps

As steps transition into the implementation phase of the forest management plan, the CRM should be looking for ways to better plan for future projects as funding and resources are available. This would include conducting walk-through stand exams and identifying Oregon white oak thickets. The information would be used to develop proposed projects (whether commercial, precommercial or prescribed fire) that could then be presented to the CRM group for vetting and approval (Table 2). This would also include development of small restoration projects that might not happen otherwise.

Summary

The objective for timbered portions of the Simcoe Mountains Unit is to return stands to historic stand conditions (as best as foresters can determine) using a combination of strategies including commercial thinning, slashing, pre-commercial thinning, prescribed fire and tree planting. This would be accomplished using the resilient working forest adaptive management strategy. After initial forest management treatments, regular maintenance activities, using all the tools described above, will be required to maintain those desired stand conditions and high ecological integrity ratings. In areas with Oregon white oak and western gray squirrel habitat, the prescription will be modified, using PHS guidelines, to accommodate those species. Forest management activities will be consistent with policy found in the WDFW Statewide Forest Management Plan in cooperation with the Central and Eastern Klickitat Conservation Districts.



Juvenile red crossbill. Photo by Alan L. Bauer.



Goal	Draft Objective	Performance Measure	Lead	Tasks
1. Forest Restoration	Restore stand to Historic Range of Variability to improve habitat, stand resiliency and forest health	400 acres	Pfeifle	Commercial thinning
2. Release 6 inches dbh and smaller trees	Reduce tree density favoring dominant fire-resistant trees	250 acres	Pfeifle	Pre-Commercial Thin

Table 2. Simcoe Unit of the Klickitat Wildlife Area Planned Forest Treatment Projects.

Figure 3. Forest Management Simcoe Unit Boundary.

Klickitat Wildlife Area, Simcoe Unit






Figure 4. Simcoe Mountains Unit Boundary.







Figure 5. Simcoe Mountains Unit Forest Treatment.



Range Management

The purpose of this section is to recognize the value of livestock grazing on the Simcoe Mountains Unit as an important working lands component of an overall mission to preserve, protect and perpetuate wildlife and its habitats. In addition to this broad purpose, specific management goals include maintaining habitat for deer, maintaining Oregon white oak woodlands, and maintaining prescribed grazing intensities with appropriate infrastructure.

For each goal, Appendix A identifies objectives, performance measures, lead entity, and tasks. Active, appropriate livestock management on the unit is a priority of the Central Klickitat and Eastern Klickitat Conservation Districts, and the management goals above are consistent with <u>Commission Policy C-6003</u>, which guides grazing management on WDFW-managed lands and stipulates that ecological integrity will be conserved where grazing is permitted.

Permit Area

The area comprises about 9,700+ acres and includes soil map units predominantly associated with forestland ecological sites. Some rangeland ecological sites are also present. Forestland ecological sites are generally Oregon White Oak/Ponderosa Pine Hot Moderately Dry Shrub or Oregon White Oak/Ponderosa Pine Hot Dry Herb/Shrub. Most rangeland ecological sites are designated as either Very Shallow 16-24" PZ or Loamy 16-24" PZ. Soils on these sites are mapped as a combination of colluvium and residuum derived from basalt, loess, and volcanic ash. Other available mapping layers depict current vegetation communities, which indicate that three ecological systems account for most WDFW-managed acreage: Northern Rocky Mountain Dry-Mesic Montane Mixed Conifer Forest, East Cascades Oak-Ponderosa Pine Forest and Woodland, and Inter-Mountain Basins Big Sagebrush Steppe. Sagebrush itself is probably not present, however, and this latter ecological system is likely mapped due to the widespread occurrence of antelope bitterbrush. Sandberg bluegrass and bulbous bluegrass are also present throughout the unit. Cheatgrass was relatively more abundant in the footprint of the Mile Marker 28 fire, but much of this area has since become dominated by snowbrush ceanothus. Medusahead rye can be found in small, discontinuous depressions in the bottoms of some draws. According to current spatial data from the DNR's Washington Natural Heritage Program, no federal or state sensitive plant species are known from the Simcoe Mountains Unit.

Water is available from two developed springs (Milk Ranch and one is unnamed) in the northeastern part of the Unit, from the area around and downstream of Bear Spring, and (seasonally) from scattered locations along various draw bottoms that generally drain to the south. These draws are typically well-armored, often steep-sided or inaccessible to livestock, and with little, if any, wetland-obligate vegetation for lengthy stretches. These draws generally receive very light use by livestock because they typically dry out before livestock drift into the area. The area below Milk Ranch Spring is an exception, having occasionally received heavy use.

Two fence lines are maintained on the Simcoe Mountains Unit, one that separates the two grazing allotments from each other, and another that runs approximately along the border between the Simcoe Mountains Unit and Yakama Tribal Nation land to the north. The Department is using legislative funding for Simcoe Mountains Unit fencing. One fence is along the south and east edge of Section 15 with a detour around Tumwater Butte. The other two fences are on the northern and



eastern boundaries of the Simcoe Mountains Unit. Fencing can result in disruption to livestock travel and use patterns, and it is expected that the CRM will maintain frequent and effective communication to address any grazing management issues related to fence construction. CRM participants may also need to address culturally significant vegetation communities in the event that livestock use, or other activities, degrade those plant communities. An especially shallow and rocky soil has been a traditional salting location on the property, and tribal representatives have indicated that such soils may support plants such as *Lewisia* and *Lomatium* spp. Disturbance or utilization of these species by livestock or other activities have been low to undetectable, but additional inventory and/or monitoring of such effects may support the identification of alternative salting locations. The following literature review synthesizes a sample of findings on livestock grazing effects on wildlife and vegetation.

Literature Review

Properly managed grazing is compatible with wildlife and may be associated with increased diversity (Vavra 2005). Research has suggested that grazing livestock can lead to increased forage nutritional quality (Anderson and Scherzinger 1975, Pitt 1986, Ganskopp et al. 2007). While Wagoner et al. (2013) failed to document an increase in forage nutritional value for deer in Washington after spring livestock grazing, Yeo et al. (1993) found that wintering deer in Idaho preferred previously-grazed areas to ungrazed locations. Forbs and primary successional species are generally associated with sites disturbed by livestock grazing or logging (Schneegas and Bumstead 1977), so grazing could be expected to benefit deer given that some deer diets may contain prominent forbs in the spring (Hobbs et al. 1983). Taylor et al. (2004) also found that fall cattle grazing could result in increasing abundance of some desirable forbs that are important for deer, and in the spring, mule deer may choose areas subjected to at least moderate fall cattle grazing (Willms et al. 1979). Other literature suggests that nongame wildlife can benefit from the moderate grazing, although proposed monitoring would not directly assess these populations. Johnson et al. (2012) concluded that grasslands managed for livestock in northeastern Oregon were compatible with conserving ground-nesting passerines such as savannah sparrows and horned larks. Livestock utilization of forage is rarely if ever uniform, which can have the effect of increasing vegetation heterogeneity, which is associated with improved avian (Ryder 1980) and invertebrate (DeKeyser et al. 2013) habitat quality.

Managed grazing by livestock can change the species composition of plant communities, increase production of selected species, and increase habitat diversity by changing plant community structure across the landscape (Vavra 2005). The level of proposed grazing has been consistent with maintenance or increase of plant diversity compared to ungrazed areas (Olff and Ritchie 1998, Mainer and Hobbs 2006). Although many cool-season bunchgrasses might tolerate up to 60% use during the dormant season (Laycock 1967), moderate to heavy livestock grazing during the critical growth period for native bunchgrasses can result in reduced vigor, as evidenced by fewer seed stalks, lower vegetative production, and smaller crown size (Mueggler 1972, Pyke 2011). Heavy grazing during the critical growth period for several years can lead to mortality of key species and a concomitant increase in less palatable plants (Wilson et al. 1966). Many examples exist of resource damage caused by inappropriate grazing (Fleischner 1994, Belsky et al. 1999, Reisner et al. 2013), but the proposed grazing system mostly avoids critical period use and does not allow heavy use at any time. Light to moderate use, however, can function as a low-severity disturbance. Some plant communities may need such disturbances in order to increase their resilience to more high-severity



disturbances (Davies et al. 2009), and Davies et al. (2009) found that after 12+ years, a burned (ungrazed) community supported reduced perennial vegetation and 15-fold greater cheatgrass density relative to other treatments that were either burned (grazed), unburned (grazed), or unburned (ungrazed). They concluded that light to moderate livestock grazing could indirectly inhibit cheatgrass invasion by limiting the amount of litter—litter that could otherwise lead to an increase in the amount of fire-induced mortality of desirable vegetation when a site does burn, and a subsequent increase in cheatgrass.

Understanding implications of climate change for land management practices and vice versa has become increasingly relevant. The intensity and frequency of grazing might need to be adjusted in response to changing climate conditions. The CRM group will be part of these discussions and develop recommendations for management changes as needed.

In general, livestock producers are accustomed to responding to drought and unusual seasonal conditions due to high year-to-year variability in weather conditions. This is characteristic of semiarid rangelands. Whether grazing on these rangelands contributes to climate change is a more complicated question. Most greenhouse gas emissions from livestock come from 1) fossil fuel use and fertilizer-associated methane releases involved with producing livestock feed (not including wildland plant communities); 2) land-use changes like deforestation and land degradation; and 3) refrigerating and transporting animal products (Steinfeld et al. 2006). Griscom et al. (2017) also found that conversion of forested land to agricultural land was a strong driver of grazing-related emissions. In the United States, however, grazing is probably more often associated with increasing, not decreasing, prevalence of woody plant biomass (Rummel 1951, Madany and West 1983), although this outcome is more likely under heavy grazing pressure – which is not proposed here. Globally, the livestock industry does contribute to greenhouse gas emissions, including from rangeland grazing to some extent (Garnett et al. 2017), although Garnett et al. did not account for soil carbon sequestration on grazed rangelands. Studies tend to be inconclusive on rangeland carbon sequestration and probably cannot reliably inform policy at present (Biggs and Huntsinger 2021). Low- to moderate-intensity grazing may actually augment soil organic carbon in dry cool climate zones such as the cold deserts of western North America (Abdalla et al. 2018), but Joyce et al. (2013) found that grazing at recommended rates only had a minor effect on soil carbon, and that other strategies such as moderate stocking rates and alternative pasture when necessary are strategies that help minimize emissions. A precise carbon accounting for range management on the Simcoe Mountains Unit is unknown but would likely be dominated by permittees' unique situations involving winter feed, distance to auction, or other more hypothetical factors (such as potential disposition of the property in the event that WDFW had not acquired it).





Simcoe Mountains Unit shrub-steppe habitat. Photo by Alan L. Bauer.

Management

Prior to WDFW acquisition of the property, Western Pacific Timber administered two grazing leases on the Simcoe Mountains Unit. Site inventory, interaction with permittee, and literature review suggest that continued livestock grazing does not threaten the ecological integrity of the Simcoe Mountains Unit. As part of the CRM's commitment to uphold the foundational values of the acquisition of the property, WDFW will continue to facilitate grazing permits in a manner that is consistent with community working lands and with WDFW's mission. Grazing permits will follow applicable statute, rule, and policy that requires ecosystems standards assessments and ecological integrity maintenance (Fish and Wildlife Commission Policy C-6003, RCW 79.13.620). Specific grazing prescriptions will be documented in each grazing permit. Per <u>WAC 220.500.200</u>, the duration of any particular grazing permit may be up to five years, after which renewals are expected if grazing objectives are being met.

Identification of appropriate stocking rates for livestock is a process that 1) requires accounting for how range productivity, water availability, and terrain vary throughout the property, and 2) also ensures protection of sensitive areas and sufficient post-grazing biomass for grass physiological needs and wildlife use. Allowable harvest estimates based on ecological site analysis yield an estimated stocking rate of approximately 700 animal unit-months (AUMs) annually. (This is an estimate of total forage, and it does not indicate that the area might support 700 cow-calf pairs for the duration of one grazing season. For example, a herd of 200 cow-calf pairs on the range for 3.5 months would consume 700 AUMs: 200 animal units x 3.5 months = 700 animal unit-months). Allowable harvest estimates based on data available through the Rangeland Analysis Platform (RAP) are some 40% higher. RAP data are often characterized by higher herbaceous biomass estimates. Although forage allotments on WDFW grazing permits are typically conservative by design owing to WDFW's conservation mission, the RAP data suggest some space for flexibility and value in incorporating direct experience of permittees (through the CRM process) that might



inform an annual review of harvest estimates. This forage allotment is currently divided across two distinct grazing permits. Both permits include provisions for AUM adjustments based on specific timing of grazing and could be subject to change in the event of habitat damage, wildfire, or future land acquisitions. It is expected that any specific adjustments to timing, duration, and frequency of grazing on the area will be the result of consensus decisions by the CRM group considering available monitoring information.

Implementation and effectiveness of these permits will be evaluated by field inspection and monitoring, communication with permittees and CRM participants, and continued literature review. WDFW will monitor grazing permit areas at least twice annually. Appendix A includes timing and methodology of monitoring procedures, summarized here as follows. Utilization monitoring is expected to ensure that the stocking rate is appropriate and that the grazing permits are being implemented as directed. Utilization monitoring will occur during and after seasonal grazing. Long-term monitoring is expected to quantify vegetation community properties and verify that ecological integrity is maintained consistent with Fish and Wildlife Commission policy, thus providing more detailed inventory and a basis on which to evaluate progress toward objectives. This type of monitoring will be conducted every 3-5 years, and recently observed values will be reported in grazing permit renewal plans. Monitoring procedures may be adjusted by the CRM group as long as the resulting data continue to inform ecological integrity.

- Utilization height-weight or landscape appearance methods (BLM 1999)
- Riparian Monitoring Multiple Indicator Monitoring (Burton et al. 2011) if applicable
- Long-term Monitoring (Herrick et al. 2009)
 - Photopoints: General range appearance and structure
 - Line-point intercept: Cover and Composition
 - Macroplots: Species Richness
 - Quadrats: Plant Density

Expected Communication from Permittees.

- Annually report timing and number of AUMs consumed upon gathering livestock from the permit area.
- Report any noxious weeds to WDFW.
- Work collaboratively to resolve concerns over fencing, unauthorized use by unpermitted livestock, and any areas of concentrated use that develop.

Adaptive Management Expectations.

- CRM group will be apprised of available monitoring data.
- Annual meeting to present and discuss current and future grazing activities.
- CRM group will seek relevant new scientific knowledge that becomes available.
- CRM group will seek to anticipate, prevent, and if necessary, respond to adverse outcomes through consensus management decisions.





Simcoe Mountains Unit, views above Dairy Canyon. Photo by Alan L. Bauer.

Wildlife and Habitat Management

Consistent with WDFW's mission, the agency manages species on Wildlife Areas for two primary purposes: 1) conservation and protection to manage sustainable populations; and 2) to provide recreational and commercial opportunities. The <u>Wildlife Area Management Planning Framework</u> describes how species are classified – including species listed at the state or federal level as threatened or endangered, as well as other designations such as Species of Greatest Conservation Need (SGCN). Washington's SGCN species are summarized in the <u>State Wildlife Action Plan</u>, which is part of a nationwide effort to conserve each state's fish, wildlife, and habitat. The <u>Klickitat Wildlife Area Management Plan</u> also incorporates goals from WDFW's Game Management Plan, which includes protecting, sustaining, and managing hunted wildlife, providing stable, regulated recreational hunting to all citizens, protecting and enhancing wildlife habitat, and minimizing adverse impacts to residents, other wildlife, and the environment. The Wildlife Area plan integrates these plans and priorities, and, in the goals and objectives section (Appendix A), defines specific actions to achieve them. In addition, the approach to managing the Simcoe Mountains Unit property is through a long-term partnership between WDFW and both the East and Central Klickitat



will be accomplished with a commitment to continued watershed, wildlife, and habitat-compatible grazing and revenue-producing forestry through timber harvest; while at the same time ensuring long-term protection of important wildlife species and habitat.



White-breasted nuthatch. Photo by Alan L. Bauer.

Climate change and its impacts to wildlife on the Simcoe Mountains Unit will be assessed into the future, guided by the scientific literature and WDFW's Policy: Addressing the Risks of Climate Change. Future risks such as large fires, prolonged drought, replacement of conifer forests with oak and shrubsteppe habitats, increased prevalence of disease and invasive species, and range shifts/extirpation will be considered when managing wildlife species and their habitats. The current conditions and species distribution are expected to change with the changing climate and many of the species listed in this chapter will be impacted by these future conditions. The report "Preparing WDFW for a Changing Climate: Assessing Risks and Opportunities for Action" (Shirk et al. 2021) is one of the tools that will be used to understand how climate change will impact the Department's work managing wildlife on the Simcoe Mountains Unit. This report lists risks that are specific to management of wildlife and their habitats in Washington as well as actions that can be taken to proactively mitigate those risks.

The Simcoe Mountains Unit of the Klickitat Wildlife Area supports a wide variety of both game and non-game species. An inventory of wildlife species has not been conducted, but this task is included in Goal 4 of Appendix A. Some key species that are known to exist on or in the vicinity of the unit include mule deer, black bear, cougar, bobcat, coyote, upland game birds, state threatened western gray squirrel, golden eagle, burrowing owl, Lewis's and white-headed woodpeckers, northern goshawk, Swainson's hawk, grasshopper sparrow, southern alligator lizard, sharp tailed and ring-neck snakes, and western toad. The Simcoe Mountains Unit includes mixed conifer forest, Oregon white oak forest, grassland, shrubsteppe, riparian, and in-stream habitats. Collectively, these habitats provide for the life needs of a variety of wildlife and fish species. By using WDFW's Priority Habitats and Species (PHS) maps, as well as ground-truthing, an inventory of key habitats and ecosystems will also be conducted and will inform habitat management on the Simcoe Mountains Unit (Goal 1, Appendix A).



Game species on the Wildlife Area are generally managed in accordance with their species-specific management plans. For more information reference the <u>WDFW Game Management Plan</u> and the <u>WDFW Mule Deer Management plan</u>. These documents provide more information regarding WDFW's statewide strategy for the management of these game species as well as the herd management strategies for the East Columbia Gorge Mule Deer Management Zone.



Mule deer. Photo by Alan L. Bauer.

Together the Simcoe Mountains and Rock Creek drainage provide year-round deer habitat as well as connectivity to summer range higher in the Cascades and on the Yakama Indian Reservation. Furthermore, the lower elevation habitat is critical for providing winter range for the Klickitat deer that migrate between summer and winter ranges. Mule deer are year-round residents on the Simcoe Mountains Unit, although, depending on snow level, may move to lower elevations during the winter. In game management unit GMU 382 (East Klickitat) mule deer are managed with the common goal of providing recreational hunting opportunities and maintaining the health of the local herd. Currently in GMU 382, buck deer harvest is conducted under a 3-point minimum strategy while antlerless harvest is by permit only. This allows WDFW to meet post-hunt buck to doe ratio objectives while still offering general season opportunity for all mule deer hunters. A conservative strategy for antlerless harvest increases survival of does and can help to maintain or increase deer populations. On the Simcoe Mountains Unit, the primary goal is to provide year-round habitat to support a healthy deer population by providing both cover and forage (Goal 5, Appendix A).

Deer hunting on the Simcoe Mountains Unit is currently limited to special permit holders only. During the 2024 hunting season setting cycle the size of the Simcoe property will likely have reached its maximum extent and WDFW will propose that deer harvest on the Unit transition from permit-only to the same regulations as the general deer season in GMU 382. GMU 382 is managed for deer; therefore, hunting regulations for elk here are liberal in order to optimize deer populations. Pronghorn antelope were reintroduced on three occasions on Yakama Nation lands between 2011 and 2019. Since the initial release in 2011, pronghorn have dispersed off the Yakama Reservation and have grown slightly in abundance according to aerial surveys conducted biennially



from 2015-2021 (Fidorra and Peterson 2021). While pronghorn prefer open, relatively flat grassland and shrubland the Simcoe Mountains Unit has the potential to be a migration corridor as the population expands.

Both bear and cougar can be found on the Simcoe Unit and are managed as game species with the goal of long-term population stability while maximizing recreational opportunity and minimizing conflict with people (Goal 7, Appendix A). Currently, there are no concerns for bear or cougar predation on existing big game populations associated with the Wildlife Area. Black bears on the Simcoe Mountains Unit are managed as part of the East Cascades Hunt Zone, which is open from August 1 – November 15. Most bear harvest takes place in conjunction with the more popular fall general deer seasons.

Cougars on the Simcoe Mountains Unit are part of the GMU 382/388 Hunt Area, which has a harvest guideline of three adult cougars. Similar to bear, most cougar harvest occurs on the W rea during the general fall deer seasons. Currently, cougars are managed at the maximum harvest level without substantial risk of causing a measurable population to decline or breakdown in adult male territoriality. To achieve this, cougars are managed geographically in hunt areas with fall seasons, where specific hunt areas closed to hunting once 12-16% harvest of the estimated adult population is reached. The early hunting season occurs from September 1-December 31 and is followed by a late season that is open January 1- April 30 or until the harvest guideline is reached.

Although no wolf sightings have been reported to date on the Simcoe Mountains Unit, WDFW staff will follow up on reports of wolf sightings from the public and, as needed, will work with grazing permittees on methods to avoid predator-livestock conflict.

The western gray squirrel population in the Simcoe Mountains and Rock Creek area represents the easternmost margin of the core population in Washington. Intact habitat connectivity in the area is critical for perpetuating a link to the remainder of the population in Klickitat County. Western gray squirrels are listed as a state-threatened species and the Simcoe Mountains Unit supports critical habitat. Nests have been observed on the unit (S. Van Leuven, pers. comm.) and further evaluation of their presence and habitat will be conducted in the future (Goal 2, Appendix A). Their populations have declined substantially in Washington primarily due to habitat loss and fragmentation, disease, population isolation, and highway mortality (Wiles 2016). Western gray squirrels favor conifer-dominated forests over mixed Oregon white oak-conifer and pure oak, and usually occur in areas with an open understory (Linders 2000, Linders et al. 2010). Habitat connectivity is essential for western gray squirrels in order to allow movement between patches and when logging reduces canopy cover it can, in turn, inhibit arboreal travel.



Western gray squirrel. Photo by Alan L. Bauer.

Riparian areas may also serve as travel corridors for squirrels; especially in areas where dry uplands support limited tree cover (Wiles 2016). Some level of thinning harvest may improve forest conditions for squirrels by increasing sunlight to remaining trees, releasing oak and pine from fir encroachment, and increasing mast production. Regular burns of lower intensity can help restore forests to more natural conditions and help prevent large catastrophic fires, thus providing many benefits for western gray squirrel (Wiles 2016). WDFW's document "<u>Management</u> <u>Recommendations for Washington's Priority Species: Western Gray Squirrel</u>" provides guidance on habitat management for this species and will be applied, along with the best available science, on the Simcoe Unit (Goal 2, Appendix A). With climate change scenarios that predict a shift from conifer forest to oak and shrubsteppe, habitat for the western gray squirrel on the Simcoe Mountains Unit will likely decrease in the future requiring careful planning for this species.

A great number of bird species are associated with the variety of habitats present on the Simcoe Mountains Unit. Game birds include turkey, chukar, California quail, and mourning dove. Lewis's woodpeckers are closely associated with oak habitat and white-headed woodpeckers are found in ponderosa pine habitats in the upper drainage. The area supports a variety of year-round raptors including nesting golden eagles and prairie falcons. The Rock Creek basin has a rich diversity of neotropical bird species and provides habitat for unique species like the yellow breasted chat and Swainson's hawk.

Invasive Species and Plants

Invasive species can be detrimental to native wildlife both in terms of predation and competition. Feral horses are known to be present to the north of the Simcoe Mountains Unit and their presence on the Wildlife Area will be minimized. Grazing lessees will be key to alerting staff of fencing in need of repair or feral horses on the unit and will be asked for help if horses do enter the unit. Presence of other invasive wildlife species will be documented, and action taken as needed.

Invasive plant species are also detrimental to native wildlife and are predicted to increase in distribution with climate change. The <u>weed management plan</u> of the Klickitat Wildlife Area



Management Plan identifies species, timing, and management practices to control weeds. The goal of weed control in the plan is to maintain or improve habitat for fish and wildlife, meet legal obligations, and protect adjacent private lands. To meet these goals, WDFW uses integrated pest management (IPM), which is defined in RCW 17.15.010 as "a coordinated decision-making and action process that uses the most appropriate pest control methods and strategy in an environmentally and economically sound manner to meet agency programmatic pest management objectives." The two main weeds on the Simcoe Mountains Unit are the Canada thistle (*Cirsium arvense*) and bull thistle (*Cirsium vulgare*), which are typically found in recently disturbed areas (logging or fire). Knapweed was reported to be on the unit but appears to have been greatly reduced or eradicated by Western Pacific Timber's efforts. Wildlife Area staff will treat known infestations annually and monitor new infestations during their regular work. Grazing permittees are also required to report any new weed sightings on their permit area. Excessive soil disturbance promotes invasive weeds and annual grasses such as medusahead rye and cheat grass, therefore management projects need to consider the risk of invasive species as they are easily introduced and difficult to eradicate.



Hooker's balsam root at Bickleton Ridge. Photo by Alan L. Bauer.



Recreation Management

The overall recreation management objective is to provide sustainable fishing, hunting, and other recreational experiences compatible with conservation of high-quality habitat and protection of sensitive resources. Our goal is to manage recreational uses to maximize benefits to the public while minimizing negative impacts to natural resources and meeting management objectives for fish, wildlife, habitat, and working lands. This can be accomplished using various strategies for managing recreational use through space and time in conjunction with natural resource management practices on the landscape. One of the deliverables in the recently published "<u>10-year</u> <u>Recreation Strategy for WDFW Managed Lands</u>" (WDFW 2022) is that WDFW will develop and implement a recreation plan for the Klickitat Wildlife Area (including the Simcoe Mountains Unit). When this module is available it will be implemented into this plan.

The agency is committed to maintaining conservation values and nonmotorized access on the Simcoe Mountains Unit to ensure use is compatible with the purpose for which the property was purchased. A foundation-level element of the management of the Simcoe Unit plan is to provide nonmotorized public access only behind the road gates and signs with the message, "No Unauthorized Vehicles Beyond This Point".

Climate change is expected to lead to longer drier summers with extended periods of high fire danger. Activities like camping and target shooting, which pose high fire risk, are likely to become more restricted for longer periods of time in the future.



Big-headed clover, Bickleton Ridge. Photo by Alan L. Bauer.



Neighboring Public Lands

Klickitat Wildlife Area managers and other WDFW staff will communicate with neighboring BLM and Conservation District managers regarding potential recreational uses and develop collaborative actions when applicable (e.g., trails).

Hunting

The Simcoe Mountains Unit is identified as Deer Area 5382 Simcoe (Klickitat County) and is defined as "the area within GMU 382 designated as WDFW-managed lands managed as the Simcoe Mountains Unit of the Klickitat Wildlife Area". Deer harvest in Deer Area 5382 is by permit only with a limited number of permits issued annually. For the 2024 hunting season WDFW will propose that deer harvest transition to the same regulations as the general deer season in GMU 382 (East Klickitat) thus eliminating Deer Area 5382. As for all harvest regulations across the state, deer harvest regulations for Deer Area 5382 and GMU 382 will be proposed by WDFW staff, go through the public comment process, and be approved by the Fish and Wildlife Commission.

WDFW will continue to evaluate and monitor hunting seasons, survey the special permit holders, conduct population estimates, and adjust harvest recommendations as needed in the future. The hunting of other game species within the Simcoe Mountains Unit will follow the existing regulations for GMU 382 (East Klickitat).

Compatible Recreational Uses

In addition to hunting, other recreational opportunities are available on the Simcoe Mountains Unit. Recreational activities should be compatible with conservation of important habitats and protection of locations of sensitive wildlife; for example, raptor nests, wetlands, western gray squirrel nest concentration sites and rare plants. Impacts to and on resources should be monitored and evaluated (e.g., water quality, vegetation community, and wildlife and fish populations). Additional recreational activities include:

Mountain Biking

Mountain biking is allowed on existing roads provided the activity does not degrade road surfaces, harm wildlife and plant communities, interfere with permitted livestock grazing, or contribute to the spread of invasive plants and animals. Cyclists must yield to horses and hikers when using shared trails. E-bikes are currently allowed on all motorized roads and motorized trails on WDFW-managed lands. When the statewide e-bike rules for WDFW and DNR lands are finalized, they will apply to the Simcoe Mountains Unit.

Horseback Riding

Horseback riding within the Simcoe Mountains Unit is allowed provided the activity does not degrade road surfaces, harm wildlife and plant communities, interfere with livestock grazing, and visitors take measures to prevent the spread of invasive species (e.g., use weed free hay). Recreational riders should anticipate encountering grazing permitees moving cattle using horses and dogs.

Hiking

Hiking on the Simcoe Mountains Unit is permitted throughout the Unit and may be on or off roads. Hikers must yield to horses when using a shared trail.

Collection of Incidentals

The collection of mushrooms, berries, or other edible or medicinal plant parts is allowed for tribal members for subsistence and ceremonial purposes. Collection of these items by the general public for personal use is allowed on a small scale. (Please contact the Klickitat Wildlife Area for the most current regulations). Collecting plant parts for commercial purposes will not be permitted. Per <u>WAC</u> <u>220-500-210</u>, it is unlawful to remove petrified wood, minerals, fossils, wood products or artifacts from WDFW-managed lands unless such removal is authorized by a permit issued by the WDFW Director.

Dogs

Per <u>WAC 220-500-170</u>, between April 1 and July 31, all dogs must be on leash to protect nesting wildlife (except when used for grazing management purposes). Outside of that time frame, dogs must always either be on leash or under voice control. Unattended pets of any type are not permitted. Additionally, dog owners are responsible for ensuring that their pets do not harass wildlife or livestock. Anyone planning to hold field trials for hunting dogs within the Wildlife Area must first secure a permit from WDFW. Field trials are not allowed during the months of April, May, June or July.

Overnight Use

Camping is permitted on the Simcoe Mountains Unit. Campers may stay for up to 14 days during any 30-day time period.

Visitors may camp in RVs or tents along Box Spring Road and Box Canyon Road outside of the road closure gates. These two roads are county roads, and it is important to keep the road rights-of-way clear of obstructions. Offroad driving has negative impacts on wildlife habitat, so WDFW restricts how far vehicles may be driven off the road. Therefore, camps must be set up at least 20 feet from the edge of the road to keep the right-of-way clear, but no more than 50 feet from the edge of the road to limit impacts on wildlife habitat. There are some designated camping areas where camps may be farther from the road so long as they are within the perimeter marked with fencing or signs. Clearing trees or shrubs to create new camping or parking spots is prohibited. Vehicles must have either a Discover Pass or a Vehicle Use Permit (which comes with a Washington hunting or fishing license) on display while on WDFW-managed lands. Do not park or camp in a way that blocks use of a road gate as this could hinder public services by law enforcement or authorized workers.

Camping in the interior of the unit is allowed, provided camps are located:

- At least one-half mile from the road closure gates on WDFW-managed land. (This does not apply to the gate on Box Canyon Road, which is on BLM land.)
- At least one-half mile south of the crest of Bickleton Ridge.
- At least 1000 feet from a property boundary with an adjacent private landowner.

Whether camping along an access road open to vehicle use or within the nonmotorized access area, camps must be at least 200 feet from water sources, which include water troughs, springs, streams, and ponds.

Visitors should be aware that campfires are allowed only part of the year. Campfires are permitted from November 1 to May 15, unless the county government establishes a burn ban earlier than May 15 in east Klickitat County. Klickitat County usually initiates a seasonal burn ban on May 1 of each year. Please reference the county burn ban dates for Zone 1. Campfires should not be left unattended and must be completely extinguished prior to human departure. Firewood in the form of dead, downed trees may be used for fuel. Trash is not to be disposed of in campfires and standing trees (dead or alive) may not be cut down on the wildlife area. Incendiary devices such as fireworks and exploding targets are never permitted on the Simcoe Mountains Unit.

During the seasonal burn ban

- No wood or charcoal fires are allowed. This includes portable grills and fire pits.
- Gas fueled cooking grills and fire pits are permitted if they are used in areas free of vegetation or litter that could catch fire.
- WDFW may implement emergency restrictions during periods of high fire danger that affect other activities besides use of campfires. Such emergency restrictions will be announced via signs and on WDFW's website.

Visitors are expected to remove all garbage that has accumulated during their stay, and all camp structures must be dismantled and removed at the conclusion of the trip.

Target Shooting: Target shooting is allowed when certain safety requirements are met. Reference the <u>WDFW website</u> for more information.

Other Uses: Uses such as technical rock climbing, bouldering, hang gliding, and others, will need to be evaluated and possibly restricted to ensure they do not pose a conflict with WDFW's land management objectives and responsibilities, or interfere with other existing uses.

Fishing: Rock Creek is closed to sport fishing from the Army Corps Park upstream to the headwaters to protect threatened summer steelhead. Since Rock Creek and its tributaries are the only streams on the Simcoe Mountains Unit, the property is closed to fishing.

Non-Compatible Recreational Uses

The use of snowmobiles, ATV's, dirt bikes, and other motorized vehicles (except as authorized by special permit or for administrative purposes) will not be allowed within the Simcoe Mountains Unit, as the area is designated as nonmotorized only (motor vehicles are defined in <u>WAC 220-500-020</u>). In addition, the Department will not develop a shooting range within the unit.

Other proposed uses will be evaluated for compatibility with natural and cultural resource protection as well as other existing uses.





Photo by Alan L. Bauer. Non-motorized road/trail.



Hydrology

The Simcoe Mountains Unit occurs in the westernmost portion of Water Resource Inventory Area 31, Rock-Glade Watershed, in Klickitat County. The unit contains numerous headwater tributaries to the Rock Creek subbasin, which drains 226 square miles. Outside of the unit boundaries, Rock Creek flows into the Columbia River at river mile 230, roughly 12 miles upstream from the John Day Dam. Rock Creek watershed elevations range from 4,700 ft. in headwater areas to 266 ft. at its confluence with the Columbia River.

The Simcoe Mountains Unit contains about 30 total stream miles ranging between 2,400-4,700 ft. in elevation. A few streams in the unit feed directly into Rock Creek, while most unit streams, including Box Canyon and Dairy Canyon Creek, flow into Quartz Creek, a major Rock Creek tributary. Drainages are predominantly southerly facing and exhibit steep topography.

Table 3. The Washington State Department of Natural Resources gives the following stream type breakdown:

DNR Stream Type*	Stream Miles
3 - Moderate fish, wildlife, or human use	1.18
4 - Perennial (no fish)	6.18
5 - Seasonal (no fish)	12.56
9 - Unclassified	10.12
Total	30.03

There are 10 springs mapped on the Unit. Four springs are developed and used as a water source for livestock and wildlife water, including Milk Ranch Spring, Stump Spring, and two unnamed springs in the northeastern part of the unit.

Hydrologic soil group characterizations in the Rock Creek Basin vary. Most soils (56%) are classified as Group B (moderate infiltration rates) or Group C (slow infiltration rates). The Rock Creek Basin also has a relatively large proportion (36%) of Group D soils (very slow infiltration, high runoff). This contributes to higher rates of runoff versus infiltration in the basin.

Streamflow

No existing streamflow data for the Simcoe Mountains Unit is available. Streamflow information is available for lower Rock Creek, just outside the Unit boundary. Eastern Klickitat Conservation District maintains a gage at Bickleton Bridge and at Walaluuks Creek. The U. S. Geological Service (USGS) maintains a gage at Old Highway 8 Bridge. More streamflow information specific to the Unit is needed to guide management. Appendix A includes monitoring recommendations.

Streamflow in the Simcoe Mountains Unit is derived from a mixture of snowmelt, rain, and groundwater discharge. Many of the Unit streams are seasonal/intermittent, with high flows in winter and spring in response to precipitation and snowmelt and little to no flow during the dry season. In general, Rock Creek and its tributaries lack dry season flow but still support instream



aquatic habitat (reference the fisheries discussion, below). One management priority for the unit is to evaluate opportunities to improve water storage to benefit late season flow (e.g., through timber management, beaver mimicry/reintroduction).

Mean annual precipitation in the unit is between 20-24 inches, decreasing from west to east (Aspect and WPN 2004; Figure 2-9, based on PRISM data 1961-1990). Most of the precipitation occurs between October and April, with some precipitation occurring as snow, particularly at higher elevations.

The majority of the Simcoe Mountains Unit acreage is classified as rain-on-snow dominated (Aspect and WPN 2004; Figure 2-13, based on DNR Precipitation Zones). Peak runoff occurs when warm rainstorms occur on a snowpack causing rapid melt. Large rain-on-snow events typically occur in November and December. Snowmelt from the highest elevations also contributes to peak flows in spring. Maximizing snowpack development and persistence into the late season to support streamflows is a high priority and should be integrated with other unit management objectives and activities (e.g., timber management).

Groundwater in the basin principally stems from bedrock of the Columbia River Basalt Group. Spring discharge in the Rock Creek basin demonstrates some hydraulic continuity between shallow groundwater and streams, but there is typically not enough discharge to sustain late season instream flows except in localized reaches. Incised stream valleys contribute to discontinuous aquifer systems within the unit.



Tumwater Canyon Corral Springs. Photo by Alan L. Bauer.

Water Quality

No water quality data exists within the Unit. Water quality is influenced by streamflow, riparian condition, southerly exposure, wildfires, and human activity (e.g., roads, grazing, forestry practices, recreation), but more water quality information is needed to guide management. Appendix A includes monitoring recommendations.



In general, Rock Creek is challenged with warm water temperatures, largely stemming from intermittent streamflow and low flow conditions. Several sections of lower Rock Creek outside of the unit boundary are on the <u>state 303(d)</u> list as having Category 5 water quality impairments for temperature.

Additionally, very little is documented about riparian conditions. Some higher elevation riparian areas were burned in the 2013 Mile Marker 28 fire; recovery of these areas need to be evaluated.

The unit contains 33.25 miles of roads, including primary and secondary roads, all with native surface. Prior to WDFW management, roads have been maintained in accordance with Forest Practices Act and associated road construction standards. Culvert outlets were assessed for scour and any outlet showing signs of scour was armored and brought up to standard. One priority is to evaluate opportunities for road decommissioning in areas that may not be used for future timber harvest or other activities. Priority roads for decommissioning include those with multiple stream crossings or that contribute to negative riparian, hydrological, floodplain, or sediment impacts.

Fisheries

There have been no formal fish surveys within the unit to date. DNR stream type modeling reports some streams on the unit as type "F". This indicates the waterbody may be used by fish or that the stream meets physical criteria to be potentially used by fish. Fish use on the unit needs to be verified and is a monitoring recommendation outlined in Appendix A.

Maintenance and improvement of water quality and streamflow from the unit's headwater tributaries is critical for fish survival in the lower Rock Creek watershed. Outside of the unit boundaries, the Rock Creek Subbasin is known to host several fish species including resident rainbow trout, bridgelip suckers, large scale suckers, coho salmon, and ESA-listed Mid-Columbia steelhead (listed as threatened). Many of these species are culturally important to the Yakama Nation.

Steelhead are not present within the unit (Figure 6). However, unit tributaries directly feed areas with documented steelhead spawning (lower Box Canyon Creek, Quartz Creek) and steelhead presence (Rock Creek). The current range of steelhead in the Rock Creek watershed resembles the historical condition, although some stream sections that probably once supported spawning and rearing may now serve only as migration corridors. Recently completed genetic analyses identify a unique population of steelhead in Rock Creek and further investigations are underway to understand within subbasin genetic structure and potential use by out of basin stocks.




Figure 6. Steelhead Distribution adjacent to the Simcoe Mountains Unit (Data: WDFW SalmonScape).

Water Use and Water Rights

Water uses on the Simcoe Mountains Unit include wildlife, stockwater, fire protection, road maintenance, and domestic. There are 17 water-right claims on the property, varying from 3 to 10 gallons per minute (0.006 to 0.02 CFS) and collectively totaling 39.38 acre-feet. Prior owners maintained water rights through beneficial use of water by livestock managed by leasees, wildlife, road dust abatement, and fire protection.

Water use supports working land values including timber and grazing. One management priority for the unit is to confirm and document water right locations and conditions on the property and to preserve these rights into the future to sustain working lands.

Climate Change

Climate change is likely to impact Simcoe Mountain Unit hydrology. Drought, reduced snowpack, and earlier snowmelt will likely contribute to earlier delivery of spring flows, reduced water storage, and reduced summer/fall streamflow. Earlier snowmelt and more frequent rain-on-snow events may increase the magnitude of peak flows. The basin may also experience reduced water quality as higher air temperatures contribute to elevated water temperatures, particularly if summer baseflows decline. Increasing wildfire severity and/or frequency can also impair water quality by contributing high sediment levels post-fire and reducing riparian shading.

Hydrology Management Goal and Objectives

The overarching goal is to use best management practices to maintain or improve hydrologic processes on the Simcoe Mountains Unit to support habitat conservation, recreation, and working land values, including forestry and grazing. In turn, this will increase climate resiliency. There are a variety of data gaps that need to be answered to inform best management of the property. Monitoring and better understanding of current hydrological conditions on the unit can help inform future management direction. Filling these data gaps is a priority for the first several years of unit management.



Oak pines and open meadow views. Photo by Alan L. Bauer.

Cultural Resources

The Simcoe Mountains have a rich cultural history spanning thousands of years and continuing into modern times. The Kah-miltpah Band, which is one of the signatory bands to the Yakama Nation Treaty of 1855, have inhabited and used natural resources for subsistence and ceremonial purposes since long before Euro-American settlement and these traditional activities continue to be practiced today. The Simcoe Mountains, also known as 'Waxshpum' to the Kah-miltpah, are sacred mountains because they provide many of the traditional foods and medicines to their people that are a necessity to everyday living and a part of ceremonies.

Since the 1860s cattle ranching has been a staple of regional agriculture and harvest of forest products has been a significant industry since the early 1900s. Structures and other artifacts of these regionally important activities have strong cultural significance and warrant respect. Forestry



and ranching are considered part of the fabric of local community character, and future management of the property will seek to ensure that these activities continue on a level that is compatible with WDFW's commitments to fish and wildlife management and other human uses.

As the Simcoe Mountains are known to have a long history of human presence, culturally significant sites may be discovered as land management projects and recreation activities result in more exploration of the landscape. Culturally significant sites may be broken into two categories: archeological sites where features or artifacts exist; and areas where natural resources useful in culturally important practices may be harvested or collected.

Visitors should be aware that it is unlawful to remove or disturb any artifact or feature that is more than 50 years old. Additionally, foraging for edible items or other natural materials is allowed only on a small scale for personal use. No commercial collecting of materials is (please see Recreation Management Chapter).

WDFW staff will adhere to internal policy to promote preservation and management of cultural resources. This policy complements any existing laws, rules, statutes, regulations, executive orders, and policies that guide cultural resources management, cultural resources protection, and consultation processes.

Cultural Resources Inadvertent Discovery Plan

The cultural and historic features and artifacts of the area tell the story of its past and can provide a link to ancient traditions. The Inadvertent Discovery Plan described in this section was developed to protect resources encountered during forest management. This plan also provides important guidance applicable to other projects and, except for notifications to DNR, the same measures should be followed. WDFW will not disclose the locations of culturally sensitive sites to persons other than qualified professional archeologists and staff working within the immediate vicinity of the artifact(s) or feature(s) so that protection will be more effective.

A Cultural Resources Inadvertent Discovery Plan (IDP) has been developed for the Simcoe Mountains Unit to inform employees and contractors of the procedures to follow if archaeological and/or historic artifacts or features are discovered during management activities on the Simcoe Mountains Unit. The objective of the IDP is to ensure that archaeological and historic resources as well as human remains are appropriately treated until responsible officials can investigate the discovery and determine protection measures. Archaeological and historic resources and burials are protected under state laws, <u>RCW 27.44</u>, <u>27.53</u> and <u>68.60</u>.

Archaeological resources include the artifacts and features left in the landscape of early American Indian activities and the historic activities of early settlers. Artifacts are human manufactured items and the waste material from manufacture. Features are the human alterations in the landscape. Artifacts include arrowheads and the stone waste flakes from making them and historic cans, bottles, ceramics and wooden and metal objects left in dumps or scattered in the landscape. Features include human-made pits in talus slopes, stacked rocks, rock walls, blazed and scarred trees, ditches, railroad grades, wagon roads, cabin foundations and other human modifications of the natural landscape.

The Forest Practices Rules, <u>WAC 222-16-050</u> (1)(f)(iv), provide for exemptions from class IV-special designation when there is a known site within a forest practices application (FPA) and a



protection plan is agreed to by the Department of Archaeology and Historic Preservation (DAHP) and the affected tribe(s) prior to submitting the FPA. The IDP is for archaeological and historic resources that are unknown at the time a FPA is submitted to the DNR. The Cultural Resources Protection and Management Plan (CRPMP) was produced as partial fulfillment of commitments made in the 1987 Timber, Fish and Wildlife Agreement (TFW) and the 1999 Forests and Fish Report (FFR). It provides a framework for landowners and land managers to communicate and cooperate with Indian tribes whose traditional lands include their managed timberlands. The CRPMP encourages mutual respect for the goals and objectives of both land managers and tribes.

(A) Procedures for Archaeological or Historic Resources Discovery

- 1. If anyone working on the Simcoe Unit (e.g., WDFW staff, contractor) believes they have discovered an archaeological or historic resource, they are authorized and directed under the IDP to halt work in the immediate vicinity of the discovery and to promptly report the find to the operations supervisor.
- 2. The Operations Supervisor is responsible for ensuring the work in the vicinity of the find remains halted and is responsible for establishing a protective buffer around the site prohibiting machinery, vehicles and unauthorized individuals from coming within at least ten meters (33 ft.) of the discovery.
- 3. The Operations Supervisor will notify the Simcoe Mountains Unit Manager of the discovery and the Yakama Nation Tribal Historic Preservation Officer (THPO) and/or the TFW Archaeologist. If neither the Yakama Nation THPO nor the TFW Archaeologist is available to visit the site to assess the discovery, the services of another professional archaeologist will be secured. The professional archaeologist shall meet the qualifications defined in <u>RCW 27.53.030(11)</u>.
- 4. The Operations Supervisor or other Simcoe Mountains representative will accompany the THPO and/or the TFW Archaeologist or other qualified professional archaeologist to the discovery. If the discovery is determined to be a protected archaeological site or historic archaeological resource as defined in RCW 27.53.030 it will be professionally documented and protection measures will be developed in consultation with DAHP and the Yakama Nation (if Yakama Nation personnel are not participating in the documentation).
- 5. The Operations Supervisor will notify DNR (if this is a forest practice activity) of the discovery if it is a protected resource when there is a protection plan agreed to by Simcoe Mountains personnel, DAHP and the Yakama Nation.
- (B) Procedures for Discovery of Human Remains (see RCW 68.60.050 and 055)
 - 1. If anyone working on the Simcoe Unit (e.g., WDFW staff, contractor) believes they have encountered human remains they are authorized and directed under the IDP to halt work in the immediate vicinity of the discovery and to promptly report the find to the Operations Supervisor.
 - 2. The Operations Supervisor is responsible for ensuring the work in the vicinity of the discovery remains halted and is responsible for establishing a protective buffer and securing the area around the human remains prohibiting machinery, vehicles and



unauthorized individuals from coming within at least ten meters (33 ft.) of the discovery.

- 3. The Operations Supervisor will immediately notify the appropriate Coroner and Sheriff's offices and report the location of the human remains. The Operations Supervisor will notify the Simcoe Mountains Unit Manager, the Yakama Nation Tribal Historic Preservation Officer (THPO) and the Washington State Physical Anthropologist.
- 4. The coroner's office will assume jurisdiction over the human remains and must make a determination whether they are forensic or non-forensic. The coroner will retain jurisdiction over forensic remains.
- 5. Upon determination that the remains are non-forensic, the coroner must notify DAHP within two business days. DAHP will have jurisdiction over the remains until the source of the remains is determined. DAHP will notify local cemeteries and the Yakama Nation office of Cultural Resources Committee Chairperson by phone (509) 865-5121/email as well as via certified mail.
- 6. The State physical anthropologist must make a determination of whether the human remains are Indian or non-Indian within two business days. If the remains are determined to be Indian, DAHP must notify the Yakama Nation via certified mail within two business days.
- 7. If the remains are determined to be Indian, the Operations Supervisor or other Simcoe Mountains representative will assist the THPO and/or other Yakama Nation representatives to the discovery. The THPO or other Yakama Nation representatives will work with Simcoe Mountains personnel to determine appropriate buffers and treatment of the human remains.

Contacts

Yakama Nation

Tribal Historic Preservation Officer P. O. Box 151 Toppenish, WA 98948 509-985-7596

TFW Archaeologist P. O. Box 151 Toppenish, WA 98948 509-945-4925

Cultural Resources Program Manager P.O. Box 151 Toppenish, WA 98948 509-865-5121

Department of Archaeology and Historic Preservation

State Physical Anthropologist 1063 South Capitol Way, Suite 106 Olympia, WA 98501 360-586-3534

State Assistant Archaeologist 1063 South Capitol Way, Suite 106 Olympia, WA 98501 360-586-3088

Klickitat County

Sheriff 205 S. Columbus Ave. MS-CH-7, Room 108 Goldendale, WA 98620 509-773-4455 Fax: 509-773-6575

Coroner

205 S. Columbus Ave., MS-CH-18 Goldendale, WA 98620 509-773-5838 Ext: 509-773-6696



Culturally Important Natural Resources

The property hosts a variety of plant and animal species that have cultural significance. Some of these resources were (or are) used as food, while certain species may have been used in medicine, for fiber, or other routine or ceremonial uses. WDFW aspires to manage native plant and animal populations for long-term sustainability. This commitment mirrors that of the Yakama Nation, as both entities wish to ensure that the resources can be enjoyed in perpetuity.

Fish and wildlife resources will be managed using commonly employed methods. These include surveys for species presence where needed; protection of listed species; thoughtful structure of hunting seasons; and enhancement of key habitats, where it may be helpful. The Yakama Nation will provide information on culturally important plant population locations, at its discretion. WDFW will attempt to limit negative impacts to these areas, provided that the specific causes of impacts to the resource are understood. Observations of overutilization of important resources should be reported to the Klickitat Wildlife Area Manager so that the issue can be evaluated and addressed.

Commercial uses and activities are not allowed on WDFW-managed lands except under permit or other formal agreement. This includes any enterprise intended to generate income. Common uses that may be authorized by WDFW are pasturing of livestock and timber harvest. WDFW does not issue commercial permits for berry picking, mushroom collection, or collection of other plant materials. For people who are not enrolled members of the Yakama Nation, foraging for edible items or other natural materials is allowed only on a small scale for personal use. Small scale is considered to be one gallon by volume per adult on the property, with children's harvest being combined with the adult harvest. The quantity limit does not apply to members of the Yakama Nation.



Oak pines and open meadow view. Photo by Alan L. Bauer.



Infrastructure and Maintenance

The property now known as the Simcoe Mountains Unit of the Klickitat Wildlife Area has been managed primarily for timber production and secondarily as livestock pasture for many decades. Nearly all the existing infrastructure was constructed to support those enterprises.

Western Pacific Timber, LLC, the most recent past owner of the property, entered into a road maintenance and abandonment plan agreement with DNR to ensure that the company's roads meet forest practice standards under current law. All the planned work was accomplished by the time the property was purchased by WDFW. Western Pacific Timber provided a map of the road inventory, showing which roads received improvements, which roads were left as-is, and which roads were formally abandoned (closed to all vehicle use).

Most of the existing fences on the property have been in place for a long time. Newer fences were constructed by a grazing permit holder in 2013 and by WDFW in 2022. Information on fencing and other improvements for livestock was offered by grazing permit holders and/or observed independently by WDFW staff while working on the property.

This property was closed to public entry until it was purchased by WDFW. Until that time, signage was minimal and mainly served to advise the public of the closure. Now that the property is available for public use, WDFW has erected reader boards and placed other signs to provide information about the property and advise visitors of rules.

Infrastructure Inventory

Roads

Primary roads: 23.45 miles

Secondary roads: 9.8 miles

Primary roads are the roads that serve as the main access routes to the property or connect between other important roads (Figure 7). These receive the most use and are to be maintained in passable condition during the dry seasons when most management activity occurs.

Secondary roads are generally dead-end spur roads that reach areas that require periodic inspection or some level of management. These roads are to be maintained on an as-needed basis.

Road gates

Main gates controlling vehicle access: 3

This count includes only heavy-duty hinged gates on WDFW-managed lands. There are two gates along Box Spring Road, and one along Box Canyon Road. There is an additional gate on Box Canyon Road, on BLM property.

There are at least eight wire gates across roads on the land WDFW manages or on property lines. Most of these are to control livestock movement. A few are also to manage vehicle use.

Cattleguards

County road: 1

Spurs road off secondary road: 2

These structures are designed to limit livestock movement along a road while permitting convenient passage for vehicles. There is one cattleguard on Box Spring Road, installed by a grazing permit holder. The other is on a spur road that intersects the 3000 Road (also known as the Bickleton Ridge Rd.) on the WDFW-managed land boundary. This cattleguard was also installed by a grazing permit holder due to a persistent issue with a gate being left open, allowing cattle to escape.

Fences

Serviceable fences: 11.4 miles, total

Fences in disrepair that may be rebuilt: .5 to 1 mile, estimated

Fences serve primarily to manage livestock movement, and so are constructed to specifications appropriate for cattle (Figure 7). WDFW does not anticipate a need for construction of fences for control of wildlife on the Simcoe Mountains Unit. The agency prefers that fences allow for wildlife passage, and new fences are to be built in a way that allows for that.

Fences also serve to mark the boundaries of public land, helping to maintain good relations with neighboring landowners by minimizing trespass by the public on private property.

There are old fences on the Simcoe Mountains Unit that currently serve no purpose. WDFW recognizes that old fencing that is no longer maintained often presents a safety hazard to wildlife and prefers that such fencing be removed. The locations of old, unneeded fences will be noted by WDFW and added to a list for removal. The length of unmaintained fences is unknown but is estimated to be more than a mile.

Developed Stock Watering Points

Serviceable water troughs: 4

There are two water sources that used to have improvements for livestock but have fallen into disrepair, one or both may be rebuilt in the future.

Signs

Reader Boards: 2

Signs: Approx. 16 metal or plastic signs and 2 wooden signs

The reader boards feature several signs, some of which are changed seasonally, as well as small boxes for informational material distributed to visitors by WDFW. WDFW endeavors to keep the boxes stocked with maps of the Simcoe Mountains Unit and hunting regulations pamphlets.

WDFW also posts paper signs on the property boundaries marking the area as Deer Management Area 5382. These inform visitors that this special deer management area is open to deer hunting by permit only. There are many of these signs and they are replaced or added as needed.



Infrastructure Maintenance

Maintenance of improvements on the property will be performed by parties according to legal responsibility and/or customary practices, unless another agreement is made regarding these roles. In general, signs and other assets designed to inform the public and enhance recreational experience will be installed and maintained by WDFW. Road maintenance and road use will also be managed by WDFW. Livestock watering facilities will be maintained by grazing permit holders. Fences and livestock gates are important to grazing permit holders as well as WDFW, and parties will coordinate to ensure that fencing is in serviceable condition.

Roads on the Simcoe Mountains Unit are constructed to meet seasonal needs, and the past and current practice has been to drive on the roads when they are firm enough to support vehicles. By deferring driving on the roads until the soil is firm, costly damage is avoided. WDFW plans to limit its own use and use by others to the dry seasons. The road surfaces were in good condition when WDFW purchased the property, and the most advantageous approach is to keep them that way. Most of the work currently associated with maintaining the road system is removing fallen trees and cutting back encroaching vegetation. Trees fall across the roads regularly, and employees and grazing permit holders both work to clear these obstacles from the primary roads. Fallen trees are removed from secondary roads as needed for access to work sites.

The Goals and Objectives Table (Appendix A) provides more detail regarding specific tasks and responsibilities.



Old fence gate. Photo by Alan L. Bauer.




Figure 7. Simcoe Mountains Unit Road and Fences.

References

Abdalla, M., A. Hastings, D. R. Chadwick, D. L. Jones, C. D. Evans, M. B. Jones, R. M. Rees, and P. Smith. 2018. Critical review of the impacts of grazing intensity on soil organic carbon storage and other soil quality indicators in extensively managed grasslands.

Agee, J.K., 1996. Fire Ecology of Pacific Northwest Forests. Island Press.

Anderson, E. W., and R. J. Scherzinger. 1975. Improving quality of winter forage by elk by cattle grazing. Journal of Range Management **28**:120-125

Aspect Consulting LLC and Watershed Professionals Network 2004, Level 1 Watershed Assessment WRIA 31 (Rock-Glade Watershed): http://klickitatcounty.org/241/WRIA-31---Rock-Glade-Planning-Documents

Beausoleil, R. A. and C. Lackey. 2015. Responding to human-bear conflict and capture-handling of black bears: a field techniques guide for agency biologists and officers.

Belsky, A. J., A. Matzke, and S. Uselman. 1999. Survey of livestock influences on stream and riparian ecosystems in the western United States. Journal of Soil and Water Conservation **54**:419-431.

Biggs, N. B., and L. Huntsinger. 2021. Managed grazing on Californnia annual rangelands in the context of state climate policy. Rangeland Ecology and Management **76**:56-68.

BLM. 1999. Interagency technical reference: utilization studies and residual measurements. Page 174. USDA-Cooperative Extension Service, USDA-Forest Service, Natural Resources Conservation Service, USDI Bureau of Land Management.

Brown, S., 1996. Mitigation of Carbon Dioxide Emissions by Management of Forests in Asia. Ambio 25, 273-278.

Burton, T. A., S. J. Smith, and E. R. Cowley. 2011. Riparian area management: multiple indicator monitoring (MIM) of stream channels and streamside vegetation. Technical reference 1737-23. BLM/OC/ST-10/003+1737+REV. USDI, Bureau of Land Management, National Operations Center, Denver, CO.

Davies, K. W., T. J. Svejcar, and J. D. Bates. 2009. Interaction of historical and nonhistorical disturbances maintains native plant communities. Ecological Appliations **19**:1536-1545.

DeKeyser, E. S., M. Meehan, G. Clambey, and K. Krabbenhoft. 2013. Cool season invasive grasses in northern Great Plains natural areas. Natural Areas Journal **33**:81-90.

Fidorra, J. and T. C. Peterson. 2021. Pronghorn antelope abundance survey in south-central Washington. Yakama Nation Wildlife and Washington Department of Fish and Wildlife. Unpublished report.

Fleischner, T. L. 1994. Ecological costs of livestock grazing in North America. Conservation Biology **8**:629-644.

Ganskopp, D., L. Aguilera, and M. Vavra. 2007. Livestock forage conditioning among six northern Great Basin grasses. Rangeland Ecology and Management **60**:71-78.



Garnett, T., c. Godde, A. Muller, E. Roos, P. Smith, I. J. M. de Boer, E. zu Ermgasses, M. Herrero, c. van Middelaar, C. Schader, and H. van Zanten. 2017. Grazed and confused? Ruminating on cattle, grazing systems, methane, nitrous oxide, the soil carbon sequestration question - and what it all means for greenhouse gas emissions. Food Climate Research Network, University of Oxford.

Glass 2009, WRIA 31 Instream Habitat Assessment: https://www.klickitatcounty.org/DocumentCenter/View/5094/Instream-Habitat-Assessment-PDF

Griscom et al, 2017. Natural Climate Solutions. Proc. Natural Climate Solutions. Proc. Natl. Acad. Sci. 114, 11645-11650.

Griscom, B. W., J. Adams, P. W. Ellis, R. A. Houghton, G. Lomax, D. A. Mitevad, W. H. Schlesinger, d. Shoch, J. V. Siikamakig, P. Smith, P. Woodbury, C. Zganjara, A. Blackmang, J. Campari, R. T. Conant, C. Delgadol, P. Elias, T. Gopalakrishna, M. R. Hamsik, M. Herrero, J. Kiesecker, E. Landis, L. Laestadius, S. M. Leavitt, S. Minnemeyer, S. Polasky, P. Potapov, F. E. Putz, J. Sanderman, M. Silvius, E. Wollenberg, and J. Fargione. 2017. Natural climate solutions. PNAS **114**:11645-11650.

Herrick, J. E., J. W. Van Zee, K. M. Havstad, L. M. Burkett, and W. G. Whitford. 2009. Monitoring manual for grassland, shrubland, and savanna ecosystems. Volume 1: Quick start. USDA-ARS Jornada Experimental Range, Las Cruces, New Mexico.

Hobbs, N. T., D. L. Baker, and R. B. Gill. 1983. Comparative nutritional ecology of montane ungulates during winter. Journal of Wildlife Management **47**:1-15.

Johnson, T. N., P. L. Kennedy, and M. A. Etterson. 2012. Nest success and cause-specific nest failure of grassland passerines breeding in prairie grazed by livestock. Journal of Wildlife Management **76**:1607-1616.

Joyce, L. A., D. D. Briske, J. R. Brown, H. W. Polley, B. A. McCarl, and D. W. Bailey. 2013. Climate change and North American rangelands: assessment of mitigation and adaptation strategies. Rangeland Ecology and Management **66**:512-528.

Laycock, W. A. 1967. How heavy grazing and protection affect sagebrush-grass ranges. Journal of Range Management **34**:52-58.

Linders, M. J. 2000. Spatial ecology of the western gray squirrel, (Sciurus griseus) in Washington: the interaction of season, habitat and home range. M.S. thesis, University of Washington, Seattle, Washington.

Linders, M. J., W. M. Vander Haegen, J. M. Azerrad, R. Dobson, and T. Labbe. 2010. Management Recommendations for Washington's Priority Species: Western Gray Squirrel. Washington Department of Fish and Wildlife, Olympia, Washington.

Macfarlane WM, Gilbert JD, Meier MD, Hafen C, Shahverdian SM, Albonico MT, and Wheaton JM. 2018 Yakama Nation Beaver Restoration Assessment Tool: Building Realistic Expectations for Partnering with Beaver in Restoration and Conservation. Prepared for the Yakama Nation. Logan, UT. 68 pages. Data available from: <u>https://brat.riverscapes.net/data.html</u>

Madany, M. H., and N. E. West. 1983. Livestock grazing-fire regime interactions within montane forests of Zion National Park, Utah. Ecology **64**:661-667.



Mainer, D. J., and N. T. Hobbs. 2006. Large herbivores influence the composition and diversity of shrub-steppe communities in the Rocky Mountains, USA. Oecologia **146**:641-651.

Management Strategy for the Washington State Department of Fish and Wildlife Forests (Tveten 2014)

Miller et al, 2009. Quantitative Evidence for Increasing Forest Fire Severity in the Sierra Nevada and Southern Cascade Mountains, California and Nevada, USA. Ecosystems 12, 16-32.

Mueggler, W. F. 1972. Influence of competition on the response of bluebunch wheatgrass to clipping. Journal of Range Management **25**:88-92.

Olff, H., and M. E. Ritchie. 1998. Effects of herbivores on grassland plant diversity. Trends in Ecology and Evolution **13**:261-265.

Perry, D.A. et al, 2011. The Ecology of Mixed Severity Fire Regimes in Washington, Oregon and Northern California. For. Ecol. Manage. 262, 703-717.

Pitt, M. D. 1986. Assessment of spring defoliation to improve fall forage quality of bluebunch wheatgrass (*Agropyrum spicatum*). Journal of Range Management **39**:175-181.

Pyke, D. A. 2011. Restoring and rehabilitating sagebrush habitats. Pages 531-548 *in* S. T. Knick and J. W. Connelly, editors. Greater Sage-Grouse: ecology and conservation of a landscape species and its habitats. University of California Press, Berkeley, CA.

Reisner, M. D., J. B. Grace, D. A. Pyke, and P. S. Doescher. 2013. Conditions favouring *Bromus tectorum* dominance of endangered sagebrush steppe ecosystems. Journal of Applied Ecology **50**:1039-1049.

Rummel, R. S. 1951. Some effects of livestock grazing on ponderosa pine forests and range in central Washington. Ecology **32**:594-607.

Ryder, R. A. 1980. Effects of grazing on bird habitats. Pages 51-56 Management of western forests and grasslands for nongame birds. USDA Forest Service general technical report INT-86.

Schneegas, E. R., and R. S. Bumstead. 1977. Decline of western mule deer populations: probable cause, tentative solution. 57th annual conference of the Western Association of State Game and Fish Commissioners, Tucson, AZ.

Shirk, A., H. Morgan, M. Krosby, C. Raymond, G. S. Mauger, and L. Helbrecht. 2021. Preparing Washington Department of Fish and Wildlife for a

changing climate: assessing risks and opportunities for action. A collaboration of the Washington Department of Fish and Wildlife and University of Washington Climate Impacts Group. Unpublished report.

Smithwick et al, 2002. Potential Upper Bounds of Carbon Stores in Forests of the Pacific Northwest. Ecol. Appl. 12, 1303-1317.

State Water Quality Assessment 2018: https://apps.ecology.wa.gov/waterqualityatlas/wqa/proposedassessment Steinfeld, H., P. Gerber, T. Wassenaar, V. Castel, M. Rosales, and C. de Haan. 2006. Livestock's Long Shadow. Environmental Issues and Options. Food and Agriculture Organization of the United Nations. 408 pages.

Stephens, S.L., 1998. Evaluation of the Effects of Silvicultural and Fuels Treatments on Potential Fires Behavior in Sierra Nevada Mixed-Conifer Forests. For. Ecol. Manage. 105, 21-35.

Stephenson, N.L. et al, 2014. Rate of Tree Carbon Accumulation Increases Continuously with Tree Size. Nature 507, 90-93.

Taylor, N., J. E. Knight, and J. J. Short. 2004. Fall cattle grazing versus mowing to increase big-game forage. Wildlife Society Bulletin **32**:449-455.

Tveten, Richard, 2014. Management Strategy for the Washington State Department of Fish and Wildlife's Forests.

Vavra, M. 2005. Livestock grazing and wildlife: developing compatibilities. Rangeland Ecology and Management **58**:128-134.

Vitousek, P.M., 1991. Can Planted Forests Counteract Increasing Atmospheric Carbon Dioxide? J. Environ. Qual. 20, 348-354.

Wagoner, S. J., L. A. Shipley, R. C. Cook, and L. Hardesty. 2013. Spring cattle grazing and mule deer nutrition in a bluebunch wheatgrass community. Journal of Wildlife Management **77**:897-907.

Washington Department of Fish and Wildlife. 2010. Cougar Outreach and Education in Washington State. Washington Department of Fish and Wildlife, Olympia, Washington.

Washington Department of Fish and Wildlife. 2015. Game Management Plan July 2015-June 2021. Washington Department of Fish and Wildlife, Olympia, Washington.

Washington Department of Fish and Wildlife. 2016. Washington State Mule Deer Management Plan, Wildlife Program, Washington Department of Fish and Wildlife, Olympia, WA.

Washington Department of Fish and Wildlife. 2016. Klickitat Wildlife Area Management Plan, Wildlife Program, Washington Department of Fish and Wildlife, Olympia, WA.

Wiles, G. J., H. L. Allen, and G. E. Hayes. 2011. Wolf conservation and management plan for Washington. Washington Department of Fish and Wildlife, Olympia, Washington.

Wiles, G. J. 2016. Periodic status review for the western gray squirrel in Washington. Washington Department of Fish and Wildlife, Olympia, Washington.

Willms, W., A. McLean, R. Tucker, and R. Ritchey. 1979. Interactions between mule deer and cattle on big sagebrush range in British Columbia. Journal of Range Management **32**:299-304.

Wilson, A. M., G. A. Harris, and D. H. Gates. 1966. Cumulative effects of clipping on yield of bluebunch wheatgrass. Journal of Range Management **9**:90-91.

WRIA 31 Management Plan 2008:

https://www.klickitatcounty.org/DocumentCenter/View/234/WRIA-31-Rock-Glade-Watershed-Management-Plan-PDF\



WRIA 31 Detailed Implementation Plan 2010:

https://www.klickitatcounty.org/DocumentCenter/View/11699/WRIA-31-Detailed-Implementation-Plan-PDF

Yeo, J. J., J. M. Peek, W. T. Wittinger, and C. T. Kvale. 1993. Influence of rest-rotation cattle grazing on mule deer and elk habitat use in east-central Idaho. Journal of Range Management **46**:245-250.

DRAFT Simcoe Mountains Unity Property Management Plan

Appendices

- a) Simcoe Mountains Unit Goals, Objectives, and Performance Measures
- b) Memorandum of Understanding



	Goal	Objective	Performance Measure	Lead Support	Tasks
1.	Identify key wildlife habitats. Maintain or improve the ecological integrity of priority sites.	A. Use PHS and ground- truthing to map and document priority habitats, i.e. wetlands, white alder/riparian, aspen stands and key grassland/steppe areas.	1. In 5 years provide draft map of inventoried sites to CRM group.	WLA Manager	Survey and map priority sites. Use PHS Management Recommendations to develop site specific plans. Include risks from climate change in those plans.
		B. Implement Weed Management Plan.	 # acres inspected. # acres treated. Produce annual weed control report, documenting work completed. 	Range Ecologist/Conservation District, District Wildlife & Habitat Biologists	Inspect wildlife area lands for weed infestations as time permits focusing efforts on high priority areas. Note new infestations for active control efforts and track population trends and ongoing needs at known infestation sites. Maintain records of weed control efforts. Submit annual weed control report, documenting work completed.
2.	Support western gray squirrel populations in and around the Wildlife Area in	A. Evaluate western gray squirrel locations, past and current, across the landscape.	 Review existing records conduct surveys over the next three years. 	WLA Manager	Map all known data for western gray squirrel locations.
	accordance with the western gray squirrel statewide recovery plan. Also reference Goal 5 of the KWA Plan.	B. Implement PHS western gray squirrel management recommendations in forest treatments. Manage toward recommended stand characteristics (primary/secondary habitat).	 Complete WGS surveys prior to silvicultural treatments and incorporate them into forest harvest plan. Monitor WGS presence within 5 years of timber harvest to determine continued occupancy 	District Biologists/ WDFW Forester	Utilize PHS guidelines for planning management of WGS habitat. Conduct follow-up ground surveys to compare pre-treatment and post-treatment WGS nest presence.

Appendix A. Simcoe Mountains Unit Goals, Objectives, and Performance Measures

	Goal	Objective	Performance Measure	Lead Support	Tasks
3.	Maintain and enhance the Oregon white oak woodlands. Also reference Goal 4A of the KWA Plan.	A. Address oak habitat protection when implementing KWA forest management and grazing plans. (Manage for oak savannah, pure oak woodlands, oak/conifer woodlands, and oak snags.)	 Perform annual grazing permit monitoring. Conduct review of pine- oak habitats by Forestry Program to map oak stands that are in need of conifer release via forest management. 	Range Ecologists/ WLA Manager, WDFW Forester	Map distribution of oak habitats on the property Identify pine-oak stands that would be good candidates for oak release projects.
		 B. Address oak habitat protection when implementing KWLA forest management and grazing plans. (Manage for oak savannah, pure oak, oak/conifer and oak snags.) 	Oregon white oak cover and stem density reported by height class at approximately 5-year intervals.	WDFW Range Ecologist, WLA Manager, WDFW Forester.	Monitor oak cover and height classes to ensure that oak recruitment is occurring over appropriate time scales.
4.	Inventory wildlife species in order to assess diversity	entory wildlife A. Assess occupancy of wildlife species listed in	1. Prioritize species surveys for a 10-year period.	District Biologist	Coordinate district priorities with Headquarters Diversity Staff annually.
	and health of ecosystem.		2. Conduct surveys for selected priority wildlife species	WDFW Citizen Science Program volunteers, Conservation District Staff	Conduct wildlife surveys according to prioritized list. Gather local knowledge from Western Pacific Timber staff. Address overabundance/competition issues as needed.

	Goal	Objective	Performance Measure	Lead Support	Tasks
5.	Provide for healthy stable or increasing mule	A. Monitor deer population.	1. One seasonal deer survey conducted per year.	District Biologist	Conduct post season buck surveys in December as part of GMU 382 aerial survey.
	deer and upland game bird populations. Also reference Goal 8 of the KWA Plan.	B. Maintain or enhance shrub, browse and grassland forage.	1. Monitor livestock grazing utilization and plant community response	WLA Manager/ Range Ecologists, Conservation District, Grazing permit holders	Conduct annual range evaluation.
		C. Monitor deer hunting season to evaluate permit allocation number and season distribution.	1. Complete hunter harvest reports annually. Evaluate permit hunt success.	District Biologist	Conduct phone interviews with all permit hunters to determine hunt quality, success and recommendations for improvement.
		D. Maintain or improve access to water for wildlife species.	1. Evaluate need for additional water sources, what type of water development, and location of such sources.	WLA Manager/ Conservation District Staff, Range Ecologists, Grazing permit holders	Schedule site visits to evaluate habitat condition in relation to limiting factors such as water availability. Survey and map sites and develop recommendations. If needed, design and construct developments.
6.	Manage elk population to optimize resident and migratory mule deer population.	A. Minimize elk population increases per GMU 382 hunting objectives. (Managed for elk suppression.)	1. Complete hunter harvest reports annually.	District Biologist	Monitor annual hunter elk harvest numbers. Make recommendations annually to change hunting season regulations as needed.
7.	Manage bear and cougar for sustainable healthy populations. Manage cougar/bear- livestock conflicts to minimize livestock losses.	A. Implement carnivore management as per state guidelines (e.g., cougar and bear population objectives and harvest strategy, human-wildlife conflict avoidance measures).	 Complete hunter harvest reports annually. Implement human- wildlife conflict avoidance measures. 	District Biologist/ Wildlife Conflict Specialist, WDFW Law Enforcement	Provide bear and cougar harvest recommendations to Headquarters Game Division Staff via hunting season recommendations. Follow WDFW protocols for bear/cougar depredations.

	Goal	Objective	Performance Measure	Lead	Tasks
				Support	
8.	Manage wolf- livestock conflicts to minimize livestock losses.	A. Follow statewide guidelines for wolf management. Once a pack is established around the WLA, evaluate adaptive management as per statewide planning.	 Document sightings, conduct follow-ups as needed. Implement WDFW wolf conflict avoidance measures. 	District Biologist/ Wildlife Conflict Specialist	Work with Wildlife Conflict Staff to document probable wolf sightings as per public and WDFW reports. Set cameras as needed to verify individual and wolf pack presence based on sightings/reports. Follow WDFW protocols in cases of wolf- livestock conflict.
9.	Manage Simcoe Mountains Unit for absence of feral horses and pigs.	A. Monitor for feral horse and pig presence on the unit and adjacent ownerships.	 Document observations, conduct follow-ups as needed to determine presence. Develop and implement a plan for removing feral horses and pigs from WDFW land, if present. 	WLA Manager/ Conservation District Staff, District Biologist	WLA Manager and Grazing permit holder work together to document points of entry and repair fences ASAP to minimize access for feral horses across WDFW property lines.
10.	Forest Restoration	 A. Restore stand to Historic Range of Variability to improve habitat, stand resiliency and forest health B. Release 6" dbh & smaller trees C. Reduce tree density favoring dominant fire- resistant trees 	 400 acres commercial thin 250 acres pre- commercial thin 250 acres pre- commercial thin 	Forester Forester Forester	

	Goal	Objective	Performance Measure	Lead Support	Tasks
11.	Maintain or improve hydrologic processes through best management practices to increase climate resiliency.	 A. Maintain or improve winter/spring season water storage to sustain summer/fall base flow. B. Maintain or improve floodplain connectivity. C. Maintain or improve wet meadow conditions. 	 Data collected over 5 initial management years (surveys, streamflow monitoring) Identify future project sites and management opportunities 	WLA Manager/ Conservation District Staff, WDFW Wildlife and Habitat Biologists, Yakama Nation Fisheries Staff	Conduct streamflow monitoring and survey stream reaches to develop baseline conditions and guide future work Confirm spring locations and condition; make improvements as needed Confirm fish presence and distribution to guide future work Evaluate suitability for beaver reintroduction to support upper watershed restoration (groundtruth Beaver Restoration Assessment Tool outputs) Evaluate opportunities to maximize snowpack development and persistence into the late season Evaluate opportunities for constructed water storage and subsequent release to support late season base flows for water quality and fish Evaluate opportunities for road decommissioning to restore floodplain connectivity and promote natural hydrological processes Evaluate opportunities to use materials from forest management projects for stream/floodplain enhancement
12.	Maintain or improve water quality through best management practices.	 A. Maintain or improve riparian condition. B. Maintain or improve instream temperatures. C. Minimize sediment input from roads, timber harvest, grazing, and burned areas. 	 Data collected over 5 initial management years (e.g., surveys, stream temperature monitoring) Identify future project sites and management opportunities 	WLA Manager/ Conservation District Staff, WDFW Wildlife and Habitat Biologists, Yakama Nation Fisheries Staff	Conduct riparian assessments, including in burned areas, to develop baseline conditions and guide future work Conduct stream temperature monitoring to develop baseline conditions and guide future work Confirm spring locations, condition, and contribution to base flow Protect sensitive areas from livestock and wildlife and provide alternative watering sources

	Goal	Objective	Performance Measure	Lead Support	Tasks
					Evaluate opportunities for road decommissioning and/or upgrades to limit sedimentation
13.	Maintain or improve hydrological processes that	A. Maintain water right claims to support working lands.	1. Review existing water right information and develop water use tracking system within 2 years	WDFW Staff/, Conservation District Staff, Yakama Nation	Confirm water right locations and conditions Document historic use and develop ongoing ways to document current use to preserve water rights into the future
	support recreation and working lands.	B. Maintain and develop or renovate springs with available funding.	 Visit mapped springs and document conditions within 2 years 		Confirm spring locations and condition; make improvements as needed
14.	Support and maintain appropriate recreational opportunities. Also reference Goal 11	A. Monitor deer hunting season to evaluate permit allocation number and season distribution.	 Complete hunter harvest reports annually. Evaluate permit hunt success. 	District Wildlife Biologist	Conduct phone interviews with all permit hunters to determine hunt quality, success, and recommendations for improvement.
	of the KWA Plan	B. Follow existing harvest regulations for GMU 382	1. Complete hunter harvest reports annually.	District Wildlife Biologist	Evaluate and monitor resource impacts. Use adaptive management to respond.
		C. Communicate with neighboring landowners	1. Contact BLM, CDs, and private landowners regarding recreation.	WLA Manager	Develop collaborative actions as applicable (trails, etc.).
		D. Implement area or trail closures annually during critical times of the year for wildlife species, as needed.	 Document conflicts between wildlife and recreational activities. Implement closures on a case-by-case basis. 	WLA Manager/ District Wildlife Biologist, Enforcement	Use scientific literature to determine best practices for size and timing of recreational closures.
		E. Add information at reader boards on important wildlife and habitat protection issues.	 Provide appropriate information on all reader boards. 	WLA Manager/ District Wildlife and Habitat Biologists	Perform maintenance and updates to information and reader boards as necessary.

	Goal	Objective	Performance Measure	Lead Support	Tasks
			2. Update as necessary.		
		F. Explore options for camping and parking areas.	1. Place signs advising visitors of where camping and parking are allowed or restricted.	WLA Manager	Develop handouts, post signs, and update information on WDFW website. Identify suitable areas and need. Identify costs to develop and maintain these areas and accompanying facilities like restrooms.
		G. Maintain recreational uses that are compatible with nonmotorized access.	2. Restrict uses that are not compatible with nonmotorized access.	WLA Manager	Establish list of restricted activities and list of restrictions for acceptable uses. Develop handouts, post signs, and update WDFW website as needed.
15.	Collaboratively maintain the traditional working landscape of the Simcoe Unit.	 A. Issue WDFW 5-year grazing permits for the property consistent with WDFW Policy C-6003. B. Evaluate and renew grazing permits upon expiration, with any adjustments based on condition of maintained habitat values and ecological integrity. C. Manage additional adjoining WDFW land acquisitions and Conservation District land acquisitions in an integrated manner with the existing Simcoe Unit, which may include amending existing grazing 	 Issued permits Coordination meetings attended. 	WDFW Range Ecologist/ WLA Manager, Permittees, Conservation District Staff. Regional Director, E&CKCD Director	Produce grazing management plans reviewed by Simcoe CRM and WDFW District 9 Team, Wildlife Area Advisory Committee Conduct Ecosystem Standards assessments for each permit/renewal. Report monitoring results associated with Goal 1 and Goal 2 in grazing permit renewals. Attend coordination meetings to assess progress toward objectives, adjustments, and the management of new land acquisitions at least annually.

	Goal	Objective	Performance Measure	Lead Support	Tasks
		permits to include newly acquired acreage. Explore Conservation Easement for grazing to E&CKCDs			
16.	Maintain or improve habitat conditions for deer through grazing.	 A. Allow only conservative stocking rates that do not result in utilization in excess of 50% of herbaceous or woody plant species. B. Allow light to moderate livestock grazing that should favor shrub growth. 	 Utilization measurements reported annually. Shrub cover reported at approximately 5-year intervals. Forage estimates conducted based on existing vegetation/ condition and ecological sites, and allot animal unit months accordingly. 	WLA Manager/ WDFW Range Ecologist, Permittees.	Use data from field visits, ecological site descriptions, forest management, and principles of range management as described in technical literature to calculate a stocking rate consistent with conservation of wildlife habitat. Conduct utilization measurements on selected herbaceous and woody plant species/groups at locations accessible to livestock.
17.	Maintain and improve range infrastructure.	 A. Maintain northern boundary fence along Yakama Indian Nation and interior fence between grazing permits. B. Maintain existing water developments. C. Assess need, capacity for, and resources to maintain additional fencing, water developments, signage, and cattle guards, including costs for any necessary surveys. 	 Fence constructed or maintained (miles), water developments infrastructure functioning properly (y/n); assessments completed (y/n); Strategies agreed upon (y/n). 	WLA manager/ Conservation District staff, Permittees	Prepare contracts. Perform annual maintenance as needed. Evaluate need, suitable locations, and potential funding sources for the listed infrastructure items.

	Goal	Objective	Performance Measure	Lead Support	Tasks
		D. Identify strategies for rebuilding infrastructure damaged in the event of fire.			
18.	Preserve and protect culturally significant sites on the property.	A. Comply with all current laws and WDFW policies applicable to culturally important sites and relics.	 Avoid disturbance of sites and relics. Ensure that an adequate survey is conducted to identify any sites or relics that may be present within the footprint of a planned project. 	WLA manager/ Project specific lead, Leader of any construction or forest management project, or other project resulting in ground disturbance	Define the boundaries of the any proposed project that might disturb visible relics or soil. Ensure that the project site is surveyed to identify sites or relics requiring protection. Control the work being performed so that necessary site protection is achieved. Inspect known sites and increase surveillance when judged necessary for protection.
19.	Culturally important resources are managed sustainably.	A. Harvest of wildlife and fish are managed at a sustainable level.	 Evaluate implications of management actions with respect to wildlife, fish, and plant resources. Adjust policies as needed to achieve the objectives. 	WLA Manager/ District Wildlife and Fish Biologists	Survey streams for presence of fish. Identify areas occupied by game wildlife species. Develop a set of game, fish, and habitat management practices designed to promote sustainable populations and incorporate them into the property management plan.
		B. Harvest of plant materials is managed at a sustainable level.			Delineate boundaries around specific areas containing culturally significant resources such as plants used in medicine or subsistence.
		C. Other activities that may negatively impact these resources are mitigated to minimize impacts to the greatest degree feasible.			Consider possible negative impacts to sensitive areas when managing uses of the property. Take steps to minimize impacts. Enforce laws pertaining to commercial exploitation of resources on WDFW lands.

JUN 28 2016

RECEIVED

WILDLIFE PROGRAM

This Memorandum of Understanding (MOU) is between the Washington Department of Fish and Wildlife (WDFW), the East Klickitat County Conservation District (EKCD), and the Central Klickitat County Conservation District (CKCD).

A. PURPOSE

The parties desire to facilitate the habitat conservation and stewardship of land in Klickitat County illustrated in Exhibit A. To accomplish this goal, the parties set forth herein their expectations for potential land use activities to occur and an approach for collaborative management of the land and potential activities by the parties. The subgoals are set forth below:

- Facilitate the purchase of the Western Pacific Timber (WPT) lands in Klickitat County that lie east of Highway 97 as described and illustrated on Exhibits A and A-1 (Property).
- Blend the public value of habitat conservation, non-motorized recreation, and working lands into one acquisition and management strategy that is shared between WDFW and the Conservation Districts.
- Ensure compliance with the purposes and terms of any funding source that may be used to purchase the Property.
- Blend habitat, working lands, and recreation in a manner that allows recreation, conservation, protection and restoration, grazing, forestry, economic development, and land stewardship to coexist when possible and consistent with funding and law. Nonmotorized recreation such as hunting, hiking, horseback riding, and biking will be allowed on the Property. Habitat will be protected and restored with a special emphasis placed on priority fish and wildlife species such as western gray squirrel and steelhead.
- Share acquisition and stewardship of this Property in a collaborative manner. The parties will take advantage of the resources and expertise inherent in each organization to further the public interest and best protect, restore, and use the land.

B. DEFINITIONS AND CONSERVATION VALUES

- 1. PARTIES: The term "parties" is defined as the following entities: EKCD, CKCD, and WDFW. The term "parties" also includes and contemplates successors-in-interest for each entity.
- 2. WPT is the entity currently owning and managing the Property east of Highway 97 as illustrated in Exhibit A.
- 3. COORDINATED RESOURCE MANAGEMENT (CRM) is a collaborative decision making process. CRM is intended to achieve compatibility between the uses being made of our natural resources, which include agriculture, fish and wildlife habitat, forage production and use, forest products, recreation, land development, and others; and improve land and water resources and their perpetuation in high quality condition.

- 4. RECREATION AND CONSERVATION OFFICE (RCO): The Washington State Recreation and Conservation Office is a state agency that manages certain grant programs.
- 5. WASHINGTON WILDLIFE AND RECREATION PROGRAM (WWRP): The Washington Wildlife and Recreation Program (RCW 79A.15) is a state grant program that provides funding to protect habitat, preserve working farms, and create new local and state parks. It is administered by the RCO.
- 6. CONSERVATION EASEMENT (CE): A tool authorized by the Revised Code of Washington (RCW) and the Internal Revenue Code to protect and conserve land. Conservation Easements are used to protect a variety of landscapes including farmland, forestland, ridgetops, riparian areas, historic structures, wetlands, and beaches.
- 7. RECREATION VALUES: Hunting, hiking, birding, horseback riding, and other nonmotorized recreational activities consistent with the management values, funding source, and grant category.
- 8. FISH HABITAT VALUES: Critical spawning and rearing habitat for mid-Columbia steelhead and Pacific lamprey.
- 9. WILDLIFE HABITAT VALUES: Mule deer, blacktail deer, elk, and western gray squirrel. See the attached habitat and species list in Exhibit B.
- 10. WATER QUALITY, QUANTITY, AND HYDROLOGY VALUES: Well-managed forest lands can protect both the quality of water in streams as well as the timing and base flow of streams within and out of the forest.
- 11. WORKING LANDS: Working lands are a key socioeconomic value of the east Simcoe Mountains. WPT lands encompass a landscape both large and productive enough to provide long-term, sustainable grazing and forestry opportunities in Klickitat County. Protection of large landscapes for working lands for grazing and forestry also support the agricultural and timber economy, customs, and culture of Klickitat County.
- 12. PROPERTY MANAGEMENT PLAN: A management strategy that provides long term certainty for maintaining conservation, recreation, and working land values while aligning operational responsibilities and future management and is jointly developed by NRCS, WDFW, EKCD, and CKCD using the CRM process.

C. ACQUISITION

- 1. The proposal for this project is to purchase the Property in phases as funding becomes available. The Property may be acquired in phases as contemplated on Exhibit A-1 using fee simple acquisition, purchase of conservation easements, or both.
- 2. Phase I and II will be initiated with acquisition of fee title by WDFW for the Property by utilizing existing RCO grants. An easement will be reserved by WPT to retain access on existing roads within the purchased property for management purposes to the remainder of the WPT property.
- 3. Phase III will occur when EKCD and CKCD pursue funding to purchase a Conservation Easement for WPT lands east of Highway 97 not previously purchased in Phase I and II. The purchase of the CE is intended to be combined with a purchase of the fee portion of the remaining WPT Property by WDFW within the same timeframe with the FY17-19 WWRP grant to be considered in Phase III. The form and provision of the CE will be worked out as the process proceeds.
- 4. Future acquisitions will be subject to legislative appropriations for state grants or other funding sources as available.
- 5. The parties agree to work with RCO to determine appropriate use of future funding according to grant categories. EKCD and CKCD will ensure the CE is consistent with the values noted in the DEFINITIONS AND CONSERVATION VALUES (Section B.7-11) above, and the requirements of the funding sources.
- 6. Each party will provide funds for their portion of the acquisition consistent with the appraised value for that property right. Value for the portion the parties purchase shall be based on a third-party appraisal process that is consistent with funding source appraisal requirements (appraiser to be jointly approved by the signing parties). Each acquisition may have specific appraisal requirements that must be addressed depending on the fund source. Not knowing the specificity of these possible requirements will require renewed concurrence by WDFW, EKCD, and CKCD as they arise.

D. COLLABORATIVE MANAGEMENT: WORKING LANDS AND HABITAT RESTORATION EASEMENT

- 1. EKCD, CKCD, and WDFW will develop a Property Management Plan (PMP) through a CRM process. Operational responsibilities will be determined through the development of the PMP. The parties are committed to aligning conservation, recreation, and working land values on the Property and maintaining those values into the future.
- 2. The preferred alternative is that each party has an ownership interest in the Property through the pairing of a CE purchased by EKCD and/or CKCD and the purchase of the underlying fee portion by WDFW.
- 3. In the event that funding is available for only an outright purchase of the fee portion of the Property, the parties agree to maintain the overarching commitment to aligning

future management for the Property with both working lands and conservation values consistent with funding requirements and as outlined in this agreement.

- 4. If the Property must be purchased solely by either party, the management role of the other party will be formalized through a long-term agreement or Property Management Plan for co-management by the signing parties. The terms of the long-term agreement shall be acceptable to the parties and be in place prior to closing on Phase III.
- 5. The parties will enter into a CRM planning process that provides a collaborative approach to development of a PMP to include plan components for each of the listed CONSERVATION VALUES listed in Section B.7-11. Technical assistance with plan development and management issues will be provided by the Natural Resource Conservation Service (NRCS), WDFW, EKCD/CKCD, and others as requested by the CRM Planning group.
- 6. Active grazing and forest management will be continued at levels similar to current levels and managed consistent with protection of critical wildlife habitat and funding guidelines such as those guidelines issued by RCO. Future grazing management decisions will be based on a PMP developed by NRCS, WDFW, EKCD, and CKCD via the CRM process. Implementation of the PMP will be guided by best available science, consistency with state law, best management practices, and the parameters of the funding source and related contracts. The CRM participants will include stakeholders as deemed appropriate by the parties.
- 7. Future forestry decisions will be based on a PMP developed by NRCS, WDFW, EKCD, and CKCD via the CRM process. Implementation of the PMP will be guided by best available science, consistency with state law, best management practices, and the parameters of the funding source and related contracts. The CRM participants will include stakeholders as deemed appropriate by the parties.
- 8. The CRM plan will be monitored by the parties and adjusted annually through the CRM process via one or more meetings each spring. CRM plan participants will determine their decision-making processes according to NRCS guidelines for CRM planning. The CRM recommendations for forest and range management will be implemented as appropriate and legal by WDFW, EKCD, and CKCD.
- 9. The parties will provide representatives with sufficient decision-making authority to participate in the CRM process. The CRM management plans must be agreed to by all parties.
- 10. All parties will vote on any decision for any CRM management plan component. Voting on CRM decisions does not preclude consensus on other processes.
- 11. A dispute resolution process shall be agreed to and incorporated into the PMP in the event that an irresolvable conflict arises.

- 12. If requested, the parties' relevant natural resources information will be shared with public entities.
- 13. Funds received or revenues generated from the sale of timber and grazing leases on the Property will be used by the parties exclusively to further the purposes of the conservation values established in Section B.7-11 on the Property, in accordance with the PMP developed through the CRM process. These funds will be utilized exclusively for on the ground management activities.

This document sets forth a process to be followed by the parties. The parties, , anticipate that the process shall result in future agreements that shall be binding contracts.

E. CONTACTS

The appropriate contacts for administering this process are as follows:

WDFW

Title:	Region 5-Wildlife Program Manager
Name:	Sandra Jonker (currently as of 5/23/16)
Address:	2108 Grand Boulevard, Vancouver, WA 98661-4624
Phone:	360/906-6722
email:	Sandra.Jonker@dfw.wa.gov

EKCD

Title:	District Manager
Name:	Kent Apostol (currently as of 6/16/16)
Address:	1107 S. Columbus Avenue, Goldendale, WA 98620
Phone:	(509) 773-5823
email:	kent@ckcd.org

CKCD

Title:District ManagerName:Kent Apostol (currently as of 6/16/16)Address:1107 S. Columbus Avenue, Goldendale, WA 98620Phone:(509) 773-5823email:kent@ckcd.org

F. EXHIBITS

The following Exhibits are a part of this MOU:

Exhibit A – Geographic Envelope

Exhibit A-1 - Property Phases

Exhibit B – Wildlife and Habitat Values

G. TERM

The parties set forth their commitment to the above process by executing this MOU, and the effective date of the MOU shall be the last date of the last signature below. Absent signatures of all three parties, the signing parties are free to proceed or modify the process accordingly. This MOU shall continue until replaced by a formal document or the parties agree to discontinue the process.

Washington Department of Fish and Wildlife


Eastern Klickitat Conservation District

Bv Name Title Date


By floon Raschko Name Rhon Raschko Title Chair Date June 16, 2016

Central Klickitat Conservation District

By. Name Title Date



03.17.16



03.17.16

Exhibit B Wildlife and Habitat Values

Species and Communities with Special Status Table					
Project Name: Simcoe 2014 Applicant Name: Washington Department of Fish and Wildlife Date: April 28, 2014					
Species, Community, or Habitat Type	Occurrence	Status	Source	Property or Work Site Indicate All that Apply	
Golden Eagle	Year-Around	sc	WDFW Bios	Cliff, Grassland and Shrub-Steppe	
Western Gray Squirrel	Year-Round	ST FSC	PHS, WDFW Bios	Upland Forests	
Gray Wolf	Single Occurrence	SE, FE	PHS	Forested, Grasslands and Shrub Steppe	
Mule and Black-tailed Deer	Year-Round	PS	PHS, WDFW Bios	Forested, Grasslands and Shrub Steppe	
Townsend's Big-Eared Bat	Communal Roost	SC, FSC	PHS	Within T04N/R18E	
Townsend's Ground Squirrel	Year-Round	SC, FSC	PHS	Grasslands and Shrub Steppe	
Black-tailed Jackrabbit	Year-Round	sc	PHS, WDFW Bios	Grasslands and Shrub Steppe	
Badger	Year-Round	SM	WDFW Bios	Grasslands and Shrub Steppe	
Big-Horn Sheep	Potential Re- introduction	PS	WDFW GIS Analyst, WDFW Bios	Rock Creek Basin contains 32,000+ Acres of Foraging Habitat, 27,000+ Acres of Lambing Habitat and 6,000+ Acres of Escape Terrain per WDFW and BLM guidelines	

Flamulated Owl	Breeding	sc	WDFW Bios	Ponderosa Pine Intermixed With Oregon White Oak, Aspen and Shrubs- Rock Creek
Mardon Skipper	Potential Habitat	SE	WDFW Bios	Grasslands within Ponderosa Pine Savanna/Woodland
Rainbow Trout	Year-Around	PS	PHS	Aquatic Habitats in Main Stem Rock Creek to Above Squaw Creek
Pacific Lamprey	Migratory Spawning	SM, FSC	WDFW Bios	Aquatic Habitats in Main Stem Rock Creek
Mid-Columbia Steelhead Trout	Spawning and Rearing	SC, FT	WDFW Bios, Yakama Nation	Aquatic Habitats Including Main Stem Rock and Quartz Creek
Mid-Colombia Chinook Salmon	Migratory Rearing & Spawning	PS	WDFW Bios, Yakama Nation	Aquatic Habitats in Main Stem Rock Creek to Above Squaw Creek
Bald Eagle	Year-Round	SS, FSC	WDFW Bios	Cliff, grassland, shrub- steppe and riparian habitats
Prairie Falcon	Year-Round	SM	WDFW Bios	Grassland and Shrub- Steppe Habitats
Burrowing Owl	Breeding	FC, FSC	PHS, WDFW Bios	Grassland and Shrub- Steppe Habitats
Peregrine Falcon	Year-Round	Resident	WDFW Bios	Cliff, Grassland and Shrub-Steppe Habitats
Lewis's Woodpecker	Year-Round	SC	WDFW Bios	Oregon White Oak Woodlands
White-headed Woodpecker	Year-Round	SC	WDFW Bios	Ponderosa Pine, Oregon White Oak Woodlands
Wild Turkey	Year-Round	PS	PHS	All Forested Habitats

Loggerhead Shrike	Breeding	SC, FSC	PHS, WDFW Bios, Local Birders	Grassland and Shrub- Steppe Habitats
Western Toad	Year-Round	SC, FSC	WDFW Bios	Riparian and Wetland Habitats associated with Rock Creek and Tributaries
Racer	Year-Round	SM	WA Herp Atlas	Grasslands, Shrub- Steppe, Oak Woodland and Riparian Habitats
Southern Alligator Lizard	Year-Round	SM	WA Herp Atlas	Oregon White Oak Woodland and Riparian Habitats
Sharp Tailed Snake	Drainage	SC, FSC	WDFW Bios	Oregon White-Oak Woodland Habitat
Ring-neck Snake	Drainage	SM	PHS	Oregon White-Oak Pine & Shrub Steppe
Night Snake	Drainage	SM	PHS	Pine & Sagebrush
Great Gray Owl	Unknown	SM	WDFW Bio	Upper elevation forest habitat adjacent to open meadows
Swainson's Hawk	Rock Creek Drainage	SM	WDFW Bio	Grasslands – Lower Quartz Creek
Black Backed Woodpecker	Present -Rock Creek Drainage	SC	Local Audubon	Mature Snags Upper elevations of Recent Burns
Vaux's Swift	Present	SC	Local Audubon	Cavities and Snags
Grasshopper Sparrow	Present	SM	Local Audubon	Grasslands – Lower Rock Creek and Quartz Creek
Gray Flycatcher	Present	SM	WDFW Bio	Oak Pine Bitterbrush

				1
Pileated Woodpecker	Present	SC	WDFW Bio	Rock Creek – Mature Forest - Snags
Lesser Goldfinch	Present	SM	Local Audubon	Shrub – Weeds lower elevations
Sage Sparrow	Present	SM	Local Audubon	Big Sage Habitat
Shrub-Steppe	Present	РН	PHS	Transition Areas between Grasslands and Forested Habitats
Talus	Present	РН	WDFW Bios	Steeper Topographic Areas Associated with Canyon Walls
Cliffs	Present	РН	WDFW Bios	Steeper Topographic Areas Associated with Canyon Walls
In Stream	Present	NOAA, CH	NOAA Critical Habitat for Mid-Columbia Steelhead, Pacific Power Planning Council, Yakama Nation	Aquatic Areas primarily main stem Rock Creek, Squaw Creek, Quartz Creek and Harrison Creek
Palustrine Wetlands	Present	РН	PHS, USFWS	Lower Rock Creek,
White Alder	Present	G1S1	DNR Heritage	Riparian Areas – Rock and Quartz Creeks
Oregon White Oak Woodlands	Present	РН	WDFW Bios, PHS	Rock Creek & Quartz Creek
Riparian	Present	РН	PHS	Stream-Associated Areas Rock Creek & Quartz Creek